

Department of Energy

Richland Operations Office P.O. Box 550 Richland, Washington 99352

MDV O 4 180%

95-PCA-011

Mr. David L. Lundstrom Section Manager 200 Areas Nuclear Waste Program State of Washington Department of Ecology 1315 West 4th Avenue Kennewick, Washington 99336

Mr. Douglas R. Sherwood Hanford Project Manager U.S. Environmental Protection Agency 712 Swift Boulevard, Suite 5 Richland, Washington 99352

Dear Messrs. Lundstrom and Sherwood:

HANFORD FACILITY DANGEROUS WASTE PART A PERMIT APPLICATION, FORM 3s, FOR EIGHT TREATMENT, STORAGE, AND DISPOSAL UNITS (WA7890008967)

Enclosed are 8 Hanford Facility Dangerous Waste Part A Permit Application (Part A) Form 3s. The 8 treatment, storage, and/or disposal (TSD) units are located in the 200 East and West Areas of the Hanford Facility and are used for the treatment, storage, and disposal of dangerous waste generated from various Hanford Facility operations. The 8 TSD units with their associated Part A, Form 3, and revision numbers are listed below:

- Double-Shell Tank (DST) System (TSD: S-2-3), Rev. 7 242-A Evaporator (TSD: T-2-6), Rev. 5
- 204-AR Waste Unloading Station (204-AR) (TSD: T-2-3), Rev. 3
- Low-Level Burial Grounds (LLBG) (TSD: D-2-9), Rev. 7 Liquid Effluent Retention Facility (LERF) (TSD: S-2-8), Rev. 3 222-S Laboratory Complex (TSD: TS-2-1), Rev. 3
- Hanford Central Waste Complex (HCWC) (TSD: TS-2-4), Rev. 2
- T Plant Complex (TSD: T-2-7), Rev. 3



The 8 Part A, Form 3s, have been revised to add Dangerous Waste Numbers F039 (multi-source leachate) in support of efforts to begin operations at Trench 31 of the Low-Level Burial Grounds. Dangerous Waste Number F039 is a waste designation the Washington State Department of Ecology (Ecology) has adopted from 40 CFR Part 261, Appendix VII, by reference per Washington Administrative Code (WAC) 173-303-082(5).

The Part A, Form 3s, for the following TSD units have been revised to delete and add the identified dangerous waste numbers:

242-A Evaporator -

Deleted state-only WCO1 (Extremely Hazardous - carcinogenic)

204-AR Waste Unloading Station - Deleted state-only WCO1

and the second of the second of the

LLBG -

Deleted discarded chemical products P035, P052, P079, U013, U230, U231, U241, U242, and state-only WCOI

Added discarded chemical products P057, U248, U249, U328, U353, and U359

HCWC -

Deleted discarded chemical products P035, P052, P079, U013, U230, U231, U241, U242, and state-only WCOI

Added discarded chemical products P057, U248, U249, U328, U353, and U359

T Plant Complex -

Deleted state-only WCO1

Added discarded chemical products P057, P116, P118, P119, P120, P121, P122, P123, U248, U249, U328, U353, and U359

These changes to the Part A, Form 3, were made in compliance with WAC 173-303. These regulations require the submittal of a revised Part A, Form 3, that addresses the treatment, storage, and/or disposal of dangerous waste previously unidentified at a TSD unit operating under interim status.

Messrs. Lundstrom and Sherwood 94-PCA-011 95

-3-

Should you have any questions regarding the 8 Part A, Form 3s, please contact Mr. C. E. Clark of the U.S. Department of Energy, Richland Operations Office on (509) 376-9333 or Mr. R. C. Bowman of the Westinghouse Hanford Company on (509) 376-4876.

Sincerely,

James D. Bauer, Program Manager Office of Environmental Assurance,

³ப் ண்ணியிழ் ஆண்ணி வ

Permits, and Policy

DOE Richland Operations Office

EAP: CEC

William T. Dixon, Manager Environmental Services

Westinghouse Hanford Company

Enclosure:

Eight Hanford Facility Part A Permit Application, Form 3s

cc w/encl:

Administrative Records, H6-08

- D. Duncan EPA
- D. Nylander Ecology
- S. Price, WHC

cc w/o encl:

- R. Bowman, WHC
- B. Burke, CTUIR
- W. Dixon, WHC
- R. Jim, YIN
- D. Powaukee, NPT

I have the work of his

Please print or type in the unshaded areas only (fill-in areas are spaced for elite type, i.e., 12 character/inch).

(1111)-	ın aı	00	5 8/6	spaced for elite	τγμε, ι.ε., Ι.	Z Character/Inch).	· 										4 504	CTATE		18405	: P		
	3			DA	NGER	ous wa	ST	ΈP	EF	RMI	T	AF	P	Ll	C	ATION		7 8 9). N			9	6 7
FO	R OF	FI	CIAL	USE ONLY																			
Αŗ	PLIC PPR	À	ION	DATE RECEIV			·								СО	MMENTS							
_ ^	T	Ĭ	ĒŊ	110.037,87																			
11.	L FIRS	L	OR F	I NEVISED APPLICA	TION															-			
Plac	e ar	ion	X" in	the appropriate I	ox in A or i	B below (mark on nd you already kr	o bo	x only) your f	to i	ndicat y's EP.	e wi	hethe TATE	r th	is is	th imb	e first application you are so er, or if this is a revised ap	ubmitting plication,	for your f enter you	acilit f fac	y or ility's	a re	vised A/ST	ATE
					en "X" belov	w and provide the	800	ropria	te di	te)													-
		Ċ	-	·· ·	ITY (See ins	tructions for defi te item below.)		-			cility	y.				2. NEW FAC							
			10. 3	DAY YR. 7 7	OPERATI	STING FACILITIES ION BEGAN OR T boxes to the left	HE [OVIDE ATE	THI	E DATI STRUC	E <i>(m</i> :TlOi	0., d N CO	Ми	& y	r.) CEO	MO. DAY	YR.	OR NEW PROVIDE 1 Mo., day, TION BEG, EXPECTED	FAC THE & y	DATE OATE OR IS	ES, ER/	4-	
8.	REV	/15	ED A	PPLICATION (pla	ce an "X" be	elow and complet	a Sa	ction	abo	ve)							11	AFECTED	10	DEU	IIA		
		X] 1.	FACILITY HAS A	N INTERIM	STATUS PERMIT										2. FACILITY	HAS A F	INAL PERI	міт				
				S - CODES AND																			
	code	a,	If m	nore lines are need	ded, enter th	ne list of process he code(s) in the the space provid	врас	e prov	rided	. If a	proc	:066 \	will	be u	nse i bi	ocess to be used at the fac d that is not included in the	list of co	lines are des below	prov , the	ided on de	tor (onter be th	ing io
В.	PRO	CE	SS C	ESIGN CAPACITY	Y - For each	code entered in	colu	nn A e	nter	the ca	apac	ity o	f the	pr	oce	st.							
	I. A	M	ראטכ	r - Enter the amo	unt.																		
:	2. U O	NI nly	r OF	MEASURE - For e units of measure	ach amount that are list	t entered in colun ed below should	nn B be u	(1), en sed.	ter t	he cod	ie fr	om ti	ne li	st o	f u	nit measure codes below th	at describ	es the un	lt of	moa	sure	Use	d.
ļ			ı	ROCESS	PRO- CESS CODE	APPROPRIAT MEASURE FO DESIGN O	OR P	ROCES)F SS							PROCESS	PRO- CESS CODE	APPRI MEAS DE	ure		PRO	OCES	
	Stor	āÇ	D :											Tre	eati	ment:							_
	CON		INE	R (barrel, drum, et	tc) S01 S02	GALLONS OR	LITE	RS						TA	NK	•	TOT	GALLON	IS P	R D	AY (OR	
	WA:	ST	E PIL	E	S03	CUBIC YARDS CUBIC METERS	ÖR	N.J						su)RF	ACE IMPOUNDMENT	TO2	LITERS GALLON	IS PI	ER D.	AY (DR	
	SUR	FA	CE I	MPOUNDMENT	S04	GALLONS OR	LITE	RS						IN	CIN	ERATOR	тоз	LITERS TONS P METRIC	er H	OUR		A 10	.
	Disp	0	al:															GALLON	IS P	ER H	OUR	OR	,
	INJE LAN			WELL	D80 D81	GALLONS OR ACRE-FEET (the would cover of	e vo	lume t						the	erm	R (Use for physical, chemic al or biological treatment	•	GALLON LITERS	IS P	ER D.	AY (OR	
		n	A DDI	ICATION	DOS	OR HECTARE-I	MET	ER						SU	rfac	sses not occurring in tanks, a impoundments or inciner-							
				POSAL	D82 D83	ACRES OR HER GALLONS PER	DA	OR						the	ors. o si	Describe the processes in pace provided; Section III-C.)						
	SUR	FA	CE 1	MPOUNDMENT	D84	LITERS PER DA GALLONS OR	LITE	RS															
	UNI	тc	F M	EASURE	UNIT O MEASUI CODE	RÉ		UNIT (OF M	IEASU!	RE				ME	IIT OF ASURE ODE UNI	T OF ME.	ASURE			ME	NIT (ASU CODE	IRE
	GAL	LC	NS.			G		LITERS	S PEI	R DAY	,					V AC	RE-FEET .						_
ł	CUB	RS IC	ŸÁŔ	DŠ		, Y		TONS METRI	PER C TO	HOUR NS PE	₹. ER H	İÖÜŔ			: :	D HEC	JIAKE-M	EIER					. F.
	CUB GAL	LC	MET NS I	DSERS		C		GALLO	ONS PEI	PER H R HOU	IOUR IR	₹ 	• • •		::	E HEC	CTARES .						ă
				EXAMPLE FOR hold 200 gallor	COMPLETINGS and the o	IG SECTION III (s. ther can hold 400	how gai	n in lin lons.	e nu The	mbers facility	X-1	and o has	X-2	<i>bel</i> inci	low	i: A facility has two storag ator that can burn up to 20	<i>e tanks, d</i> gallons p	one tank o er hour.	an				
. 1	ĮΑ.	F	RO-	В. Р	ROCESS DE	SIGN CAPACITY	_		1	FOR	Í		A.	PR	ا۔0	B. PROCESS D	ESIGN CA	APACITY					
N E		CE:	SS DE I list		1. AMOUN'	т	OF	UNIT MEA- URE	1	FFICIA USE ONLY	1	L U I M N B	C (fre	ESS ODE m li	S E Vst	1. AMOUI			OF	UNI MEA URE	Ţ.	OFFI U:	OR CIAL SE ILY
E E		<i>DO</i>	va)					ode)	<u> </u>			E E	8/	ove	"	1250011 77				nter ode)		0.1	
X-1	s	ľ	2		600		1	G	\prod		\prod	5		Ī						\exists	T	T	\sqcap
X-2	T	6	3		20			E				6							П	+	+		
1	Т	C	4	2	30,000			U				7							П	+	\dagger	_	
2												8						_	П		1	Τ.	
3												9								十	1		
4												10		Ī					П		1		

Continued from the front.

III. PROCESSES (continued)

C. SPACE FOR ADDITIONAL PROCESS CODES OR FOR DESCRIBING OTHER PROCESS (code 'TO4'). FOR EACH PROCESS ENTERED HERE INCLUDE DESIGN CAPACITY.

T04

Notified And Alberta 1960

The 242-A Evaporator is located in the 200 East Area of the Hanford Facility and is used to treat mixed waste from the Double-Shell Tank (DST) System by removing water and most volatile organics. Two waste streams leave the 242-A Evaporator following the treatment process. The first waste stream, the concentrated slurry (approximately 30 to 40 percent of the water is removed during evaporation along with a portion of the volatile organics), is pumped back into the DST System. The second waste stream, process condensate (containing a portion of the volatile organics removed from the mixed waste during the evaporation process), is routed through condensate filters for treatment before release to a retention basin (Liquid Effluent Retention Facility). Offgasses from the process are routed through a deentrainment unit, a prefilter, and high-efficiency particulate air filters before being discharged to the environment. The 242-A Evaporator is used to treat up to 230,000 gallons (871,000 liters) of mixed waste per day.

IV. DESCRIPTION OF DANGEROUS WASTES

- A. DANGEROUS WASTE NUMBER Enter the four digit number from Chapter 173-303 WAC for each listed dangerous waste you will handle. If you handle dangerous wastes which are not listed in Chapter 173-303 WAC, enter the four digit number(s) that describes the characteristics and/or the toxic contaminants of those dangerous wastes.
- B. ESTIMATED ANNUAL QUANTITY For each listed waste entered in column A estimate the quantity of that waste that will be handled on an annual basis. For each characteristic or toxic contaminant entered in column A estimate the total annual quantity of all the non-listed waste(s) that will be handled which possess that characteristic or contaminant.
- C. UNIT OF MEASURE For each quantity entered in column B enter the unit of measure code. Units of measure which must be used and the appropriate codes are:

ENGLISH UNIT OF MEASURE	CODE	METRIC UNIT OF MEASURE CODE
POUNDS	:::: P	KILOGRAMS

If facility records use any other unit of measure for quantity, the units of measure must be converted into one of the required units of measure taking into account the appropriate density or specific gravity of the waste.

D. PROCESSES

1. PROCESS CODES:

For listed dangerous waste: For each listed dangerous waste entered in column A select the code(s) from the list of process codes contained in Section III to indicate how the waste will be stored, treated, and/or disposed of at the facility.

For non-listed dangerous wastes: For each characteristic or toxic contaminant entered in Column A, select the code(s) from the list of process codes contained in Section III to indicate all the processes that will be used to store, treat, and/or dispose of all the non-listed dangerous wastes that possess that characteristic or toxic contaminant.

Note: Four spaces are provided for entering process codes. If more are needed: (1) Enter the first three as described above; (2) Enter "000" in the extreme right box of Item IV-0(1); and (3) Enter in the space provided on page 4, the line number and the additional code(s).

2. PROCESS DESCRIPTION: If a code la not listed for a process that will be used, describe the process in the space provided on the form.

NOTE: DANGEROUS WASTES DESCRIBED BY MORE THAN ONE DANGEROUS WASTE NUMBER - Dangerous wastes that can be described by more than one Waste Number shall be described on the form as follows:

- Select one of the Dangerous Waste Numbers and enter it in column A. On the same line complete columns 8, C, and D by estimating the total annual quantity of the waste and describing all the processes to be used to treat, store, and/or dispose of the waste.
- 2. In column A of the next line enter the other Dangerous Waste Number that can be used to describe the waste. In column D(2) on that line enter "included with above" and make no other entries on that line.
- 3. Repeat step 2 for each other Dangerous Waste Number that can be used to describe the dangerous waste.

EXAMPLE FOR COMPLETING SECTION IV Ishown in line numbers X-1, X-2, X-3, and X-4 below! - A facility will treat and dispose of an estimated 900 pounds per year of chrome shavings from leather tanning and finishing operation. In addition, the facility will treat and dispose of three non-listed wastes. Two wastes are corrosive only and there will be an estimated 200 pounds per year of that waste. Treatment will be in an inclinator and disposal will be in a landfill.

																			D. PROCESSES
	W	AS	TE N)US NO. <i>del</i>	8. ESTIMATED ANNUAL QUANTITY OF WASTE	C. UNIT OF MEA- SURE (enter code)					t.	PF	OCE (er	SS Itari		ES			2. PROCESS DESCRIPTION (if a code is not entered in D(1))
K-1	K	0	5	4	900	P		7	0	3	D	1 8	10		П		丁	1	
X-2	D	0	0	2	400	P		7	0	3	٥	8	Τ,				1	T	
X-3	D	0	0	1	100	P		7	0	3	D	8	0				T	ı	
K-4	0	0	0	2				7	0	3	D	8	0		П		ī	T	included with above

. .

The first of the second

Continued from page 2. NOTE: Photocopy this page before completing if you have more than 26 wastes to list. I.D. NUMBER (entered from page 1) WA7890008967 IV. DESCRIPTION OF DANGEROUS WASTES (continued) D. PROCESSES C. UNIT OF MEA-SURE (enter code) L N DANGEROUS N O WASTE NO. B. ESTIMATED ANNUAL QUANTITY OF WASTE 2. PROCESS DESCRIPTION 1. PROCESS CODES (if a code is not entered in D(1)) (anter code) 1,400,000,000 P 1 Treatment - Evaporation DO 0 T04 ٥ 2 D 0 3 0 0 3 D D 0 0 4 Т Т D 0 0 5 6 0 I al 0 6 П lolo 7 D 8 D 0 0 8 9 9 D 0 0 10 b 0 0 1 11 D 0 1 1 1 1 12 0 8 D 1 T T 13 D 0 9 1 D 0 2 2 15 D 0 2 8 16 0 2 9 D 17 3 0 lD. 0 18 D 0 3 3 19 מו 0 3 4 Т-Т 20 ln. 0 3 5 TT 21 0 3 6 מו 22 מו 0 3 8 23 lD. 3 9 0 1-1 24 lD 0 4 0 25 0 1 D 4 11 26 0

· !

7 1067/4.15 242-A Evaporator

Rev. 5, 11/04/94, Page 4 of 9

Continued from page 2. NOTE: Photocopy this page before completing if you have more than 26 wastes to list. 1.D. NUMBER (entered from page 1) W A 7 B 9 0 0 0 8 9 6 7 IV. DESCRIPTION OF DANGEROUS WASTES (continued) D. PROCESSES C. UNIT OF MEA-SURE (enter code) A. N DANGEROUS O WASTE NO. B. ESTIMATED ANNUAL QUANTITY OF WASTE 1. PROCESS CODES 2. PROCESS DESCRIPTION (if a code is not entered in D(1)) (enter) (enter code) 1 WITOI P <u> 104</u> <u>Treatment - Evaporation (cont)</u> Т 0 2 3 2 C 0 TI 1...1 P 0 1 P 0 2 6 F 0 0 1 F 0 0 2 $\mathsf{T}\mathsf{T}$ F 0 0 3 0 0 4 10 F 0 0 5 11 F 0 3 9 Included With Above 12 13 14 16 17 \Box 18 \top Т 20 21 22 TT П 23 24 $\mathsf{T}\mathsf{T}$ T 25 1 26

. .

When From a Co

Continued from the front.

IV. DESCRIPTION OF DANGEROUS WASTES (continued)

E. USE THIS SPACE TO LIST ADDITIONAL PROCESS CODES FROM SECTION D(1) ON PAGE 3.

The 242-A Evaporator is used to treat mixed waste from the Double-Shell Tank System. Two waste streams leave the 242-A Evaporator following the treatment process: a concentrated slurry waste stream that is routed to the Double-Shell Tank System and a process condensate effluent waste stream that is routed to the Liquid Effluent Retention Facility.

The concentrated slurry is regulated as a dangerous waste due to corrosivity (D002) and toxicity, and is regulated as an extremely hazardous waste (EHW) due to toxicity under the mixture rule. This mixed waste stream is considered corrosive because the pH of the waste exceeds 12.5 standard units. This mixed waste stream also is characterized as toxic due to the concentrations of chromium (D007), lead (D008), cadmium (D006), and silver (D011), and is EHW toxic due to the concentrations of nitrite and hydroxide ions.

The process condensate effluent is regulated as a dangerous waste due to the toxicity of ammonia and the presence of nonspecific waste sources F001 through F005, and F039. Multi-source leachate (F039) is included as a waste derived from nonspecific source wastes F001 through F005.

The list of dangerous constituents under item IV.A includes toxic constituents of cadmium (D006) and silver (D011). These constituents have not been detected in the waste, but knowledge of the process providing waste to the 242-A Evaporator indicates the strong possibility that these constituents will be in the waste. The list of Toxicity Characteristics Leaching Procedure constituents (WT01, WT02, WC02, WP01, and WP02) under item IV.A have not been detected in the waste; however, the potential exists for treating these constituents at the 242-A Evaporator. All other waste listed is based on analytical data. The annual waste quantity listed under item IV.B. was calculated using an operating schedule of 365 days per year, and a specific gravity for the waste of 2.0. This calculation was done to provide a maximum estimate of annual waste quantity.

waste quantity.				
				•
	<u> </u>	<u></u>		
V. FACILITY DRAWING		fall - A - Mar fall - A - A - A - A		
All existing facilities must include in the space provided	on page 5 a scale grawing o	t the tackity (see instructions for	or more detail).	
VI. PHOTOGRAPHS All existing facilities must include photographs (aerial or	r ground lovell that algerly do	inanta all'aviation atsunturant	visting storage transmiss	ad diamentary and
sites of future storage, treatment or disposal areas (see	instructions for more detail).	indate all existing structures, e		nd disposal areas; and
VII. FACILITY GEOGRAPHIC LOCATION	This information is	provided on the atta	ached drawings an	d photos.
LATITUDE (degrees, minutes, & se	conds)	LONGITY	UDE (degrees, minutes, & si	conds)
VIII. FACILITY OWNER				
A. If the facility owner is also the facility operator a below. B. If the facility owner is not the facility operator as				left and skip to Section IX
A NAME	. OF E4 OF ED #6 150 44 ONE	co	l a su	0.00
THE THE THE TENT	OF FACILITY'S LEGAL OWN	<u> </u>	1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	ONE NO. (area code & no.)
			<u></u>	
3, STREET OR P.O. BOX		4. CITY OR TOWN	5, ST.	6, ZIP CODE
	1 1 1 1 1 1 1 1			
IX. OWNER CERTIFICATION				L
I certify under penalty of law that I have personally examinquiry of those individuals immediately responsible for there are significant penalties for submitting false inform	nined and am familiar with the obtaining the information, I be nation, including the possibilit	e information submitted in this lieve that the submitted inform y of tipe and imprisonment.	and all attached documents ation is true, accurate, and	, and that based on my complete. I am aware that
NAME (print or type)	SIGNATURE	IIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIIII	DATE SIGNES	' /
John D. Wagoner, Manager U.S. Department of Energy	$\mathcal{A}J$	1/11/2	1,,/	1/au
Richland Operations Office	1 Jun L	e. Wagm	n 111	Y 179
X. OPERATOR CERTIFICATION				
I certify under penalty of law that I have personally examinquiry of those individuals immediately responsible for there are significant penalties for submitting false inform	nined sid am familiar with the potaining the information, I be nation, including the possibility	e information submitted in this lieve that the submitted inform y of fine end imprisonment.	and all attached documents pation is true, accurate, and	, and that based on my complete. I am aware that
NAME (print or type)	SIGNATURE		DATE SIGNED	· · · · · · · · · · · · · · · · · · ·
			1	
SEE ATTACHMENT		7. 1		

No fee J J Br w


X. OPERATOR CERTIFICATION

I certify under penalty of law that I have personally examined and am familiar with the information submitted in this and all attached documents, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the submitted information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.


John D. Wagoner, Manager U. B. Department of Energy Richland Operations Office

Co-operator
A. LaMar Trego, President Westinghouse Hanford Company

242-A Evaporator Site Plan



242-A Evaporator



For conversions, apply the following: Meters to feet - divide meters by 0.3048.

and the same of the same of the same of

242-A EVAPORATOR



46°33'12" 119°31'37"

91051644-1CN (PHOTO TAKEN 1991) Please print or type in the unshaded areas only

(fill-	fill-in areas are spaced for elite type, i.e., 12 character/inch). 1. EPA/STATE I.D. NUMBER																						
	RM	ļ													_		1. EPA	STATE I.C). N	UMB	ER		
,	3	1		DANG	iERC	OUS WAS	ST	EΡ	EF	RMI	T	AF	P.	LIC	C	ATION	WA	7 8 9	0	0 0	8 (9	6 7
FOF	OF	FIC	IAL	USE ONLY																			
AP.	PLIC	ΛŢ	ION ED	DATE RECEIVED (mo.,day,& yr.)											СО	MMENTS							
	L																						
				EVISED APPLICATION																			
appl	icati	on	. [1 1	the appropriate box in his is your first applic Section I above.	n A or B ation an	i below (mark on id you already kr	e no:	your fa	to i	ndicat y's EP	A/S	netne TATE	I.D	16 18 , Nu	ımb	e first application you are st er, or if this is a revised app	ubmitting plication,	for your f enter you	acili r fac	ty or cility	rare 's El	PA/S	d TATE
Α.	FIRS	Ť.		ICATION <i>(place an ")</i> EXISTING FACILITY <i>(</i>	See inst	tructions for defi	• •	-			cilit	у.				2. NEW FAC	ILITY (Ca	molete ite		برمام	e I		
				1 11	•	e item below.)										(,	FOR NEW					
		. N	ΙΟ.	DAY YR. FO	OR EXIS PERATIONS Se the l	TING FACILITIES ON BEGAN OR TI	, PR HE D	ATE C	ONS	E DAT STRUC	E /m :TtO	10., d N CO	ay. MM	& yr ENC	r. <i>J</i> ED	MO. DAY		PROVIDE '	THE	DAI	FE, SPER	A-	
			늬		***	boxes to the left)	*R	efer	to	Tan	ık '	Tab	le					TION BEG	AN (BEC	S BIN		
8.				PPLICATION <i>(place an</i> Facility has an in		•	e \$6	ction i	anc	ive)						2. FACILITY	HAS A F	INAL PERI	міт				
111.	PRO	CE	SSE	S - CODES AND CAPA	ACITIES																		
	:ode	۶,	If m	ore lines are needed,	enter th	ie code(s) in the	брас	e prov	ided	. If a	proc	cess \	es e	ach be u	pr	ocess to be used at the fac d that is not included in the	lity. Ten list of co	lines are	prov	rided en d	l for	ente ibe t	ring he
				luding its design capa ESIGN CAPACITY - Fo	-								ftha	a nec	n r e	ec							
				Enter the amount.			Joigi				арис	, .		, p.	,,,,	•••							
	. UN	NIT	OF :	MEASURE - For each	amount	entered in colum	ın B(1), ent	ter t	he cod	le fr	om tl	ıe li	st of	fu	nit measure codes below the	at describ	ses the un	it of	mea	asure	use	d.
	Or	ılγ	the	units of measure that	are liste	ed below should	be u	sed.															
			p	ROCESS	PRO- CESS CODE	APPROPRIAT MEASURE FO DESIGN C	DR PI	ROCES								PROCESS	PRO- CESS	APPRO MEAS	URE	FOR	7 PR	OCE:	OF SS
;	Stora	ige		1100030	CODE	DESIGN C	- AI A	CILI						Tre	atr	ment;	CODE	DE	5161	N CA	PAC	HY	
9	ON	ŢΑ	INER	(barrel, drum, etc)	S01	GALLONS OR I	LITE	RS						TA	NK		T01	GALLON	IS P	er c	YAC	OR	
,	VAS	ŤΕ	PILE	.	S02 S03	GALLONS OR I CUBIC YARDS CUBIC METERS	OR	12						su	RF	ACE IMPOUNDMENT	TO2	LITERS I	IS P	er c	YAC	OR	ļ.
				POUNDMENT	S04	GALLONS OR I		RS						INC	CIN	ERATOR	T03	LITERS I TONS P METRIC	ER H	IU01	r ob	ioue	
	Dispo			WELL	5.00	0411011000												GALLON LITERS	IS P	er f	10Uf	RO F	•
	ANI			WELL	D80 D81	GALLONS OR I ACRE-FEET (the would cover on	e vo	ume ti	hat					OT	HE	R (Use for physical, chemical	al, TO4	GALLON	IS P	ER C	YAÇ	OR	
						depth of one for OR HECTARE-N	ot) AFTE	R	,					pro	Co	al or biological treatment sses not occurring in tanks, a impoundments or inciner-		LITERS	PER	DAY	r		
[ANI DCE	A C	PPL DISI	ICATION POSAL	D82 D83	ACRES OR HEC GALLONS PER	CTAI DAY	iES .						ato	rs.	Describe the processes in pace provided; Section III-C.							
;	SURF	A	CE IN	*POUNDMENT	D84	LITERS PER DA GALLONS OR I		RS							·								
					UNIT OF											IT OF ASURE						NIT :	
-				ASURE	CODE	_				IEASU					С	ODE UNI	Y OF ME					COD	E
- 1	.ITEI	₹S				G L V		TONS	PER	R DAY HOUR	١					D HE	JAKE-M	ETER					F 1
i	CUBI SALI	Ğ I	METI NS P	RS		Ċ		GALLO	INS	PER H	OUF	₹					TARÉS .					: : :	. Q
		_	-	EXAMPLE FOR CON	PLETIN	G SECTION III (si	hawi	in lin	e 1111	mhers	Y- 1	and	¥-2	hal	234	I: A facility has two storag ator that can burn up to 20	e tanks,	one tank o	an				
N	A.		00			IGN CAPACITY	, 35	.,,,,	<u> </u>	· uome p						B. PROCESS D					7		
LÜ	1 0	ES OL	S					UNIT MEA-	0	FOR FFICIA	.L	լ Մ	c	PRO ESS ODE	- 1				2.	UN ME.	ΙΤ		OR ICIAL
N B E E	al		list (e)		MOUNT <i>ecify)</i>		S /e	URE Inter		USE ONLY		N B	(fro	m li. ove	31	1. AMOU! (specify)			S	URE	:	U 10	SE ILY
_ P		_		· .			<u> </u>	ode)		· · · · ·		R	_				 -			ode,			
X-1	s	0	2		600			G				5									Γ		
X-2	7	0	3		20			Ε				6									+	\top	
1	S	0	2	40,041,	000			G				7										 	
2	T	0	1	40,041,	000			U				8											
3												9			_]				П		\top	1	
4												10	\Box		7				П		7	\top	

Continued from the front.

III. PROCESSES (continued)

C. SPACE FOR ADDITIONAL PROCESS CODES OR FOR DESCRIBING OTHER PROCESS (code *104*). FOR EACH PROCESS ENTERED HERE INCLUDE DESIGN CAPACITY.

The Double-Shell Tank (DST) System is used for the interim storage (S02) of liquid mixed waste generated on the Hanford Pacility. Several operating units in the 200 East and West Areas transfer liquid mixed waste through buried double-encased transfer lines to designated underground DSTs. Other types of liquid mixed waste in the DST System are received from railroad car transfers, tank truck transfers, the Single-Shell Tank System, and smaller temporary storage tanks.

Pretreatment will be performed as necessary at a future unit and/or at the 242-A Evaporator. The low-level liquid mixed waste is accumulated in the DST System until the waste is transferred for treatment to a proposed low-level vitrification plant in preparation for final disposal. The high-level liquid mixed waste from the DST System will be treated at the Hanford Waste Vitrification Plant (HWVP) and shipped to an offsite waste facility.

The tanks in the DST System are considered treatment units (T01) because chemicals can be added for corrosion control, the waste can be mixed using equipment such as airlist circulators or pumps, and water can be evaporated from the aging waste tanks by adding heat. It is possible that up to 40,041,000 gallons (151,571,200 liters) of waste can be treated per day.

The tanks in the DST System are shown on the Tank Table (pages 3 and 4), which includes tank numbers, locations, design capacities, and operational dates. The specific TSD unit boundaries will be defined in the Double-Shell Tank System Dangerous Waste Permit Application.

IV. DESCRIPTION OF DANGEROUS WASTES

- A. DANGEROUS WASTE NUMBER Enter the four digit number from Chapter 173-303 WAC for each listed dangerous waste you will handle. If you handle dangerous wastes which are not listed in Chapter 173-303 WAC, enter the four digit number(s) that describes the characteristics and/or the toxic contaminants of those dangerous wastes.
- B. ESTIMATED ANNUAL QUANTITY For each listed waste entered in column A estimate the quantity of that waste that will be handled on an annual basis. For each characteristic or toxic contaminant entered in column A estimate the total annual quantity of all the non-listed waste(s) that will be handled which possess that characteristic or contaminant.
- C. UNIT OF MEASURE For each quantity entered in column B enter the unit of measure code. Units of measure which must be used and the appropriate codes are:

ENGLISH UNIT OF MEASURE	CODE	METRIC UNIT OF MEASURE	CODE
POUNDS		KILOGRAMS	K

If facility records use any other unit of measure for quantity, the units of measure must be converted into one of the required units of measure taking into account the appropriate density or specific gravity of the waste.

D. PROCESSES

1. PROCESS CODES:

For listed dangerous waste: For each listed dangerous waste entered in column A select the code(s) from the list of process codes contained in Section III to indicate how the waste will be stored, treated, and/or disposed of at the facility.

For non-listed dangerous wastes: For each characteristic or toxic contaminant entered in Column A, select the code(s) from the list of process codes contained in Section III to indicate all the processes that will be used to store, treat, and/or dispose of all the non-listed dangerous wastes that possess that characteristic or toxic contaminant.

Note: Four spaces are provided for entering process codes. If more are needed: (1) Enter the first three as described above; (2) Enter "000" in the extreme right box of Item IV-D(1); and (3) Enter in the space provided on page 4, the line number and the additional code(s).

2. PROCESS DESCRIPTION: If a code is not listed for a process that will be used, describe the process in the space provided on the form.

NOTE: DANGEROUS WASTES DESCRIBED BY MORE THAN ONE DANGEROUS WASTE NUMBER - Dangerous wastes that can be described by more than one Waste Number shall be described on the form as follows:

- Select one of the Dangerous Waste Numbers and enter it in column A. On the same line complete columns B, C, and D by estimating the total annual quantity of the waste and describing all the processes to be used to treat, store, and/or dispose of the waste.
- 2. In column A of the next line enter the other Dengerous Waste Number that can be used to describe the waste. In column D(2) on that line enter "included with above" and make no other entries on that line.
- 3. Repeat step 2 for each other Dangerous Waste Number that can be used to describe the dangerous waste.

EXAMPLE FOR COMPLETING SECTION IV (shown in line numbers X-1, X-2, X-3, and X-4 below) - A facility will treat and dispose of an estimated 900 pounds per year of chrome shavings from leather tanning and finishing operation. In addition, the facility will treat and dispose of three non-listed wastes. Two wastes are corrosive only and there will be an estimated 200 pounds per year of each waste. The other waste is corrosive and ignitable and there will be an estimated 100 pounds per year of that waste. Treatment will be in an incinerator and disposal will be in a landfill.

	Τ																					D. PROCESSES
L-SE	٩ľ	ANG VAS	ĭΈ	N	٥.	B. ESTIMATED ANNUAL QUANTITY OF WASTE	C. UNI OF MEA SURE (enter code)	,				t.	PI		CES		COE	ES	•			2. PROCESS DESCRIPTION (if a code is not entered in D(1))
X-1		7	<u>؛</u> [د	5	4	900	P		T	0	3		Τ,	8	0	1	1			Г	ī	
X-2	2	7	7 6	0	2	400	P		τ	0	3	6	,Τ,	8	0	7	T					
X-:	Z	7 0	7	0	1	100	P		7	0	3	0	, ,	8	0	T	7			Ι'''	П	
X	1 2	0	, (0	2				7	0	3	٥	, 1	8	0	П	I			_	Г	included with above

TANK TABLE (Sheet 1 of 2)

1. There are twenty-four 1,200,000-gallon nonaging* DSTs.

Tank Number	Location	Design Capacity (gallons)	Operation Date
241-AN-101	200 East Area	1,200,000	9/81
241-AN-102	200 East Area	1,200,000	9/81
241-AN-103	200 East Area	1,200,000	9/81
241-AN-104	200 East Area	1,200,000	9/81
241-AN-105	200 East Area	1,200,000	9/81
241-AN-106	200 East Area	1,200,000	9/81
241-AN-107	200 East Area	1,200,000	9/81
241-AP-101	200 East Area	1,200,000	10/86
241-AP-102	200 East Area	1,200,000	10/86
241-AP-103	200 East Area	1,200,000	10/86
241-AP-104	200 East Area	1,200,000	10/86
241-AP-105	200 East Area	1,200,000	10/86
241-AP-106	200 East Area	1,200,000	10/86
241-AP-107	200 East Area	1,200,000	10/86
241-AP-108	200 East Area	1,200,000	10/86
241-AW-101	200 East Area	1,200,000	8/80
241-AW-102	200 East Area	1,200,000	8/80
241-AW-103	200 East Area	1,200,000	8/80
241-AW-104	200 East Area	1,200,000	8/80
241-AW-105	200 East Area	1,200,000	8/80
241-AW-106	200 East Area	1,200,000	8/80
241-SY-101	200 West Area	1,200,000	4/77
241-SY-102	200 West Area	1,200,000	4/77
241-SY-103	200 West Area s not neutralized current acid waste.	1,200,000	4/77

^{*} Nonaging is a waste that is not neutralized current acid waste.

There are six proposed 1,160,000-gallon MWTF DSTs.

Tank Number	Location	Design Capacity (gallons)	Operation Date
241-HN-101	200 East Area	1,160,000	12/98
241-HN-102	200 East Area	1,160,000	12/98
241-HN-103	200 East Arca	1,160,000	12/98
241-HN-104	200 East Area	1,160,000	12/98
241-SN-101	200 West Area	1,160,000	2/98
241-SN-102	200 West Area	1,160,000	2/98

TANK TABLE (Sheet 2 of 2)

3. There are four aging* waste DSTs.

Tank Numbers	Location	Design Capacity (gallons)	Operation Date
241-AY-101	200 East Area	1,000,000	4/71
241-AY-102	200 East Area	1,000,000	4/76**
241-AZ-101	200 East Area	1,000,000	11/76
241-AZ-102	200 East Arca	1,000,000	11/76

^{*} Aging waste is neutralized current acid waste generated from the PUREX Plant.

4. There are six tanks in the waste transfer vaults.

Tank Number	Location	Design Capacity (gallons)	Operation Date
244-AR-001	200 East Arca	43,000	1977
244-AR-002	200 East Area	43,000	1977
244-AR-003	200 East Area	4,785	1977
244-AR-004	200 East Area	4,785	1977
244-CR-003	200 East Area	14,660	1946
244-CR-011	200 East Area	45,000	1946

5. There is one 800-gallon tank in a transfer building.

Tank Number	Location	Design Capacity (gallons)	Operation Date
241-EW-151	200 East Arca Vent Station	800	11/55*

[•] Estimated operational date.

6. There are five double-contained receiver tanks.

Tank Number	Location	Design Capacity (galions)	Operation Date
244-BX	200 East Area	31,000	1983
244-TX	200 West Area	31,000	12/81
244-U	200 West Area	31,000	N/A
244-A	200 East Area	16,280	1975
244-S	200 West Area	20,280	1987

^{**} Estimated operational date.

7 267/5056 Double-Shell Tank System Rev. 7, 11/04/94, Page 5 of 48

Continued from page 2. NOTE: Photocopy this page before completing if you have more than 26 wastes to list. I.D. NUMBER (entered from page 1) W A 7 8 9 0 0 0 8 9 6 7 IV. DESCRIPTION OF DANGEROUS WASTES (continued) D. PROCESSES C. UNIT OF MEA-SURE N DANGEROUS O WASTE NO. 8. ESTIMATED ANNUAL QUANTITY OF WASTE 1. PROCESS CODES (enter) 2. PROCESS DESCRIPTION (if a code is not entered in D(1)) (enter (enter code) plolol 1 P 1,000,420,000 \$02 ŤΟΪ Storage/Chemical Treatment-Evap. blolol D lotol 3 iblolo 4 T П 10 5 י מ 0 6 ٥ 0 6 0 D 0 0 8 D 0 0 8 9 D 0 0 T 10 ם י 10 1 0 DIO 111 D 8 10 1 13 D 0 1 9 ТТ 2 0 0 2 15 | מו lol 2 8 16 ما 2 9 0 17 3 D 0 0 18 l٥ D 3 3 19 10 D 3 4 20 ol d 13 5 21 DIO 3 6 22 3 ס ו מו 8 \Box 23 D 0 3 9 24 0 D 0 4 I = I25 D 0 4 1 26 0 ECL30 - 271 -ECY 030-31 Form 3 OF 5

Continued from page 2. NOTE: Photocopy this page before completing if you have more than 26 wastes to list. I.D. NUMBER fentered from page 1) WA789000B967 IV. DESCRIPTION OF DANGEROUS WASTES (continued) D. PROCESSES C. UNIT OF MEA-SURE (enter N DANGEROUS O WASTE NO. B. ESTIMATED ANNUAL QUANTITY OF WASTE 1. PROCESS CODES 2. PROCESS DESCRIPTION (if a code is not entered in D(1)) Ř (enter) (enter code) 0 P \$02 <u>†01</u> Storage/Chemical Treatment-Evap. T 0 C 0 2 P 0 WIPO 0 0 1 0 0 2 8 0 3 ٥ TT Ш T0 0 4 0 0 5 11 0 3 9 Included With Above 12 13 Π 14 ŢŢ 15 16 11 \Box 1 1 17 18 19 20 21 22 23 24 $\mathbf{1}$ 25 1 26

Continued from the front.

IV. DESCRIPTION OF DANGEROUS WASTES (continued)

E. USE THIS SPACE TO LIST ADDITIONAL PROCESS CODES FROM SECTION D(1) ON PAGE 3.

The types of liquid mixed waste stored, chemically treated, and evaporated in the DST System are as follows:

- Dilute miscellaneous waste generated on the Hanford Facility (100, 200, 300, 400 Areas, and the 340 Complex)
- Supernate and transuranic studges that consist of neutralized cladding removal waste generated during Plutonium-Uranium Extraction (PUREX) Plant headend operations, and waste generated during the Plutonium Finishing Plant processing
- Concentrated DST waste (slurry) from the 242-A Evaporator
- Concentrated complexed waste and complexed waste generated from B Plant processing
- Neutralized current acid waste from the first extraction column at the PUREX Plant
- Liquid waste from the Single-Shell Tank System
- Waste from the Grout Treatment Facility
- T Plant Complex decontamination activities
- Waste from the 204-AR Waste Unloading Station
- Leachate resulting from Hanford Facility land disposal and surface impoundment operations.

It is possible that any of these waste types could be stored and/or treated in any of the nonaging or aging DSTs.

The list of dangerous waste under item IV.A. includes the toxic constituents of cadmium and silver. These constituents have not been detected in the waste, but knowledge of the processes providing the waste to the DST System indicates the strong possibility that these constituents will be in the waste. Toxicity characteristic leaching procedure constituents listed under item IV.A have not been detected in the waste; however, the DST System has the potential to store these constituents. Multi-source leachate (F039) is included as a waste derived from nonspecific source wastes F001 through F005. All other waste listed on this form is based on analytical data.

V. FACILITY DRAWING					
All existing facilities must include in the space provided on page 5 a scale drawing of the facility (see instructions for more detail).					
VI. PHOTOGRAPHS					
All existing facilities must include photographs facilities must i	uctions for more detail).				
VII. FACILITY GEOGRAPHIC LOCATION This	s information is	provided on the attached d	rawings and photos.		
LATITUDE (degrees, minutes, & second	s)	LONGITUDE Idegre	s, minutes, & seconds)		
VIII. FACILITY OWNER					
A. If the facility owner is also the facility operator as listed in Section VII on Form 1, "General information", place an "X" in the box to the left and skip to Section IX below.					
B. If the facility owner is not the facility operator as listed in Section VII on Form 1, complete the following items:					
1. NAME OF FACILITY'S LEGAL OWNER 2. PHONE NO. Jeres code & no. J					
3, STREET OR P.O. BOX		4, CITY OR TOWN	5. ST. 6. ZIP CODE		
			┆┈┸┈ ┨ ┝ ┈┨╸┃╶┃ ╶┃		
IX. OWNER CERTIFICATION			L		
I certify under penelty of law that I have personelly examined and am familier with the information submitted in this and all attached documents, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I beliave that the submitted information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.					
NAME (print or type) John D. Wagoner, Manager U.S. Department of Energy Richland Operations Office	John V.	Wagon	DATE SIGNED		
X. OPERATOR CERTIFICATION					
I certify under penalty of law that I have personally examined and am familiar with the information submitted in this and all attached documents, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the submitted information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.					
NAME (print or type)	SIGNATURE		DATE SIGNED		

SEE ATTACHMENT

Rev. 7, 11/04/94, Page 8 of 48

X. OPERATOR CERTIFICATION

I certify under penalty of law that I have personally examined and am familiar with the information submitted in this and all attached documents, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the submitted information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.


Owner/Operator

John D. Wagoner, Marager U.S. Department of Energy Rychland Operations Office 11/4/94

Co-operator


A. LaMar Trego, President Westinghouse Hanford Company 9/20/94 Date

Typical Nonaging Waste Double-Shell Tank




Rev. 7, 11/04/94, Page 9 of 48

241-AN Double-Shell Tank Site Plan




241-AP Double-Shell Tank Site Plan




H9408030.18

Pev. 7, 11/04/94, Page 11 of 48

241-AW Double-Shell Tank Site Plan




241-SY Double-Shell Tank Site Plan




Rev. 7, 11/04/94, Page 13 of 48

Typical Multi-Function Waste Tank Facility Double-Shell Tank




Rev. 7, 11/04/94, Page 14 of 48

MULTI-FUNCTION WASTE TANK FACILITY 200 EAST AREA SITE




Rev. 7, 11/04/94, Page 15 of 48

MULTI-FUNCTION WASTE TANK FACILITY 200 WEST AREA SITE




Typical Aging Waste Double-Shell Tank




Rev. 7, 11/04/94, Page 17 of 48

241-AY Aging Waste Double-Shell Tank Site Plan




Rev. 7, 11/04/94, Page 18 of 48


241-AZ Aging Waste Double-Shell Tank Site Plan



244-AR Vault




244-AR Vault Site Plan



Rev. 7, 11/04/94, Page 21 of 48


244-CR Vault



39208044.22


Rev. 7, 11/04/94, Page 22 of 48

244-CR Vault Site Plan




Rev. 7, 11/04/94, Page 23 of 48

TYPICAL DOUBLE-CONTAINED RECEIVER TANK




244-TX Double-Contained Receiver Tank Site Plan




Rev. 7, 11/04/94, Page 25 of 48

244-BX Double-Contained Receiver Tank Site Plan




Rev. 7, 11/04/94, Page 26 of 48

244-U Double-Contained Receiver Tank Site Plan




Rev. 7, 11/04/94, Page 27 of 48

Typical Double-Contained Receiver Tank




244-S Double-Contained Receiver Tank Site Plan




Rev. 7, 11/04/94, Page 29 of 48

244-A Double-Contained Receiver Tank Site Plan




Rev. 7, 11/04/94, Page 30 of 48


241-EW-151 TANK (200 AREA EAST-WEST VENT STATION)



241-EW-151 Tank (200 Area East-West Vent Station) Site Plan



241-AN DOUBLE-SHELL TANKS



46°33'25" 119°31'37"

8704135-8CN (PHOTO TAKEN 1987)

241-AP DOUBLE-SHELL TANKS




46°33'7" 119°31'38"

8704135-12CN (PHOTO TAKEN 1987)

Rev. 7, 11/04/94, Page 35 of 48


241-AW DOUBLE-SHELL TANKS



46°33'7" 119°31'35"

8704135-11CN (PHOTO TAKEN 1987)


241-SY DOUBLE-SHELL TANKS



46°32'27" 119°37'21"

8704135-2CN (PHOTO TAKEN 1987)

MULTI-FUNCTION WASTE TANK FACILITY 241-HN DOUBLE-SHELL TANKS SITE



46°33'27" 119°33'39" 93081137-1CN (PHOTO TAKEN 1993)

The state of the s


MULTI-FUNCTION WASTE TANK FACILITY 241-SN DOUBLE-SHELL TANKS SITE



46°32'24" 119°36'48" 93120508-1CN (PHOTO TAKEN 1993)

Double-Shell Tank System Rev. 7, 11/04/94, Page 39 of 48

241-AY AGING WASTE DOUBLE-SHELL TANKS



46°33'17" 119°31'39"

8704135-10CN (PHOTO TAKEN 1987)


241-AZ AGING WASTE DOUBLE-SHELL TANKS



46°33'19" 119°31'35"

8704135-9CN (PHOTO TAKEN 1987)


244-AR VAULTS



46°33'13" 119°31'45"

8704135-16CN (PHOTO TAKEN 1987)


244-CR VAULTS



46°33'26" 119°31'47"


8704135-14CN (PHOTO TAKEN 1987)

241-EW-151 TANK



46°32'46" 119°34'52" 8704433-17CN (PHOTO TAKEN 1987)


244-BX DOUBLE-CONTAINED RECEIVER TANK



46°33'58" 119°32'40"

8704135-18CN (PHOTO TAKEN 1987)


244-TX DOUBLE-CONTAINED RECEIVER TANK



46°33'20" 119°37'22" 8704135-7CN (PHOTO TAKEN 1987)

Rev. 7, 11/04/94, Page 46 of 48


244-U DOUBLE-CONTAINED RECEIVER TANK



46°32'45" 119°37'22"

8704135-4CN (PHOTO TAKEN 1987)


244-A DOUBLE-CONTAINED RECEIVER TANK



46°33'20" 119°31'49"

8704433-15CN (PHOTO TAKEN 1987)

244-S DOUBLE-CONTAINED RECEIVER TANK



46°32'26" 119°37'20"

8704433-2CN (PHOTO TAKEN 1987)

Please print or type in the unshaded areas only

(fill-in a	reas are	spaced for elite t	ype, I.e., 12	character/inch).												·						
FORM		DAI	NGERC	OUS WA	S7	E	PΕ	RI	VII	T	ΑF	ъp	LI	C.	ATION	<u>ا</u>	/STATE I.I			, ,	9 (3 7
		USE ONLY																				
APPLI	CATION ROVED	DATE RECEIVE												CO	MMENTS		- ·- ·					
			<u> </u>																			
		EVISED APPLICAT													44	. 5. 7.41						
Place at applicat I.D. Nut	n "X" in tion. If t mber in	the appropriate by this is your first ap Section I above.	ox in A or B oplication an	below (mark on- id you already kr	low	Your) to Iscili	ity's	EPA	a wr A/S1	TATE	I.D	N	ımı	se first application you are s per, or if this is a revised ap	plication,	enter your	raciii ir fac	ty or sility t	EP/	A/ST	ATE
A. FIR		LICATION (place a																				
	∐ 1.	EXISTING FACILIT	TY (See inst Complete	ructions for defi : item below.)	nitio	n of *	axis	ting	" fac	cility	γ.				2. NEW FA	CILITY (Co	omplata ito	em b	elow)	1		
	мо. 0 2	DAY YR. 0 2 8 2	FOR EXIS OPERATIO (use the b	TING FACILITIES ON BEGAN OR T Daxes to the left)	, Pr HE !	ROVID DATE	COV	IE D	ATE	E (m	o., d N CO	ay, MM	å y EN	r.) CEC	MO, DAY		FOR NEW PROVIDE (mo., day, TION BEG	THE & y AN (DATI V) OI OR IS	ÉRA	۱-	
B. RE	VISED A	PPLICATION (plac	e en "X" be	low and complet	ie S	ection	/ ab	ove	,							_11	EXPECTED	טו כ	BEU	IN .		
	X 1.	FACILITY HAS AN	N INTERIM S	TATUS PERMIT											2. FACILITY	HAS A F	INAL PER	MIT				
		S - CODES AND C															· · · · · · · · · · · · · · · · · · ·					
cod	ee, Ifm	ODE - Enter the coor lines are need cluding its design o	ed, enter th	e code(s) in the	spa	ce pro	vide	d, l	lf a p	proc	scrib	will	be i	eat o pi	rocess to be used at the fa od that is not included in the	ility. Ter	n lines are odes belov	pro\ v, th	bebiv bb ne	for a	inter	ng o
I .		ESIGN CAPACITY									ity o	f th	a nr	nce	Nes							
		- Enter the amou		LOUG BIRLING HT	cora		O	,, ,,,		.puc	, 0		. p.									
2.1	INIT OF	MEASURE - For a	ach amount	entered in colun	nn B	(1), or	nter	the	cod	o fro	om ti	ha II	at o	f u	nit measure codes below ti	at descri	bes the un	ılt of	mea	ure	usod	١.
- 0	nly the	units of measure t	that are liste	d below should	be u	⊫ed.																•
	ſ	ROCESS	PRO- CESS CODE	APPROPRIAT MEASURE FO DESIGN O	OR F	ROCE	OF SS	_					_		PROCESS	PRO- CESS CODE	APPR MEAS DE	OPR URE SIGN	FOR CAI	UNIT PRO	rs o CES TY	5
	rage:														ment:							
TAN	٩K	l (barrol, drum, etc -	S02	GALLONS OR	LITE									NK		T01	GALLO	PER	DAY			
1	STE PILI	E MPOUNDMENT	S03 S04	CUBIC YARDS CUBIC METERS GALLONS OR I	3	BS									ACE IMPOUNDMENT	T02 T03	GALLON LITERS TONS P	PER	DAY	AY (AD	H	
	osai:	W OOK DIRECT	304	OVEROUS OU										~ •	icha i on	103	METRIC	: TOI	NS PE	R H	OUR:	
ILNI	ECTION	WELL	D80	GALLONS OR	LITE	ŖS											LITERS	PER	HOU	R		
LAN	IDFILL		D81	ACRE-FEET (th	70 0	cre to		,					th	erm	R (Use for physical, chemic nal or biological treatment		GALLOI LITERS	NS P PER	ER D.	AY C	ЭR	
	 JD APPI	ICATION	D82	OR HECTARE-I ACRES OR HE	MET	ER							\$ U	rfac	esses not occurring in tanks ce impoundments or incine . Describe the processes in	-						
OCI	EAN DIS	POSAL	D83	GALLONS PER LITERS PER DA	ŊΑ	Y OR									pace provided; Section III-C							
SU	RFACE II	MPOUNDMENT	D84	GALLONS OR	LITE	RS									UT OF					410		_
UNI	T OF M	EASURE	UNIT OF MEASUR CODE	IE.		UNIT	OF I	MEA	SUE	RE			ı	ME.	NT OF ASURE CODE UN	IIT OF ME	ASURE			ME.	VIT C ASU CODE	ŔE
GA	LLONS.			G		LITER	S PI	ER C	AY													
CUI	ERS BIC YAR	ĎŠ		Y C		METE	HC T	ONS	S PE	RН	IOUR				D HE	CTARE-M	ietek ::	:::	: <i>:</i> : :	:::	:::	F
GA	LLONS I	DS ERS ÆR DAY				LITER	SP	ER H	IOUI	п.,		٠.			, 0					• • •		Q.
		EXAMPLE FOR (hold 200 gallons	COMPLETING and the ot	G SECTION III (s. her can hold 400	how) ga	n in li lons.	The	umb Tac	ers ility	X-1 also	and has	X-2	be inc	no	/): A facility has two stora rator that can burn up to 20	gallons	one tank o per hour.	can _				
N A	. PRO-	B. PR	OCESS DES	IGN CAPACITY	_		_	FC	ละ	-	LÜ	A	PR	0-	B. PROCESS (ESIGN C	APACITY					n
1 3/	CESS CODE	1	. AMOUNT	•	ŌF	MEA		OFFI	CIAI SE	<u> </u>	I M	l C	ODI	=	1. AMOL	мT		lor	UNI	<u>[</u>] (FO OFFIC	CIAL
N B //	rom list above)		(specify)		1/	enter			ĹΫ	-	N B E E R	(fro	ove	, ST	(spacify			1 1	URE enter	1	ON	ĽΥ
	T T				╁	ode)	╆	_		#		\models		_				+-	ode)	╆		
X-1 S	0 2		600		L	a	<u> </u>		Ц		5	Ш						L				
X-2 7	0 3		20			E	L.				6						-					
1 T	0 4	5	0,000		<u> </u>	U					7	\bigsqcup										
2			· · · · · · · · · · · · · · · · · · ·					;			8											
3											9							1		T		\top
4											10			_				\top		1		\top

III. PROCESSES (continued)

C. SPACE FOR ADDITIONAL PROCESS CODES OR FOR DESCRIBING OTHER PROCESS (code "TO4"). FOR EACH PROCESS ENTERED HERE INCLUDE DESIGN CAPACITY.

State of Section 1

T04

The 204-AR Waste Unloading Station receives liquid mixed waste transported in 20,000-gallon (76,000-liter) capacity railroad tank cars or in 5,000 gallon (18,900 liter) tank trucks. Mixed waste is generated from decontamination and regeneration operations in the 100 and 200 Areas; from recovery and laboratory operations in the 200 and 300 Areas; and from decontamination operations in the 400 Area. The liquid mixed waste is transferred to the Double-Shell Tank (DST) System. The waste is chemically adjusted in-line during pumpout to meet DST System corrosion specifications. The in-line treatment design capacity (under item III.B.1.) of 50,000 gallons (189,000 liters) per day includes two railroad tank cars at 20,000 gallons (76,000 liters) each and an additional 10,000 gallons (38,000 liters) of liquid waste generated as a result of flushing the system.

IV. DESCRIPTION OF DANGEROUS WASTES

- A. DANGEROUS WASTE NUMBER Enter the four digit number from Chapter 173-303 WAC for each listed dangerous waste you will handle. If you handle dangerous wastes which are not listed in Chapter 173-303 WAC, enter the four digit number(s) that describes the characteristics and/or the toxic contaminants of those dangerous wastes.
- B. ESTIMATED ANNUAL QUANTITY For each listed waste entered in column A estimate the quantity of that waste that will be handled on an annual basis. For each characteristic or toxic contaminant entered in column A estimate the total annual quantity of all the non-listed waste(s) that will be handled which possess that characteristic or contaminant.
- C. UNIT OF MEASURE For each quantity entered in column B enter the unit of measure code. Units of measure which must be used and the appropriate codes are:

ENGLISH UNIT OF MEASURE	CODE	METRIC UNIT OF MEASURE	CODE
POUNDS	P	KILOGRAMS	K

If facility records use any other unit of measure for quantity, the units of measure must be converted into one of the required units of measure taking into account the appropriate density or specific gravity of the waste.

D. PROCESSES

1. PROCESS CODES:

For listed dangerous waste: For each listed dangerous waste entered in column A select the code(s) from the list of process codes contained in Section III to indicate how the waste will be stored, treated, and/or disposed of at the facility.

For non-listed dangerous wastes: For each characteristic or toxic contaminant entered in Column A, select the code(s) from the list of process codes contained in Section III to indicate all the processes that will be used to store, treat, and/or dispose of all the non-listed dangerous wastes that possess that characteristic or toxic contaminant.

Note: Four spaces are provided for entering process codes. If more are needed: (1) Enter the first three as described above; (2) Enter "000" in the extreme right box of item IV-D(1); and (3) Enter in the space provided on page 4, the line number and the additional code(s).

2. PROCESS DESCRIPTION: If a code is not listed for a process that will be used, describe the process in the space provided on the form.

NOTE: DANGEROUS WASTES DESCRIBED BY MORE THAN ONE DANGEROUS WASTE NUMBER - Dangerous wastes that can be described by more than one Waste Number shall be described on the form as follows:

- Select one of the Dangerous Waste Numbers and enter it in column A. On the same line complete columns B, C, and D by estimating the total annual quantity of the waste and describing all the processes to be used to treat, store, and/or dispose of the waste.
- In column A of the next line enter the other Dangerous Waste Number that can be used to describe the waste. In column D(2) on that line enter "included with
 above" and make no other entries on that line.
- 3. Repeat step 2 for each other Dangerous Waste Number that can be used to describe the dangerous waste.

EXAMPLE FOR COMPLETING SECTION IV *(shown in line numbers X-1, X-2, X-3, and X-4 below)* - A facility will treat and dispose of an estimated 900 pounds per year of chroma-shavings from leather tanning and finishing operation. In addition, the facility will treat and dispose of three non-listed wastes. Two wastes are corrosive only and there will be an estimated 200 pounds per year of each waste. The other waste is corrosive and ignitable and there will be an estimated 100 pounds per year of that waste. Treatment will be in an incinerator and dispose will be in a landfill.

					Ĭ															D. PROCESSES
T-ZE	10 / W		GER STE		- 1	B. ESTIMATED ANNUAL QUANTITY OF WASTE	C. UNIT OF MEA SURE Jenter code)				1.	PF	loci (e)	ESS nter		DES	\$			2. PROCESS DESCRIPTION (if a code is not entered in D(1))
X-1	K	1	2	5	4	900	Р	1	7	, 1	0	٦,	Τ,	T	Т	Ī		Γ-	寸	
X-2	D	1	0	0	2	400	P		7 (, 1	0	, ,	10	T	I	Τ	-	Γ		
X-3	D	6	, (0	1	100	P	1	710	, 1	D	Τ,	0		T	1		ľ		
X-4	D	4	, (0	2			7	71) 3	٥	6	٥	1	T	Τ		1	П	included with above

Name of the second

Continued from page 2. NOTE: Photocopy this page before completing if you have more than 26 wastes to list. I.D. NUMBER (entered from page 1) WA7890008967 IV. DESCRIPTION OF DANGEROUS WASTES (continued) D. PROCESSES C. UNIT OF MEA-SURE lenter A. N DANGEROUS O WASTE NO. B. ESTIMATED ANNUAL QUANTITY OF WASTE 1. PROCESS CODES 2. PROCESS DESCRIPTION (if a code is not entered in D(1)) (enter) (enter code) codel P **†04** D lol 0 15,600,000 Treatment-Other-Chemical Treatment D lolol 2 D 0 0 3 n 0 0 4 5 0 5 D 0 0 D 0 6 Ī 7 0 0 D T 0 0 8 D 0 0 9 D 0 1 0 D 0 1 1 12 1 8 D 0 13 9 D 0 1 1 -1 2 D 0 ТТ D 0 2 8 16 D 0 2 9 D 0 3 0 D 3 3 0 19 D 0 3 4 20 0 3 D 5 21 D 0 3 6 1 1 D 3 0 8 T 23 D 0 3 9 \Box 0 0 4 0 \mathbf{I} 25 D 0 4 1 $\top \top$ 26 D | O | 4 | 3

ECL30 - 271 - ECY 030-31 Form 3

PAGE 3 OF 5

2 chellowalls

204-AR Waste Unloading Station Rev. 3, 11/04/94, Page 4 of 10

Continued from page 2. NOTE: Photocopy this page before completing if you have more than 26 wastes to list. I.D. NUMBER (entered from page 1) W A 7 8 9 0 0 0 8 9 6 7 IV. DESCRIPTION OF DANGEROUS WASTES (continued) D. PROCESSES C. UNIT OF MEA-SURE N DANGEROUS O WASTE NO. B. ESTIMATED ANNUAL QUANTITY OF WASTE 1. PROCESS CODES (enter) 2. PROCESS DESCRIPTION (if a code is not entered in D(1)) (enter code) (anter code) T04 WITOII P Treatment-Other-Chemical Treatment W T 0 2 IT WICIOI 2 Р 0 1 P 0 W 6 lF 0 0 1 0 0 3 0 0 0 0 4 0 0 5 11 0 3 9 Included With Above 13 15 16 17 18 19 20 21 \mathbf{I} 22 23 24 25 26

har has I of some mind as

Continued from the front.

IV. DESCRIPTION OF DANGEROUS WASTES (continued)

E. USE THIS SPACE TO LIST ADDITIONAL PROCESS CODES FROM SECTION D(1) ON PAGE 3.

The 204-AR Waste Unloading Station is used for the treatment of liquid mixed waste that might exhibit the characteristic of corrosivity (D002, pH greater than or equal to 12.5) following the addition of caustic chemicals (sodium hydroxide and sodium nitrite). The waste is treated in-line at the 204-AR Waste Unloading Station to make the waste amenable for storage in the DST System.

The waste identified in Section IV.A has the potential for being transported to the 204-AR Waste Unloading Station, treated, and transferred to the DST System. The mixed waste consists of listed waste, characteristic waste (D001, D002, and D003), toxic constituents (D004 through D011, D018, D019, D022, D028 through D030, D033 through D036, D038 through D041, and D043), nonspecific source waste (F001 through F005, and F039 as defined below), and state-only waste (WT01, WT02, WC02, WP01, and WP02). Multi-source leachate (F039) is included as a waste derived from nonspecific source wastes F001 through F005.

·			
V. FACILITY DRAWING			
All existing facilities must include in the space provided on p	age δ a scale drawing o	f the facility (see Instructions for more de	tail).
VI. PHOTOGRAPHS			·
All existing facilities must include photographs (serial or grousites of future storage, treatment or disposal areas (see instr	und-level) that clearly de auctions for more detail).	ineate all existing structures; existing sto	rage, treatment and disposal areas; and
VII. FACILITY GEOGRAPHIC LOCATION This	s information is	provided on the attached of	rawings and photos.
LATITUDE (degrees, minutes, & second	(3)	LONGITUDE (degre	es, minutes, & seconds)
VIII. FACILITY OWNER		· · · · · · · · · · · · · · · · · · ·	
X A. If the facility owner is also the facility operator as lists below.	ed in Section VII on Form	n 1, "General Information", place an "X"	in the box to the left and skip to Section IX
B. If the facility owner is not the facility operator as liste	d in Section VII on Form	1, complete the following items:	
	ACILITY'S LEGAL OWN	ER	2. PHONE NO. (area code & no.)
	1 1 1 1 1 1 1 1 1 1		
			╼┸╼╀╼┸╼┸╶┨╞╼┸╾┹╼┨┠═┸╌┸╼┸╌
3, STREET OR P.O. BOX		4, CITY OR TOWN	5, ST. 6, ZIP CODE
		-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1-1	
IX. OWNER CERTIFICATION		7.0.0	
I certify under penalty of law that I have personally examined	and am familiar with the	information submitted in this and all att	sched documents, and that haved on my
Inquiry of those individuals immediately responsible for obtain there are significant penalties for submitting false information			e, accurate, and complete. I am aware that
NAME (print or type) John D. Wagoner, Manager	SIGNATURE)		DATE SIGNED
U.S. Department of Energy	$(\ \ \) \ \ \ \ \ \ \ \ \ \ \ \ \ \ \ $	1 / la lace	1 1/1/1/1/
Richland Operations Office	MALA L	. Wogan	1/1/9/49
X. OPERATOR CERTIFICATION	1		1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1
i certify under penalty of law that I have personally exemined Inquiry of those individuals immediately responsible for obtain there are significant penalties for submitting false information			ached documents, and that based on my le, accurate, and complete. I am aware that
NAME (print or type)	SIGNATURE		DATE SIGNED
SEE ATTACHMENT			

X. OPERATOR CERTIFICATION

I certify under penalty of law that I have personally examined and am familiar with the information submitted in this and all attached documents, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the submitted information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

Owner/Operator


John D. Wagoner, Manager U.S. Department of Energy Richland Operations Office

[[[\\\] Date

Co-operator


A. LaMar Trego, President Westinghouse Hanford Company 9/20/94 Date

204-AR Building Waste Unloading Station Site Plan




204-AR Waste Unloading Station Rev. 3, 11/04/94, Page 7 of 10

204-AR WASTE UNLOADING STATION CUTAWAY VIEW



2753710-55

204-AR WASTE UNLOADING STATION



46°33'09" 119°31'09"

8706421-18CN (PHOTO TAKEN 1987)

11/12/7 .. 6/2

204-AR WASTE UNLOADING STATION -INTERNAL VIEW



TYPICAL RAILROAD TANK CAR UNLOADING

46°33'09" 119°31'09"

8706421-16CN (PHOTO TAKEN 1987) Please print or type in the unshaded areas only (fill-in areas are spaced for elite type, i.e., 12 character/inch).

(fill-In area	as e/a	spaced for elite ty	ype, I.e., 12	character/inch)																			
FORM 3		DAN	IGERC	US WA	S]	ГΕ	PE	R	M	ΙΤ	ΑI	P	LI	C	ATION	1. EPA	/STATE I.		0 0	_	9	6	7
		USE ONLY																					
APPLICA APPRO		Imo. day, & yr.												CC	OMMENTS								
-																							
		EVISED APPLICAT											_										_
application	n, lf i	the appropriate bo this is your first ap Section I above,	ox in A or B optication an	below (mark on d you aiready ki	now Now	your ox on	ly) t fac	o Inc ility'	s EF	te w PA/S	TATI	er tr E I.D	le I	le ti Jum	te first application you are ber, or if this is a revised a	submitting pplication	for your enter you	facili ur fac	ity or cility	EF	A/S	d TATI	E
A. FIRST	APPI	ICATION (place a)	n "X" below	and provide the	a ap	propi	iate	dati	e)														
] 1. ——	EXISTING FACILIT		ructions for dafi nitem below.)	nitic	on of	"axi	sting	g" fa	ecili	ty.				2. NEW FA	CILITY /C							
	мо. 0 1		FOR EXIST OPERATION (use the b	TING FACILITIES ON BEGAN OR T oxes to the left,	HE I	ROVII DATE	DE 1	HE I	DAT	CTIC	no., c ON CC	iay. Miv	ě) EN	yr.) Cei	MO. DAY	l L L I	FOR NEW PROVIDE Imo., day TION BEG EXPECTE	THE A I	DAT V/O OR IS	PER.	A-		
B. REVIS	SED A	PPLICATION (place	e an "X" be	low and comple	to \$	actio	n / 4	bov	e)							· · · · · ·					-		_
L	(] 1. ———	FACILITY HAS AN	I INTERIM S	TATUS PERMIT											2. FACILIT	Y HAS A I	INAL PER	TIMI					
		S - CODES AND C						41															_
Codes	. If m	ore lines are needs cluding its design c	ed, enter the	s code(s) in the	*Pa	ca pr	ovid	ed.	lf a	pro	COSE	will	be be	use	rocess to be used at the fa od that is not included in th	o list of c	n lines are ides belov	w, th	on de	for	ente ibe ti	ring he	
l '		ESIGN CAPACITY	•									f th	a n	roc	688.								
_		- Enter the amour									, -												
2. UNI	T OF	MEASURE - For ea	ch amount	entered in colum	nn E	3(1), (enta	r the	co	de f	rom t	he li	st :	of L	init measure codes below t	hat descri	bes the ur	nlt of	mea	sure	uso	d.	
Onl	y the	units of measure t	hat are liste	d below should	be (usod.																	
	F	ROCESS	PRO- CESS CODE	APPROPRIAT MEASURE FO DESIGN O	or i	ROC	ESS	_							PROCESS	PRO- CESS CODE	APPR MEAS DE	OPR SURE SIGI	FOR CA	UNI PRO PAC	TS C OCES ITY)F SS	
Storag	_												-		ment:		<u></u>						
TANK		l (barrel, drum, etc -	S02	GALLONS OR	TITE TITE	RS RS							-	AN		TO1	GALLO	PER	DAY				
WAST		E MPOUNDMENT	S03 S04	CUBIC YARDS CUBIC METERS GALLONS OR	5										ACE IMPOUNDMENT	T02 T03	GALLOI LITERS TONS F	PER	DAY				
Dizpor		oonomen	004	CALLONS ON		.,,,										103	METRIC GALLOI	: TOI	NS PI	ER H	NUO	t;	
INJEC		WELL	D80 D81	GALLONS OR	LITE	RS	. 41 .						_	~			LITERS	PER	HOU	R			
LAND	rill		Dai	ACRE-FEET (the would cover or depth of one for	ne a	cre to		· E					th	orn	ER (Use for physical, cheminal or biological treatment esses not occurring in tank		GALLO				OH		
LAND	APPL	ICATION	D82	OR HECTARE-I	MET	ER								urfa	ce impoundments or incine . Describe the processes i	r-							
OCEA	N DIS	POSAL	D83	GALLONS PER LITERS PER DA	۱Y		ļ						th	10 6	pace provided; Section III-(S.)							
SURFA	ACE II	MPOUNDMENT	D84 UNIT OF	GALLONS OR	LITE	ЯS									VIT OF						-		
UNIT	OF ME	ASURE	MEASUR CODE			רואט	r of	ME.	ASU	JRE				ME	ASURE	NIT OF ME	ASURE			M	NIT I EASL COD	JRE	
GALL	ONS.			 G																			
CUBIC	S Y <u>À</u> ŘI	DS ERS ER DAY		L Y		MET	S PE	TON	OUF IS P	R. EN I	įóúń	::			• • • • • • • • • • • • • • • • • • • •	CRE-FEET CTARE-M CRES						. B	
GALL	ONS F					THE.	KS I	' ERI	HOU	ЛΗ.		• •	• • •		н	ECTARES			• • • •			. a	
		EXAMPLE FOR C hold 200 gallons	OMPLETING	SECTION III (s. her can hold 400	hou Da	n in i Ilons.	line Th	num e fa	b <i>ers</i> cility	s X y als	o ha	X-2	inc	lo v	v): A facility has two stora rator that can burn up to 2	ge tanks, O galions	one tank per hour.	can			-	_	
NA.	PRO-	B. PRO	OCESS DES	IGN CAPACITY			_	F	ОЯ		L U	A.	PR	1O-	B. PROCESS	DESIGN C	APACITY				-	20	
	SS DE n list	1,	. АМОИЛТ		OF	UNI MEA SURE	۱-۵	OFF	ICIA	i	ы м	C	വവ	ıF	1. AMO			OF	ME/	Ţ.	OFFI	SE	L
E E abo	vel		(specify)		1 /	enter ode)	·	Oi	NLY		N B E E R	(fro	ov	eΪ	(specif	/ /		1 6	URE enter odel		40	ΙĽΫ	
X-1 S	0 2		600		+	G	╪	Ŧ	1	T	5			<u> </u>				┽╴	H	丰	1	1 7	=
	0 3	· · · · · · · · · · · · · · · · · · ·	20		╁┈	Ε	+	+	-	\vdash	6	H		-		·		-	-	+	╬		
1 D 8	┵		950		t	A	+	\dagger	+	\vdash	7	Н	_	-				+	$\vdash \vdash$	+	+	H	
2					T	$ \cdot $	\dagger	\dagger	 	\vdash	8	$ \cdot $						+	╁	+	╁	H	_
3	++		,, - -		†-	\vdash	+	+	1	H	9	\vdash	\dashv			·		+	┝┼	╁	+-	dash	_
	╂┩				╁┈	╀	+	+	╂-	H		$\left - \right $	-	_				\vdash	\dashv	- -	-	\sqcup	
4							ĺ				10		1	1					l			1 1	

Continued from the front.

III. PROCESSES (continued)

C. SPACE FOR ADDITIONAL PROCESS CODES OR FOR DESCRIBING OTHER PROCESS (code "TO4"). FOR EACH PROCESS ENTERED HERE INCLUDE DESIGN CAPACITY.

D81

The Low-level Retrievable Storage Units (D81) were storage facilities that were used to store 55 gallon (208 liter) drums or boxes containing mixed wastes. Waste containers were stored on underground asphalt pads and plywood-lined underground trenches. An earthen cover over the trenches provided radiological protection.

The Low-Level Burial Grounds consists of two types of trenches; RCRA compliant trenches, and past practice trenches. The RCRA compliant trenches have either liners and leachate collection systems, or use alternative technologies such as high integrity packaging. The past practice trenches were used for mixed waste disposal prior to regulation, and continue to be used on a case-by-case basis for the disposal of remote-handled mixed waste packages. Disposal of remote-handled mixed waste packages in past practice trenches require notification to the Washington State Department of Ecology.

The waste handled at the above-mentioned facilities are generated by many different operations, both on and off the Hanford Facility.

The process design capacity for mixed waste in the LLBG is 950 acre-feet (1,171,825 cubic meters) of which 750 acre-feet (925,125 cubic meters) is dedicated solely for the disposal of submarine reactor compartments.

IV. DESCRIPTION OF DANGEROUS WASTES

- A. DANGEROUS WASTE NUMBER Enter the four digit number from Chapter 173-303 WAC for each listed dangerous waste you will handle. If you handle dangerous wastes which are not listed in Chapter 173-303 WAC, enter the four digit number(s) that describes the characteristics and/or the toxic contaminants of those dangerous wastes.
- B. ESTIMATED ANNUAL QUANTITY For each listed waste entered in column A estimate the quantity of that waste that will be handled on an annual basis. For each characteristic or toxic contaminant entered in column A estimate the total annual quantity of all the non-listed waste(s) that will be handled which possess that characteristic or contaminant.
- C. UNIT OF MEASURE For each quantity entered in column 8 enter the unit of measure code. Units of measure which must be used and the appropriate codes are:

ENGLISH UNIT OF MEASURE CODE	METRIC UNIT OF MEASURE COD	E
POUNDS	KILOGRAMS	 (

If facility records use any other unit of measure for quantity, the units of measure must be converted into one of the required units of measure taking into account the appropriate density or specific gravity of the waste.

D. PROCESSES

1. PROCESS CODES:

For listed dangerous waste: For each listed dangerous waste entered in column A select the code(s) from the list of process codes contained in Section III to indicate how the waste will be stored, treated, and/or disposed of at the facility.

For non-listed dangerous wastes: For each characteristic or toxic contaminant entered in Column A, select the code(s) from the list of process codes contained in Section III to indicate all the processes that will be used to store, treat, and/or dispose of all the non-listed dangerous wastes that possess that characteristic or toxic contaminant.

Note: Four spaces are provided for entering process codes. If more are needed: (1) Enter the first three as described above; (2) Enter "000" in the extreme right box of item IV-D(1); and (3) Enter in the space provided on page 4, the line number and the additional code(s).

2. PROCESS DESCRIPTION: If a code is not listed for a process that will be used, describe the process in the space provided on the form.

NOTE: DANGEROUS WASTES DESCRIBED BY MORE THAN ONE DANGEROUS WASTE NUMBER - Dangerous wastes that can be described by more than one Waste Number shall be described on the form as follows:

- Select one of the Dangerous Waste Numbers and enter it in column A. On the same line complete columns B, C, and D by estimating the total annual quantity of the waste and describing all the processes to be used to treat, store, and/or dispose of the waste.
- 2. In column A of the next line enter the other Dangerous Waste Number that can be used to describe the waste. In column D(2) on that line enter "included with above" and make no other entries on that line.
- 3. Repeat step 2 for each other Dangerous Waste Number that can be used to describe the dangerous waste,

EXAMPLE FOR COMPLETING SECTION IV (shown in line numbers X-1, X-2, X-3, and X-4 below) - A facility will treat and dispose of an estimated 900 pounds per year of chrome shavings from leather tenning and finishing operation. In addition, the facility will treat and dispose of three non-listed wastes. Two wastes are corrosive only and there will be an estimated 200 pounds per year of each waste. The other waste is corrosive and ignitable and there will be an estimated 100 pounds per year of that waste. Treatment will be in an incinerator and disposal will be in a landfill.

					T															D. PROCESSES
PZO.	DA W	AS	ER TE	NO	•	B. ESTIMATED ANNUAL QUANTITY OF WASTE	S	UNI MEA SURE enter ode)	- 1		1.	Pf	ROCI	ESS n <i>ter</i>		DE	6			2. PROCESS DESCRIPTION (if a code is not entered in D(1))
X-1	K	0	5	1	1	900		ρ	7	т о з	D	, ,	370		Τ	Τ				
X-2	D	0	0	,	?	400		Р	1	т о з	D	1	, T _o	1	T	Т				
х-3	D	0	0	,	,	100		P	1	T 0 3	D	٦,	70		T	T		7	\dashv	
X-4	D	0) [, ;	?	· · · · · · · · · · · · · · · · · · ·			1	7 0 3	D	, ,	10		Τ	1	\vdash		1	included with above

with the first street with

Continued from page 2.

NOTE: Photocopy this page before completing if you have more than 26 wastes to list.

1.D. NUMBER (entered from page 1)

N. DESCRIPTION OF DANGEROUS WASTES (continued)	W A 7 8 9 0 0 0 8 9 6 7																
N DANAGROUS B. ESTIMATED ANNUAL C. UNIT SURF Code I FROCESS CODES Code																	
N O NATE NO. Code Code		D. PROCESSES					•				T	TES (continued	OF DANGEROUS WAS	rion	RIPT	ESC	v. (
2 D 0 D 2 S00		2. PROCESS DESCRIPTION (if a code is not entered in D(1))			S CODE	ROCES	1. PF			JRE nter	SU	ANNUAL WASTE	B. ESTIMATED A QUANTITY OF V				
2		Disposal/Storage**		T	T	T	1	81	Di	<u> </u>		000	10,	1	0) (,
3				'	 	ı	ı					500		2	0		2
6 D 0 0 5 500 8 D 0 0 0 6 500 7 D 0 0 7 500 8 D 0 0 8 18,000,000* 9 D 0 0 1 0 500 11 D 0 1 1 500 12 W T 0 1 18,800,000* 13 W T 0 2 80,000 14 W P 0 1 8,000 15 W P 0 2 16 W P 0 3 17 W C 0 2 16,000 18,000 10 F 0 0 1 8,000 11 Included With Above Retrievable Storage **			Ţ	1		 	ĺ	1				500		3	0		3
6 D 0 0 5 500 6 D 0 0 6 500 7 D 0 0 7 500 8 D 0 0 8 18,000,000* 9 D 0 0 1 0 500 11 D 0 1 1 500 12 W T 0 1 18,800,000* 13 W T 0 2 80,000 14 W P 0 1 8,000 15 W P 0 2 16 W P 0 3 17 W C 0 2 16,000 18,000 10 Included With Above 10 F 0 0 1 8,000 11 Included With Above Retrievable Storage**				7	1 1	1	Ι	1	ı			500		4	0	0	4
7 D 0 0 7 500 8 D 0 0 8 18,000,000* 9 D 0 0 9 500 10 D 0 1 1 500 11 D 0 1 1 500 12 W T 0 1 18,800,000* 13 W T 0 2 80,000 14 W P 0 1 8,000 15 W P 0 2 10 W P 0 3 17 W C 0 2 16,000 18,000 18,000 Included With Above Retrievable Storage **				T	1 1.	T		T	T			500		5	0) (6
7 D O O 7 500 8 D O O 8 18,000,000* 9 D O O 9 500 11 D O 1 1 500 11 D O 1 1 1 18,800,000* 12 W T O 1 18,800,000* 13 W T O 2 80,000 14 W P O 1 8,000 15 W P O 2 16 W P O 3					7-7	ī	1	Т				500		6	0) (6
0 0 0 8 18,000,000*		· ·	Ţ			1]					500		7	0		7
10 D 0 1 0 0 0 0 0 0 0 0						1						00*	18,000,0	8	0		8
10]	1				500		9	0) (9
11			Ţ	1	[ı	[1	l i			500		0) 1) (10
12 W T 0 1 18,800,000*					1	1		I				500		1) 1) (1
13 W T 0 2 80,000 14 W P 0 1 8,000 15 W P 0 2 18 W P 0 3 17 W C 0 2 16,000 18 F 0 0 1 8,000 Retrievable Storage **			i		' 		i 					00*	18,800,0	1	<u> 0</u>	4 7	12
14 W P 0 1 8,000 15 W P 0 2 Image: square squar						,			Ľ			000	80,	2	[0	רוא	13
15 W P 0 2 18 W P 0 3 17 W C 0 2 16,000 18 F 0 0 1 8,000 18 F 0 0 1 Retrievable Storage **						'						000	8,	1	0	d F	14
18 W P 0 3 Y Y	,				1 1	1	I							2	0	V F	15
17 W C 0 2 16,000 Included With Above 18 F 0 0 1 8,000 Retrievable Storage**		*			1 1	1	I	l I				.	Y	3) 0	N F	8
18 F 0 0 1		Included With Above		1	1 1	1						000	16,	2	0	N (17
		Retrievable Storage**	-			1	 					000	8,	1	0	F C	18
19 F O O 2						1	Γ							2	0 0	F	19
20 F 0 0 3														3	0 0	F	20
21 F 0 0 4														4	0 0	= 0	21
22 F 0 0 5				1										5	0 0	F	22
23 F 0 2 8		Y												8	2	F	23
24 F 0 3 9 Included With Above		Included With Above	1											9	3	F	24
25 U 0 0 1 500 Disposal/Storage**		Disposal/Storage**	1									500		-			
Retrievable Storage**		Retrievable Storage**		<u> </u>	 		1	Y'	11	<u> </u>							

They will be the time the test than

Continued from page 2. NOTE: Photocopy this page before completing if you have more than 26 wastes to list. I.D. NUMBER (entered from page 1) A 7 8 9 0 0 0 B 9 6 7 IV. DESCRIPTION OF DANGEROUS WASTES (continued) D. PROCESSES C. UNIT OF MEA-SURE (enter N DANGEROUS O WASTE NO. B. ESTIMATED ANNUAL QUANTITY OF WASTE 1. PROCESS CODES 2. PROCESS DESCRIPTION (enter) (if a code is not entered in D(1)) (enter code) t р Disposal/Storage** D81 Ìυ ol $\mathsf{T}\mathsf{T}$ U 1 0 П lυ op opulo $\mathsf{T}\mathsf{T}$ UO U U U U U $\mathsf{T}\mathsf{T}$ UO u lo

Rev. 7, 11/04/94, Page 5 of 31

IV. DESCRIPTION OF DANGEROUS WASTES (continued) IV. DESCRIPTION OF DANGEROUS WASTES (continued) IV. DESCRIPTION OF DANGEROUS WASTES (continued) IV. DANGEROUS WASTE NO. B. ESTIMATED ANNUAL SURE (enter)														
D. PROCESSES D. PROCESSES D. PROCESSES D. PROCESSES C. UNITY OF Maste value Sure (enter) 1. PROCESS CODES (enter) 2. PROCESS D If a code is not a c														
L N DANGÉROUS WASTE NO. Ienter code) B. ESTIMATED ANNUAL GUANTITY OF WASTE OUANTITY OF WASTE 1. PROCESS CODES (III & code is not expected by the code is not expected b														
2 U 0 3 1 Retrievable Storag 3 U 0 3 2 Disposal/Storage** 4 U 0 3 3	DESCRIPTION entered in D(1))													
2 U 0 3 1 Retrievable Storag 3 U 0 3 2 Disposal/Storage** 4 U 0 3 3														
3 U 0 3 2 Disposal/Storage** 4 U 0 3 3	e**													
4 0 0 3 3	•													
6 U 0 3 5														
7 U O 3 6 Included With Abov	'e													
B U 0 3 7 Retrievable Storag	e**													
9 U O 3 8 Disposal/Storage**														
10 U 0 3 9														
11 U O 4 1														
12 U O 4 2														
13 U O 4 3														
14 U 0 4 4														
16 U O 4 5														
16 U O 4 6														
17 U O 4 7														
18 U O 4 8														
19 U O 4 9														
20 U 0 5 0														
21 U O 5 1 Included With Abov	e													
22 U 0 5 2 Retrievable Storag	e**													
23 U 0 5 3 Disposal/Storage**	· · · · · · · · · · · · · · · · · · ·													
24 U 0 5 5	· · · · · · · · · · · · · · · · · · ·													
25 U O 5 6 Included With Abov	е													
26 U O 5 7 Retrievable Storag	e**													

Rev. 7, 11/04/94, Page 6 of 31 Continued from page 2. NOTE: Photocopy this page before completing if you have more than 26 wastes to list. I.D. NUMBER (entered from page 1) W A 7 8 9 0 0 0 8 9 6 7 IV. DESCRIPTION OF DANGEROUS WASTES (continued) D. PROCESSES C. UNIT OF MEA-SURE A. N DANGEROUS O WASTE NO. B. ESTIMATED ANNUAL QUANTITY OF WASTE 1. PROCESS CODES (enter) 2. PROCESS DESCRIPTION (if a code is not entered in D(1)) (enter (enter code) P **D8**1 U 0 5 8 Disposal/Storage** U 0 | 5 | 9 U 6 0 6 2 U U 6 8 Included With Above U Retrievable Storage** Included With Above U Disposal/Storage** U Included With Above l٥ Retrievable Storage**

U lo.

U

υ

Disposal/Storage**

Albert & war war.

Continued from page 2. NOTE: Photocopy this page before completing if you have more than 26 wastes to list. I.D. NUMBER (entered from page 1) W A 7 8 9 0 0 0 8 9 6 7 IV. DESCRIPTION OF DANGEROUS WASTES (continued) D. PROCESSES C. UNIT OF MEA-SURE lenter codel N DANGEROUS O WASTE NO. B. ESTIMATED ANNUAL QUANTITY OF WASTE t. PROCESS CODES 2. PROCESS DESCRIPTION (if a code is not entered in D(1)) (enter code) P Disposal/ Storage** U 0 8 Ď81 |U|0|8|6 0 8 0 8 8 0 8 9 9 0 U. 0 9 0 9 U 0 9 9 8 Included With Above Retrievable Storage** Disposal/Storage** Included With Above Retrievable Storage** Disposal/Storage**

ECL30 - 271 -

ECY 030-31 Form 3

By Task & All Sales of Long

Continued from page 2. NOTE: Photocopy this page before completing if you have more than 26 wastes to list. I.D. NUMBER (entered from page 1) W A 7 8 9 0 0 0 8 9 6 7 IV. DESCRIPTION OF DANGEROUS WASTES (continued) D. PROCESSES C. UNIT OF MEA-SURE N DANGEROUS O WASTE NO. B. ESTIMATED ANNUAL QUANTITY OF WASTE 2. PROCESS DESCRIPTION (if a code is not entered in D(1)) 1. PROCESS CODES (enter) (enter (enter code) P Ď81 Disposal/Storage** U 1 3 4 U 3 6 U Included With Above U Retrievable Storage** Disposal/Storage** Included With Above Retrievable Storage** Disposal/Storage** u 5 8 Included With Above Retrievable Storage** Disposal/Storage** U Retrievable Storage** Disposal/Storage**

of whateward

Continued from page 2. NOTE: Photocopy this page before completing if you have more than 26 wastes to list.

	IOTE: Photocopy this page before completing if you have more than 26 wastes to list. D. NUMBER (entered from page 1)																		
w	A	7 (8 1	9 0	0 0 8 9 6 7														
IV.	DES	CRI	PTI	NC	OF DANGEROUS WAS	TES (continue	d)												
7-26 700.	DAI W/	A. NGE ASTE		- 1	B. ESTIMATED A	ANNUAL WASTE	1 7	UN ME URE ente	,			1.		CES ente	s co	DES	3		D. PROCESSES 2. PROCESS DESCRIPTION (if a code is not entered in D(1))
1	U	1	6	6		500		Р		D	81	I				1		1	Disposal/Storage**
2	U	1	6	7						ı			1 1		ı	i		[*
3	U	1	6	8									1 1		1	I		 	Included With Above
4	U	1	6	9				Ш			1		1 1]	Retrievable Storage**
5	U	1	7	0			L				1		l i		1	l 	<u> </u>	·	Disposal/Storage**
6	U	1	7	1				Щ			1					1		1	
7	U	1	7	2							1		1 1			ا 	<u> </u>		
8	U	1	7	3				Ш]		i		1		Ľ	 	Y
9	U	1	7	4		~~~~~					1		I :	_	i 	!	<u> </u>	i -	Included With Above
10	U	1	7	5						I	Ľ		<u> </u>		i		Ľ	!	Retrievable Storage**
11	U	1	7	6		•••				, —			<u>, , , , , , , , , , , , , , , , , , , </u>			l .		<u>'</u>	Disposal/Storage**
12	U	1	7	7						· i		_	1 I			_	<u> </u>] 	
13	U	1	7	8						<u>'</u>	<u> </u>		, ,		! —	<u> </u>	Ľ		
14	U	1	7	9									I .			,		l 	
15	U	1	8	0	:						'				 	!	<u>'</u>		
16	U	1	8	1									,		l —				
17	U	1	8	2									!		,				
18	U	1	8	3							I L		[] 	┸					
19	U	1	8	4		 .									l		1		
20	U	1	8	5									I I		[-		1	 	
21	U	1	8	6			Ц						I I		[
22	U	1	8	7															
23	U	1	8	8]		 		T				
24	U	1	8	9	-	-									[]				
25	U	1	9	0						1	I		1			l	ı		
26	U	1	9	1				Y	\prod	1	71		ГТ —					Γ	Y
EC	20	27		-	CY 030-31 Form 3							PAGI			OF				<u> </u>

with the state of
Continued from page 2.

NO	Continued from page 2. I/OTE: Photocopy this page before completing if you have more than 26 wastes to list. D. NUMBER (entered from page 1) WA 7 8 9 0 0 0 8 9 6 7													
w	A 7 8 9	0008967												
īV.	DESCRIPTION	OF DANGEROUS WASTES (contin	ued}					D. PROCESSES						
7-2E	A. DANGEROUS WASTE NO. (enter code)	B. ESTIMATED ANNUAL QUANTITY OF WASTE	C. UNIT OF MEA- SURE (anter code)		1. PROCE	SS CODES	3	2. PROCESS DESCRIPTION (if a code is not entered in D(1))						
1 2	U 1 9 2	500	P	081 	1 1	1 1	11	Disposal/Storage**						
3	U 1 9 4			1		1-1-		Included With Above						
4	U 1 9 6							Retrievable Storage**						
5	U 1 9 7					1 1		Disposal/Storage**						
6	U 2 0 0													
7	U 2 0 1				1 1	1 1	1							
8	U 2 0 2			, , , , , , , , , , , , , , , , , , ,	<u> </u>	' ' 								
9	U 2 0 3													
10	U 2 0 4				1 1									
\vdash	U 2 0 5			1 1	111									
12	╂╾╂╾╂╌╂╌╾				1-1-	 	[]							
14	U 2 0 7				1	1								
	U 2 0 8 U 2 0 9			-	1	1.1		Included With Above						
⊢	U 2 1 0			1	11		- T - T -	Retrievable Storage**						
\vdash	U 2 1 1			1 1	1			Included With Above						
18	 			1		1	11	Disposal/Storage**						
19	U 2 1 3			1 1	1 1		1 1							
20	U 2 1 4			1 1										
21	U 2 1 5			1 1		J								
22	U 2 1 6			1 1	1 1	1 1	 							
23	U 2 1 7			1 1	' '	I 1	1 1							
24.		_		111		· ·		Y						
}	U 2 1 9			141			' ' 	Included With Above						
26	U 2 2 0 L30 - 271 -	ECY 030-31 Form 3			PAGE 3	OF 5		Retrievable Storage**						

Continued from page 2. NOTE: Photocopy this page before completing if you have more than 26 wastes to list.

I.D. NUMBER (entered from page 1) W A 7 8 9 0 0 0 8 9 6 7 IV. DESCRIPTION OF DANGEROUS WASTES (continued) D. PROCESSES C. UNIT OF MEA-SURE A. N DANGEROUS O WASTE NO. B. ESTIMATED ANNUAL QUANTITY OF WASTE 2. PROCESS DESCRIPTION (if a code is not entered in D(1)) 1. PROCESS CODES (enter code) (enter) lenter code Ρ Ď8 j Disposal/Storage** Included With Above U Retrievable Storage** Disposal/Storage** $T^{-}T$ Retrievable Storage** Disposal/Storage** 2 3 3 4 3 5 3 6 3 7 3 8 Included With Above Retreivable Storage** Disposal Storage** 4 4 U

Continued from page 2. NOTE: Photocopy this page before completing if you have more than 26 wastes to list. I.D. NUMBER lentered from page 11 W A 7 B 9 0 0 0 8 9 6 7 IV. DESCRIPTION OF DANGEROUS WASTES (continued) D. PROCESSES C. UNIT OF MEA-SURE (enter code) A. N DANGEROUS O WASTE NO. B. ESTIMATED ANNUAL QUANTITY OF WASTE 2. PROCESS DESCRIPTION (if a code is not entered in D(1)) 1. PROCESS CODES lanter code) P Disposal/Storage** D81 P p P P Included With Above P Р Retrievable Storage** p Disposal/Storage** Р P Р P P Р p P Р р Р p Р Included With Above Retrievable Storage** Р Disposal/Storage** 2 5 p

Continued from page 2.

NOT	Ontinued from page 2. OTE: Photocopy this page before completing if you have more than 26 wastes to list. D. NUMBER (entered from page 1)																	
W	A	7 8	В	1	0 0 0 8 9 6 7]												
IV.	DES	CRII	PTI	ON	OF DANGEROUS WAS	TES (continue	d)											D. PROCESSES
7-2E	DAN WA			- 1	B. ESTIMATED A	ANNUAL WASTE	S	UNIT MEA- URE Inter odel			۱,	PRO	CES (ent	SS C	ODE	s		2. PROCESS DESCRIPTION (if a code is not entered in D(1))
1	Р	0	2	8		500		P		81				1	Τ		_T	Disposal/Storage**
2	Ρ	0	2	9								1 1			 		, 	
3	Р	0	3	0		-			-			1		Į.	!] -	
4	Ρ	0 :	3	1					-			Į I		I	1		ı	
5	Р	0 :	3	3	-					Ī				ı	T	T	I	
6	Р	0 :	3	4										T	Ι			
7	Р	0	3	6	- "				T								1	
8	Р	0 :	3	7					Γ	1		1		, i	1		1	
9	Р	0 :	3	8						T				-Γ	1		1	
10	Р	0 :	3	9						Ľ		 		ı		Ľ		
11	Р	0 4	4	0						Ľ		. I		 		'		
12	PΙ	0 4	4	1				Ш		<u> </u>		 		1			' 	
13	P	0 4	4	2					 			! [1	<u> </u>		
14	P	0 4	4	3					1	<u> </u>				1				
15	P () /	4	4					ı	'							j 	
16	P () 4	4	5					 					I	ı		1	
17	P) 4	4	6						1				<u> </u>				
18	P) 4	4	7						-				- I				
19	P) 4	4	8	P-4-884		\perp											
20	P) 4	4	9						1							1	
21	P) 5	5	<u>o </u>					,]				<u> </u>		
22	P) 5	5	1					1		L			1	i			
23	P) 5	5	4					Ī			-					1	
24	P) 5	5	6					ł			J						
25	PC) 5	5	7								1		T	1	Т		
26	PC) 5	5	3	Y		ľ	Y	1	/		T		1		1	<u> </u>	V
ECL:	30 -	271		F	CY 030-31 Form 3						AGE				F 5			CONTINUE ON BEVERSE

The Mark to the state of the Low-Level Burial Grounds

Rev. 7, 11/04/94, Page 14 of 31

Continued from page 2. NOTE: Photocopy this page before completing if you have more than 26 westes to list. I.D. NUMBER (entered from page 1) W A 7 8 9 0 0 0 B 9 6 7 IV. DESCRIPTION OF DANGEROUS WASTES (continued) D. PROCESSES C. UNIT OF MEA-SURE (enter code) L N DANGEROUS N O WASTE NO. B. ESTIMATED ANNUAL QUANTITY OF WASTE 2. PROCESS DESCRIPTION (If a code is not entered in D(1)) 1. PROCESS CODES (enter) (enter code) P PO D8 Disposal/Storage** P Ρ р ĺΡ P P В P Р P Р P P 7 3 Р P ΙP Р Р P Р Р Р $\mathsf{T}\mathsf{T}$ Р P ECL30 - 271 -ECY 030-31 Form 3 PAGE 3_

or the same of the same or the same

Continued from page 2. NOTE: Photocopy this page before completing if you have more than 26 westes to list.

D. NUMBER (entered from page 1)														
W A 7 8 9 0 0 0 8 9 6 7														
IV. DESCRIPTION OF DANGEROUS WASTES (continued)														
L N DANGEROUS NO. B. ESTIMATED ANNUAL QUANTITY OF WASTE (enter code) B. ESTIMATED ANNUAL OF WASTE (enter code) C. UNIT OF WASTE 1. PROCESS CODES (2. PROCESS DESCRIPTION (if a code is not entered in D(1))														
1 P 0 9 2 500 P D81 Disposal/Storage**														
2 P 0 9 3														
3 P 0 9 4														
4 P 0 9 5														
5 P 0 9 6														
6 P 0 9 7	·													
P 0 9 8														
	· · · · · · · · · · · · · · · · · · ·													
9 P 1 0 1														
10 P 1 0 2														
11 P 1 0 3														
12 P 1 0 4														
13 P 1 0 5														
14 P 1 0 6														
16 P 1 0 7														
16 P 1 0 8	 -													
17 P 1 0 9														
18 P 1 1 0														
19 P 1 1 1														
20 P 1 1 2														
21 P 1 1 3														
22 P 1 1 4														
23 P 1 1 5														
24 P 1 1 6														
25 P 1 1 8 26 P 1 1 9														
ECL30 - 271 - ECY 030-31 Form 3 PAGE 3 OF 5 CONTINUE ON														

the water of the weather the

Continued from page 2. NOTE: Photocopy this page before completing if you have more than 26 wastes to list. 1.D. NUMBER (entered from page 1) W A 7 8 9 0 0 0 8 9 6 7 IV. DESCRIPTION OF DANGEROUS WASTES (continued) D. PROCESSES N DANGEROUS N O WASTE NO. C. UNIT OF MEA-SURE (enter B. ESTIMATED ANNUAL QUANTITY OF WASTE 1. PROCESS CODES 2. PROCESS DESCRIPTION (if a code is not entered in D(1)) (enter) (enter code) codel P Disposal/Storage** 2 500 <u>D81</u> Р 1 2 2 2 1 2 1 3 Included With Above Р Storage reflects past practice operations before November 1987. 10 11 12 13 T 1 15 T 16 Π 17 18 T \sqcap 19 20 21 22 23 24 25 26

Bur was I for which we have seen

Continued from the front.

IV. DESCRIPTION OF DANGEROUS WASTES (continued)		
E. USE THIS SPACE TO LIST ADDITIONAL PROCESS CODES	COOM COCTION ON THE CO.	
E. USE IMIS SPACE TO LIST ADDITIONAL PROCESS CODE	THOM SECTION B(1) ON TAGE S.	
and state-only wastes [design:	e LLBG consists of listed wastes, cha ation of Extremely Hazardous Waste du	e to toxicity
(F001 through F005, F028, and	ent in waste], and wastes from nonspe FO39). Multi-source leachate (FO39)	is included as a
waste derived from nonspecific	c source wastes F001 through F005. T	he submarine
reactor compartments in Trenc	n 94 of the 218-E-12B burial ground c	ontain shielding
constructed of metallic lead		-
00/100/140004 01 11104/110 1044	()	
V. SACULTY DOLLYING		
V. FACILITY DRAWING	age 5 a scale drawing of the facility (see instructions for more deta	***
	ige 5 a scale drawing or the facility (see instructions for more detail	10.
VI. PHOTOGRAPHS		
s All existing facilities must include photographs <i>facilial of grou.</i> sites of future storage, treatment or disposal areas <i>face instr</i> i	nd-level) that clearly delineate all existing structures; existing stora actions for more detail).	ge, treatment and disposal areas; and
VII. FACILITY GEOGRAPHIC LOCATION This	information is provided on the attached dra	awings and photos
LATITUDE (degrees, minutes, & second		
LATITOR RESPECT, Militares, & second	tonorrobe lactrees	, minutes, & seconds)
│		
VIII. FACILITY OWNER		
X A. If the facility owner is also the facility operator as liste	d in Section VII on Form 1, "General Information", place an "X" in	the box to the left and skip to Section IX
000077.		
B. If the facility owner is not the facility operator as listed	In Section VII on Form 1, complete the following items:	
1. NAME OF F	ACILITY'S LEGAL OWNER	2. PHONE NO, (area code & no.)
		╘╸┖┈╂┈┸┈┨ ╞╾┸╾┨┠ ╌┇ ╌┇
3, STREET OR P.O. BOX	4, CITY OR TOWN	5, ST. 6, ZIP CODE
IX. OWNER CERTIFICATION		
I certify under penalty of law that I have personally examined inquiry of those individuals immediately responsible for obtaining	and am familiar with the information submitted in this and all attaci ng the information, I believe that the submitted information is true,	hed documents, and that based on my
there are significant penalties for submitting false information,	including the possibility of fine and imprisonment.	accurate, and complete. I am aware that
NAME (print or type)	STGNATURE 1	DATE SIGNED.
John D. Wagoner, Manager	1 1 1 1 1	
U.S. Department of Energy	-tx12. / 1) / 1 = 1 = 1	11/4/91/
Richland Operations Office	Jun Wagoun	11 19
X. OPERATOR CERTIFICATION		
inquiry of those individuals immediately responsible for obtains	and am familiar with the information submitted in this and all attacking the information, I believe that the submitted information is true,	hed documents, and that based on my
	including the possibility of fine and imprisonment.	with some some state in a state and a line in a state in a s
NAME (print or type)	SIGNATURE	DATE SIGNED
	ļ	
SEE ATTACHMENT		
ECL30 - 271 - ECY 030-31 Form 3	PAGE 4 OF 5	

Market F. W. W. C. J.

X. OPERATOR CERTIFICATION


I certify under penalty of law that I have personally examined and am familiar with the information submitted in this and all attached documents, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the submitted information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.


Owner Operator

John D. Wagoner, Manager U.S. Department of Energy Richland Operations Office 1114/94 Date


Co-operator


A. LaMar Trego, President Westinghouse Hanford Company 9/20/94 Date






W and N numbers are Washington State Coordinate System points.






W and N numbers are Washington State Coordinate System points.

711/12/2012



W and N numbers are Washington State Coordinate System points.


The Wall of The




W and N numbers are Washington State Coordinate System points.

Low-Level Burial Grounds Rev. 7, 11/04/94, Page 26 of 31

7-127-1




W and N numbers are Washington State Coordinate System points.



W and N numbers are Washington State Coordinate System points.

Low-Level Burial Grounds Rev. 7, 11/04/94, Page 28 of 31



and N numbers are Washington State Coordinate System points.

Low-Level Burial Grounds Rev. 7, 11/04/94, Page 29 of 31


TYPICAL LOW-LEVEL BURIAL GROUND TRENCH 218-W-3A/200 WEST AREA



46°33'41.318" 119°38'6.440"

8301108-40CN (PHOTO TAKEN 1983)

TYPICAL LOW-LEVEL RETRIEVABLE STORAGE FACILITY-LIQUID ORGANICS 218-W-4C/200 WEST AREA



46°33'5.892" 119°38'3.981"

8505779-30CN (PHOTO TAKEN 1985)

SUBMARINE REACTOR COMPARTMENT TRENCH-94



46°34'05" 119°31'31"

93110638-6CN (PHOTO TAKEN 1993)

7

Please print or type in the unshaded areas only (fill-in areas are spaced for elite type, i.e., 12 cheracter/inch).

(14)	ın e	-		spaced for elite typ	00, 1.0., 14	c cheracter/inch).											[
	3	ا ا		DAN	GERO	ous wa	S7	Έl	PE	Rľ	VII	IC	1. EPA/STATE I.D. NUMBER WA 7 8 9 0 0 0 8 8 6	7											
FO	A OF	FI	CIAL	USE ONLY																					
AI	PLIC	Λ OV	ION ED	DATE RECEIVED (mo.,day,& yr.)												C	COMMENTS								
	_					••																			
				REVISED APPLICATION																					
Ptar app I.D.	o ar licat Nur	ior nb	K" in . If or in	the appropriate box this is your first app Section I above.	in A or B lication ar	l below (mark on nd you already kr	e bo wow	your	y) to faci	ind lity's	icat EP	A/S	hethe TATE	er th	ni#). N	is ti lum	s the first application you are submitting for your facility or a revised umber, or if this is a revised application, enter your facility's EPA/ST/	ATE							
A.	FIR	57	APP	LICATION (place en	"X" belov	v and provide the	ap	propri	ale	date	1														
		L] 1.	EXISTING FACILITY	' (See inst Complete	(ructions for defi e item below.)	nitic	n of		2. NEW FACILITY (Complete Item below)															
		F	10.	DAY YR.	FOR EXIS	TING FACILITIES ON BEGAN OR T	, PI	ROVID	yr.) ICE1	MO. DAY YR. FOR NEW FACILITIES, PROVIDE THE DATE, O 4 0 8 9 4 Ino. day, & y/) OPERATION BEGAN OR IS															
0	DEV	<u> </u>	ISED APPLICATION (place an "X" below and complete Section I above)														EXPECTED TO BEGIN								
B.	NEV	_		FACILITY HAS AN			= 3	GC (707	_		2. FACILITY HAS A FINAL PERMIT														
				S - CODES AND CA																					
Α.	code	38.	lf n	CODE - Enter the coo nore lines are needed cluding its design ca	i, enter th	e code(s) in the	spa-	e pro	h p use	h process to be used at the facility. Ten lines are provided for enteriused that is not included in the list of codes below, then describe the) g														
В.	•				,	, ,			roc	rocess.															
	1. A	CESS DESIGN CAPACITY - For each code entered in column A enter the capacity of the pr MOUNT - Enter the amount.																							
	2. U	JNIT OF MEASURE - For each amount entered in column B(1), enter the code from the list of unit measure codes below that describes the unit of measure use only the units of measure that are listed below should be used.															•								
			PRO- APPROPRIATE UNITS OF PRO- APPROPRIATE UNITS OF CESS MEASURE FOR PROCESS CESS MEASURE FOR PROCES															:							
				PROCESS CODE DESIGN CAPACITY PROCESS CODE DESIGN CAPACITY																					
		Treatment: ONTAINER (barrel, drum, etc) SO1 GALLONS OR LITERS TANK TO1 GALLONS PER DAY OR																							
	TAN	K SO2 GALLONS OR LITERS																							
				MPOUNDMENT	S04	CUBIC YARDS CUBIC METERS GALLONS OR	LITE	RS								INCINERATOR TOS TONS PER HOUR OR									
	Disp	05	al:												METRIC TONS PER HOUR; GALLONS PER HOUR OR										
	INJE			WELL	D80 D81	GALLONS OR I	LITE	RS	rh a	,					LITERS PER HOUR										
	FWIA	U	ILL		081	would cover or depth of one for	a a	cra to							OTHER (Use for physical, chemical, TO4 thermal or biological treatment processes not occurring in tanks,										
	LAN	D	A PPI	ICATION	D82	OR HECTARE-I	ΛEΤ	ER							surface impoundments or inciner-										
	ÖCE	Ā١	DIS	POSAL	D83	GALLONS PER	DA								ators. Describe the processes in the space provided; Section III-C.)										
	SUR	FA	LITERS PER DAY FACE IMPOUNDMENT DB4 GALLONS OR LITERS																						
	LIKE	•	E M	EASURE	UNIT OF MEASUR CODE	r RE		דומט	O.E.	LAC A	CII	00				ME	UNIT OF UNIT OF MEASURE MASSUR CODE UNIT OF MEASURE CODE								
						<u></u>		LITES) C D	50 F	\ \ \ \	,						.							
	LITE	RS	DNS G LITERS PER DAY S L TONS PER HOUR YARDS Y METRIC TONS PER HOUR METERS C GALLONS PER HOUR DNS PER DAY U LITERS PER HOUR														HECTARE-METER	F							
	CUB GAL	LC	MET NS I	ERS ER DAY	::::::	C		GALL LITER	ON:	S PE: Eri h	R H IOU	ioui ir .	n	• •	• •		W ACRES. E HECTARES.	ă							
				EXAMPLE FOR CO	MPLETIN	G SECTION III (si	how ga	n in li	ne /	umb	ers ility	: X-:	and o has	X-2	be inc	elo v	low): A facility has two storage tanks, one tank can inerator that can burn up to 20 gallons per hour.								
	J A	F	RO-	ř		IGN CAPACITY								i		-	B PROCESS DESIGN CAPACITY								
1 1) (CE:	PRO- ESS 2. UNIT FOR N.A. OF MEA- OF MEA- OF MEA-													ìΕ	E I I DESC								
N I	3 (((om list SURE ONLY N B (fin													list (e)	ist 1. AMOUNT SURE ONL	.Y							
\sqsubseteq	\	_	code) R														code)								
x -:	s	4	2		600			G					5												
<i>x</i> -2	7	C	3		20			E					6												
1	S	C	4	19,500	,000			G					7			Γ		\top							
2												П	8					1							
3		Γ	Γ									П	9					+							
4	T	Γ	Τ				1		T	T		П	10	П	_	Τ		+							

Continued from the front.

III. PROCESSES (continued)

C. SPACE FOR ADDITIONAL PROCESS CODES OR FOR DESCRIBING OTHER PROCESS (code "TO4"). FOR EACH PROCESS ENTERED HERE INCLUDE DESIGN CAPACITY.

S04

The Liquid Effluent Retention Facility (LERF) was constructed under interim status in accordance with the Washington Administrative Code (WAC) 173-303. The LERF provides interim storage of the 242-A Evaporator process condensate until treatment capability for the process condensate is available.

The LERF is a retention basin consisting of three cells (surface impoundments) (SO4). Each cell has a design capacity of 6,500,000 gallons (24,605,000 liters) with a total capacity of 19,500,000 gallons (73,815,000 liters).

IV. DESCRIPTION OF DANGEROUS WASTES

- A. DANGEROUS WASTE NUMBER Enter the four digit number from Chapter 173-303 WAC for each listed dangerous waste you will handle. If you handle dangerous wastes which are not listed in Chapter 173-303 WAC, enter the four digit number(s) that describes the characteristics and/or the toxic contaminants of those dangerous wastes.
- B. ESTIMATED ANNUAL QUANTITY For each listed waste entered in column A estimate the quantity of that waste that will be handled on an annual basis. For each characteristic or toxic contaminant entered in column A estimate the total annual quantity of all the non-listed waste(s) that will be handled which possess that characteristic or contaminant.
- C. UNIT OF MEASURE For each quantity entered in column B enter the unit of measure code. Units of measure which must be used and the appropriate codes are:

ENGLISH UNIT OF MEASURE	CODE	METRIC UNIT OF MEASURE	CODE
POUNDS		KILOGRAMS	K

If facility records use any other unit of measure for quantity, the units of measure must be converted into one of the required units of measure taking into account the appropriate density or specific gravity of the waste.

D. PROCESSES

1. PROCESS CODES:

For listed dangerous waste: For each listed dangerous waste entered in column A select the code(s) from the list of process codes contained in Section III to indicate how the waste will be stored, treated, and/or disposed of at the facility.

For non-listed dangerous wastes: For each characteristic or toxic contaminant entered in Column A, select the code(s) from the list of process codes contained in Section III to indicate all the processes that will be used to store, treat, and/or dispose of all the non-listed dangerous wastes that possess that characteristic or toxic contaminant.

Note: Four spaces are provided for entering process codes. If more are needed: (1) Enter the first three as described above; (2) Enter "000" in the extreme right box of Item IV-D(1); and (3) Enter in the space provided on page 4, the line number and the additional code(s).

2. PROCESS DESCRIPTION: If a code is not listed for a process that will be used, describe the process in the space provided on the form.

NOTE: DANGEROUS WASTES DESCRIBED BY MORE THAN ONE DANGEROUS WASTE NUMBER - Dangerous wastes that can be described by more than one Waste Number shall be described on the form as follows:

- 1. Select one of the Dangerous Waste Numbers and enter it in column A. On the same line complete columns B, C, and D by estimating the total annual quantity ofthe waste and describing all the processes to be used to treat, store, and/or dispose of the waste.
- 2. In column A of the next line enter the other Dangerous Waste Number that can be used to describe the waste. In column D(2) on that line enter "included with above" and make no other entries on that line.
- 3. Repeat step 2 for each other Dangerous Waste Number that can be used to describe the dangerous waste.

EXAMPLE FOR COMPLETING SECTION IV (shown in line numbers X-1, X-2, X-3, and X-4 below) - A facility will treat and dispose of an estimated 900 pounds per year of chrome shavings from leather tenning and finishing operation. In addition, the facility will treat and dispose of three non-listed wastes. Two wastes are corrosive only and there will be an estimated 200 pounds per year of each waste. The other waste is corrosive and ignitable and there will be an estimated 100 pounds per year of that waste. Treatment will be in an incinerator and disposal will be in a landfill.

									D. PROCESSES										D. PROCESSES	
LINE	0 0			ERC E N		B. ESTIMATED ANNUAL QUANTITY OF WASTE	8	UN ME SURE enter code)	Α-			۱.		CE:		COD	ES			2. PROCESS DESCRIPTION (if a code is not entered in D(1))
X-	1	ĸ	0	5	4	900		Р		TO	3	D	8	0		ı	\Box		I	
X -	2	D	0	0	2	400		Ρ		70	3	D	8	6				_1		
X-	3	D	0	o	,	100		ρ		70	3	D	8	0			7	1	Π-	
X	4	D	0	0	2					το	3	D	8	0	7			1	<u> </u>	included with above

a the world as with them

Liquid Effluent Retention Facility Rev. 3, 11/04/94, Page 3 of 7

Continued from page 2. NOTE: Photocopy this page before completing if you have more than 26 wastes to list. I.D. NUMBER (entered from page 1) WA7890006967 IV. DESCRIPTION OF DANGEROUS WASTES (continued) D. PROCESSES L N DANGEROUS N O WASTE NO. C. UNIT OF MEA-SURE lenter B. ESTIMATED ANNUAL QUANTITY OF WASTE 1. PROCESS CODES 2. PROCESS DESCRIPTION (enter) (if a code is not entered in D(1)) (enter code) code) 00 P \$04 162,728,000 Storage - Surface Impoundment F 0 0 2 0 0 3 0 0 4 0 5 0 3 9 0 Ш W 0 2 T Included With Above 8 TT 9 10 11 12 T 13 14 \top 15 16 17 18 T 19 20 21 T^{T} T 22 \Box \mathbf{I} 23 24 ТТ 25 $\mathsf{I}\mathsf{I}\mathsf{I}$ \top \top 26

the hear I want to

Continued from the front. IV. DESCRIPTION OF DANGEROUS WASTES (continued) E. USE THIS SPACE TO LIST ADDITIONAL PROCESS CODES FROM SECTION D(1) ON PAGE 3. The LERF receives and stores the 242-A Evaporator process condensate until treatment capability for the process condensate is available. A description of the dangerous waste stored at LERF is as follows. The 242-A Evaporator process condensate is regulated as a mixed waste due to the presence of spent halogenated and nonhalogenated solvents (F001, F002, F003, F004, and F005) and for the toxicity of ammonia (WT02, toxic state-only dangerous waste). Multi-source leachate (F039) is included as a waste derived from nonspecific source wastes F001 through F005. The Estimated Annual Quantity of Dangerous Waste (item IV.B.) of 162.728.000 pounds (73,812,000 kilograms) per year is based on approximately 19.500.000 gallons (73.815.000 liters) of waste, or the total capacity of the the LERF. V. FACILITY DRAWING All existing facilities must include in the space provided on page 5 a scale drawing of the facility (see instructions for more detail). All existing facilities must include photographs (aerial or ground-level) that clearly delineate all existing structures; existing storage, treatment and disposal areas; and sites of future storage, treatment or disposal areas (see instructions for more detail). This information is provided on the attached drawings and photos. VII. FACILITY GEOGRAPHIC LOCATION LATITUDE (degrees, minutes, & seconds) LONGITUDE (degrees, minutes, & seconds) VIII, FACILITY OWNER A. If the facility owner is also the facility operator as listed in Section VII on Form 1, "General Information", place an "X" in the box to the left and skip to Section IX below. B. If the facility owner is not the facility operator as listed in Section VII on Form 1, complete the following items: PHONE NO. (area code & no.) ZIP CODE IX. OWNER CERTIFICATION I certify under penelty of law that I have personally examined and am familiar with the information submitted in this and all attached documents, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the submitted information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment. SIGNATUR NAME (print or type) John D. Wagoner, Manager U.S. Department of Energy Richland Operations Office X. OPERATOR CERTIFICATION I certify under penalty of law that I have personally examined and am familiar with the information submitted in this and all attached documents, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the submitted information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment. NAME (print or type) SIGNATURE DATE SIGNED

SEE ATTACHMENT

Liquid Effluent Retention Facility
Rev. 3, 11/04/94, Page 5 of 7

X. OPERATOR CERTIFICATION

I certify under penalty of law that I have personally examined and am familiar with the information submitted in this and all attached documents, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the submitted information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.


Owner/Operator

John D. Wagoner, Manager U.S. Department of Energy Richland Operations Office 11/4/94


a. Limo

A. LaMar Trego, President Westinghouse Hanford Company 9/20/14 Date

Liquid Effluent Retention Facility Site Plan



LIQUID EFFLUENT RETENTION FACILITY



TYPICAL BASIN

46°33'42.33" 119°30'21.70" 92081260-9CN (PHOTO TAKEN 1992) Please print or type in the unchaded areas only (fill-in areas are spaced for elite type, i.e., 12 character/inch).

(fill-	in er	oa s	a /a	spaced for elite	type, i.e.,	12 character/inch)	•										1 504	CTATC LC		4440	rn.		
	3			DA	NGER	ous wa	ST	ΈP	ERI	MI	Τ.	ΑP	P		C	ATION		STATE 1.0	- -		8	9	3 7
FO	R OF	FIC	AL I	USE ONLY																		-	
	PLIC			(mo.,day,&)											СО	DMMENTS							
		7								•													
				EVISED APPLICA																			
арр	licati	on.	If t	the appropriate his is your first section I above.	box in A or application	B below (mark or and you already k	now	x only your f	to Ind acility's	icate a EPA	A/ST	ATE	r thi	Nu	i th umb	ne first application you are a ber, or if this is a revised ap	ubmitting plication,	for your fa	acili r fac	ty or ility'	a re €P	vised A/ST	ATE
Ä.	FIRS	_		•	.ITY (See ii	ow and provide the structions for def					cility	<i>i</i> .				2. NEW FAC	ILITY (Co	mplete ite	m b	alow)		
		М		DAY YR.	FOR EX	ste item below.) ISTING FACILITIE	s, PF	O ŽIDE	THE	DATE	E (m	o., d	Υ.	& y	y.)	MO. DAY		FOR NEW I	LKE.	DAT	E.		
		0	6	0 1 5 1		TION BEGAN OR T boxes to the left		AIE	JONST	NUC	HOP	V CO	MW	ENU	JEU		<u> </u>	mo., day, TION BEG EXPECTED	AN C	r) O OR IS BEG	PER/	١-	
В.				•		below and comple I STATUS PERMIT		ction	i abovi	a)						2. FACILITY	HAS A F	INAL PERM	VIIT				
III.	I. PROCESSES - CODES AND CAPACITIES																						********
	A. PROCESS CODE - Enter the code from the list of process codes below that best codes. If more lines are needed, enter the code(s) in the space provided. If a process (including its design capacity) in the space provided on the (Section III-C														u pr	rocess to be used at the fac od that is not included in the	ility. Ten list of co	lines are des below	prov , th	rided en d	for scri	enter be th	ing e
process (including its design capacity) in the space provided on the (Section III-C). B. PROCESS DESIGN CAPACITY - For each code entered in column A enter the capacity of the pro-															oce	061.							
	 PROCESS DESIGN CAPACITY - For each code entered in column A enter the capacity of AMOUNT - Enter the amount. 																						
AMOUNT - Enter the amount. UNIT OF MEASURE - For each amount entered in column B(1), enter the code from the list of unit measure codes below that describes the unit of measure used. Only the units of measure that are listed below should be used.															ı.								
	2. UNIT OF MEASURE - For each amount entered in column B(1), enter the code from the list of unit measure codes below that describes the unit of measure used. Only the units of measure that are listed below should be used. PRO- APPROPRIATE UNITS OF CESS MEASURE FOR PROCESS CESS MEASURE FOR PROCESS															F							
			Р	ROCESS	CES: COD	MEASURE F DESIGN	OR P	ROCES	SS					_		PROCESS	CESS CODE	MEAS	ure	FOR CA	PRO	CES	s
	Stor	-				04440000.00										ment:	~~.						
	CON TAN WAS	K		(barrel, drum, e	ite) S01 S02 S03		LITE								NK 1DE	ACE IMPOUNDMENT	TO1 TO2	GALLON LITERS I	PER	DAY			
				: APOUNDMENT	S04	CUBIC METER	S	RS								RERATOR	T03	GALLON LITERS I TONS PI	PER	DAY	DB		
	Disp																	METRIC GALLON	1OT P 2!	NS P ER H	ER H OUR	OUR:	•
	INJE LAN			WELL	D80				hat					Ωĭ	ner	ER (Use for physical, chemic	ai TOA	GALLON				αn	
		J.	~~			would cover of depth of one i	ne al	re to						the	em	nal or biological treatment sees not occurring in tanks.		LITERS	PER	DAY		JI	
				CATION POSAL	D8:		CTA	PES						ato	DIE.	ce impoundments or inciner- . Describe the processes in							
				APOUNDMENT	D84	LITERS PER D	ΑY							the	0 E;	pace provided; Section III-C.	J						
					UNIT	of										NIT OF					U	NIT C	F
	רואט	OF	ME	ASURE	MEAS COE			UNIT	OF ME.	ASU	RE				ME.	ASURE CODE UN	T OF ME	ASURE			ME	CODE	RE
	LITE	RS.				. L		TONS	S PER 1 PER H	OUR						V AC	RE-FEET	ETER		• • •			Ą
	CUB	IC N	ARI METI	DS ERS ER-DAY		. Y . C		METRI GALLO	ic ton DNS PE	is pe ir ho	H AE OUA	OUR			: :	W AC	RES CTARES	ETER					ġ Q
<u> </u>	GAL	LUf	(5 F	EXAMPLE FOR	COMPLET	ING SECTION III /	thow	o io lin	e num	hers	X-1	and	X-2	hel	low	H v): A facility has two storag	e tanks,	one tank c	en				
}-	7			hold 200 gallo	ns and the	<i>other can hold 40</i> ESIGN CAPACITY	O gai	lons.	The fa	clity	also) has	an	inci	inaı	rator that can burn up to 20 B. PROCESS D	gallons p	er hour.			1		
L	ه الا	PF	10- S				2.	UNIT		OR ICIAI		L UI	A.C	ccc	2	<u> </u>		1770111	2.	UNI	\exists	FC	
1 N N I E I	3 ///	:OD om bov	list		1. AMOU (specify)		5	MEA- URE enter	U	ISE NLY		I M N B E E	Ifro	UUŁ	ist	1. AMOU!			OF	ME/ URE	۱۰	OFFI US ON	iΕ
	1							ode)			_	ััล			_					ode)			
X-:	s	o	2		600			G				5								H	F		T
X-2	7	0	3		20			E				6											
1	S	0	2		9,500			G				7									Ţ		
2	T	0	1		206		1	U				8											
3	S	0	1		540			G				9		\downarrow									
4												10											

Continued from the front.

III. PROCESSES (continued)

C. SPACE FOR ADDITIONAL PROCESS CODES OR FOR DESCRIBING OTHER PROCESS (code "TO4"). FOR EACH PROCESS ENTERED HERE INCLUDE DESIGN CAPACITY. The 222-S Laboratory Complex consists of the following two waste management units, the 219-S Waste Handling Facility and the 222-S Dangerous and Mixed Waste Storage Area. Processes associated with these two units are described as follows.

The state of the s

802,T01 - The 219-S Waste Handling Facility is located northeast of the 222-S Analytical Laboratory Building. The 219-S Waste Handling Facility contains three stainless steel tanks: 101 [4,000 gallon (15,000 liters)], 102 [4,000 gallon (15,000 liter)], and 103 [1,500 gallon (6,000 liter)] located in a belowground concrete vault (S02). Tanks 101 and 103 are used for primary and backup storage of mixed waste from the 222-S Analytical Laboratory. The mixed waste is transferred from tanks 101 and 103 to tank 102 for treatment (101) and storage before transfer to the Double-Shell Tank (DST) System. The mixed waste is treated in tank 102 with sodium hydroxide (NaOH) to a pH greater than or equal to 12.0 and with sodium nitrite (NaNO₂) to a concentration of 600 parts per million. This treatment process makes the mixed waste more amenable for storage in the DST System. The maximum process design capacity of the three storage tanks is 9,500 gallons (36,000 liters). The maximum treatment process design capacity for tank 102 is 206 gallons (780 liters) per day [75,000 gallons (284,000 liters) per year].

501 - The 222-\$ Dangerous and Mixed Waste Storage Area is located on the north side of the 222-\$ Analytical Laboratory Building. The 222-S Dangerous and Mixed Waste Storage Area consists of two metal storage structures resting on a concrete pad. The 222-S Dangerous and Mixed Waste Storage Area stores a total of 36 U.S. Department of Transportation-approved or equivalent 17C or 17H 55-gallon (208 liter) containers or other U.S. Department of Transportation-approved packages and overpacks of mixed waste and nonradioactive dangerous waste (SO1). Each metal storage structure holds a total of 18 containers of waste. The containers are stored at the 222-S Dangerous and Mixed Waste Storage Area until transferred to the Hanford Central Waste Complex (mixed waste) or to the 616 Nonradioactive Dangerous Waste Storage Facility (nonradioactive dangerous waste) for storage. The maximum design capacity of the 222-S Dangerous and Mixed Waste Storage Area is 540 gallons (2,000 liters) [15 gallons (57 liters) of liquids per container].

IV. DESCRIPTION OF DANGEROUS WASTES

- A. DANGEROUS WASTE NUMBER Enter the four digit number from Chapter 173-303 WAC for each listed dangerous waste you will handle. If you handle dangerous wastes which are not listed in Chapter 173-303 WAC, enter the four digit number(s) that describes the characteristics and/or the toxic contaminants of those dangerous wastes.
- 8. ESTIMATED ANNUAL QUANTITY For each listed waste entered in column A estimate the quantity of that wasts that will be handled on an annual basis. For each characteristic or toxic contaminant entered in column A estimate the total annual quantity of all the non-listed waste(s) that will be handled which possess that characteristic or contaminant.
- C. UNIT OF MEASURE For each quantity entered in column B enter the unit of measure code. Units of measure which must be used and the appropriate codes

ENGLISH UNIT OF MEASURE	CODE	METRIC UNIT OF MEASURE	CODE
POUNDS		KILOGRAMS	

If facility records use any other unit of measure for quantity, the units of measure must be converted into one of the required units of measure taking into account the appropriate density or specific gravity of the waste.

D. PROCESSES

1, PROCESS CODES:

For listed dangerous waste: For each listed dangerous waste entered in column A select the code(s) from the list of process codes contained in Section III to indicate how the waste will be stored, treated, and/or disposed of at the facility.

For non-listed dangerous wastes: For each characteristic or toxic contaminant entered in Column A, select the code(s) from the list of process codes contained in Section III to indicate all the processes that will be used to store, treat, and/or dispose of all the non-listed dangerous wastes that possess that characteristic or toxic contaminant.

Note: Four spaces are provided for entering process codes. If more are needed: (1) Enter the first three as described above; (2) Enter "000" in the extreme right box of Item IV-D(1); and (3) Enter in the space provided on page 4, the line number and the additional code(s).

2. PROCESS DESCRIPTION: If a code is not listed for a process that will be used, describe the process in the space provided on the form.

NOTE: DANGEROUS WASTES DESCRIBED BY MORE THAN ONE DANGEROUS WASTE NUMBER - Dangerous wastes that can be described by more than one Waste Number shall be described on the form as follows:

- Select one of the Dangerous Waste Numbers and enter it in column A. On the same line complete columns B, C, and D by estimating the total annual quantity of the waste and describing all the processes to be used to treat, store, and/or dispose of the waste.
- In column A of the next line enter the other Dangerous Waste Number that can be used to describe the waste. In column D(2) on that line enter "included with above" and make no other entries on that line.
- Repeat step 2 for each other Dangerous Waste Number that can be used to describe the dangerous waste,

EXAMPLE FOR COMPLETING SECTION IV (shown in line numbers X-1, X-2, X-3, and X-4 below) - A facility will treat and dispose of an estimated 900 pounds per year of chrome shavings from leather tanning and finishing operation. In addition, the facility will treat and dispose of three non-listed wastes. Two wastes are corrosive only and there will be an estimated 200 pounds per year of each waste. The other waste is corrosive and ignitable and there will be an estimated 100 pounds per year of that waste. Treatment will be in an incinerator and disposal will be in a landfill.

			_		1			_								_						D. PROCESSES
7-ZE	DA W.	AS	A. TE		- 1	B. ESTIMATED QUANTITY OF	ANNUAL WASTE	(e	UN ME URE nter	rl			١.	P		ES:		ODE:	5			2. PROCESS DESCRIPTION (if a code is not entered in D(1))
X-1	K	0	£	<u>-</u>	4	900			P	7	r^{1}	7 3	7	Τ,	8	Ī	1	1		ī	1	
X-2	D	0	1	η.	2	400			P		7	, T	, ,	, T	8 (<u>ا</u> ر	1	1	Τ	Т	T	
X-3	D	0	4	,	7	100			P		710	, ,	Ĺ	Τ,	8 (7	T	T	T	Т	ì	
X-4	D	0	6	, .	2						τ^{Γ_0}	Τ,	, ,	Τ,	8 (7	Τ	1		Т	Т	included with above

and the house of some of the

Continued from page 2.

NOTE: Photocopy this page before completing if you have more than 26 wastes to list.

1,D, NUMBER (entered from page 1)

			9 0 0 0 8 9 6 7									
IV.	DESCR	ιPΤΙ	ON OF DANGEROUS WAS	TES (continued)								
7-ZE 7-ZE	A DANGE WASTI	ROI E N	US B. ESTIMATED A QUANTITY OF V	NNUAL C. UNIT OF MEA- SURE (enter code)			1. PR	OCE:	ss cod	ES		D. PROCESSES 2. PROCESS DESCRIPTION (if a code is not entered in D(1))
1	D O	0	1 626,	000 P		T)2	Ţc		T	Ī	11	Storage - Tank/Treatment - Tank
2	D 0	0	2		Ţ	I					 	
3	D O	0	3]	 	I	 	I		· · · · · · · · · · · · · · · · · · ·	
4	D O	0	4		1	1	I	1			1	
5	D 0	0	5		1	 					I I	
6	D O	0	6		1	I	1	1	1 1		1 1	
7	D 0	0	7		1				-1		1	·
8	D 0	0	8			_		<u>'</u>	1 1		1 1	
9	D 0	0	9		ı				1 1			
10	ס ם	1	0		ļ	1		!	! I		1.1	
11	D O	1	1		ı]		1	I I		1 1	
12	D O	1	8		_	1		I			TT	
13	D O	1	9			1		1	7 1			
14	D 0	2	2		1	Ţ		1			1 1	
15	D O	2	8		ı	1		[1 1	
16	D O	2	9		I	1					1	
17	D O	3	0		1	ſ	1	[1 1	
18	D O	3	3			ı						
19	D O	3	4		T	1]			11	
20	D O	3	5			Ţ			1 1		1 1	
21	D O	3	6		_				11		Ţ	
22	0 Q	3	8		1		Т	[11		1 1	
23	D 0	3	9		T]	ı		1 1		11	
24	D O	4	0								T	
25	D O	4	1			T			11		П	
26	D O	4	3	, Y	1	7	1	'Т <u> </u>			1	Y
			ECY 030-31 Form 3				AGE 3		OF I]

222-S Laboratory Complex Rev. 3, 11/04/94, Page 4 of 15

I Mark wat has

Continued from page 2. NOTE: Photocopy this page before completing if you have more than 26 wastes to list. I.D. NUMBER (entered from page 1) W A 7 8 9 0 0 0 8 9 6 7 IV. DESCRIPTION OF DANGEROUS WASTES (continued) D. PROCESSES C. UNIT OF MEA-SURE (enter N DANGEROUS O WASTE NO. LIZE B. ESTIMATED ANNUAL QUANTITY OF WASTE 2. PROCESS DESCRIPTION (if a code is not entered in D(1)) 1. PROCESS CODES (enter) (enter code) codel P Storage - Tank/Treatment - Tank 1 T 0 \$02 ŤOÌ 2 0 2 T W 3 C 0 2 Р 0 5 Ρ 2 W 0 6 0 0 7 0 0 2 8 0 3 0 0 0 4 10 5 0 01 11 3 9 Included With Above 0 12 P D 0 0 12,000 **S01** Storage - Container 13 2 0 0 0 0 3 מו 15 Ô 0 4 D 0 5 0 0 0 6 18 0 0 מו .7 19 0 8 lD 0 7-7 20 lD 0 Ol 9 21 D 0 1 0 22 מו 0 1 1 T23 D 0 2 1 0 3 מו 1 25 4 D 0 1 \top 26

222-S Laboratory Complex Rev. 3, 11/04/94, Page 5 of 15

What I was I have

Continued from page 2.

NOTE: Photocopy this page before completing if you have more than 26 wastes to list. I.D. NUMBER (entered from page 1) W A 7 8 9 0 0 0 8 9 6 7 IV. DESCRIPTION OF DANGEROUS WASTES (continued) D. PROCESSES C. UNIT OF MEA-SURE (enter L N DANGEROUS N O WASTE NO. B. ESTIMATED ANNUAL QUANTITY OF WASTE 1. PROCESS CODES 2. PROCESS DESCRIPTION (if a code is not entered in D(1)) (enter) (enter code) P ŠOİ Storage - Container (cont) n D ln D D D D D ם D ID. ١٥. D l٥ D D D D D D D lD מו D C 1 1 W П

The later of the second gentlemen 222-S Laboratory Complex Rev. 3, 11/04/94, Page 6 of 15 Continued from page 2.

NOTE: Photocopy this page before completing if you have more than 26 wastes to list.

I.D. NUMBER (entered from page 1)

i					0 0 8 9 6 7													
īV.	DE:	SCR	IPTI	ON I	OF DANGEROUS WASTES	(continued)			Ī									D. PROCESSES
7-ZE			RO E N	- 1	B. ESTIMATED ANN QUANTITY OF WAS	JAL TE	SI (e.	UNIT MEA- JRE nter odej			1.	PR	OCE (en	SS (CODE	s	- <u></u>	1 2. PROCESS DESCRIPTION (if a code is not entered in D(1))
1	W	Р	0	2				P		01		T	Т	Ţ	T		I	Storage - Container (cont)
2	W	Ţ	0	1				Ш		<u> </u>					' 	L	 	
3	W	Т	0	2			\rfloor		L.	Ľ					 		}	
4	F	0	0	1						'		,	 				i i	
6	F	0	0	2					'			[<u> </u>		i 		(
6	F	0	0	3						ľ			i	_	, 			
7	F	0	0	4								' 	1		 	\perp		,
8	F	0	0	5				\coprod					·		 	\perp	<u> </u>	
9	F	0	2	7								 -			 			*
10	F	0	3	9				Y	<u>'</u> ,	<u> </u>		<u>'</u>	[ļ	<u>'</u>			Included With Above
11									<u>'</u>	 		 	} 		 		i	
12									I	 		I	 	Ľ	i 		1 1	
·13									'			['			 	
14										 		ļ			Ţ		l I	
15	<u> </u>]- - 							 		ļ 	[!	!		1 1	
16													1					
17										ı	ŀ	I			I		I I	
18]		Τ		_	1		<u> </u>	
19										Ţ		Τ			1		T T T	
20] 		Ţ			1		1 1	
21							-			1		1		<u> </u>	- T	<u> </u>	1 [-
22										Ī		I	Τ_		<u> </u>	_l_	I T	
23										ſ		1			1		1 1	
24										Т		T	Τ		T		<u> </u>	
25										T		1	T		Т			
26									Т	T		1	Τ	1	1		TT	
<u> </u>	_				 	 												

wholl out to

Continued from the front.

IV. DESCRIPTION OF DANGEROUS WASTES (continued)

E. USE THIS SPACE TO LIST ADDITIONAL PROCESS CODES FROM SECTION D(1) ON PAGE 3.

Mixed waste from the 222-S Analytical Laboratory Building flows by gravity to the 219-S Waste Handling Facility for treatment before transfer to the Double-Shell Tank System. Some mixed waste may require chemical treatment within the 222-S Laboratory Complex before introducing the mixed waste into the 219-S Waste Handling Facility. The mixed waste is considered corrosive (D002) because of the presence of nitric acid prior to treatment and sodium hydroxide following treatment. Treated mixed waste transferred to the Double-Shell Tank System consists of characteristic waste (D001, D002, and D003), toxic constituents (D004 through D043), state-only waste (WC02, WP01, WP02, WT01, and WT02), and spent halogenated and nonhalogenated solvent waste (F001, F002, F003, F004, and F005). Multi-source leachate (F039) is included as a waste derived from nonspecific source wastes F001 through F005. Before transfer, sodium nitrite is added to the mixed waste for corrosion protection of the Double-Shell Tank System (WT02).

The U.S. Department of Transportation-approved or equivalent 17C or 17H 55-gallon (208-liter) containers or other U.S. Department of Transportation-approved packages and overpacks of waste are stored in two metal storage structures located on a concrete pad before shipment to the Hanford Central Waste Complex (mixed waste) and/or the 616 Nonradioactive Dangerous Waste Storage Facility (nonradioactive dangerous waste). The contents of the containers are identified through process knowledge and sample results. The containers hold characteristic waste (D001, D002, and D003), toxic constituents (D004 through D038), spent halogenated and nonhalogenated solvent waste (F001, F002, F003, F004, and F005), nonspecific source waste (F027 and F039 as defined above), discarded polychlorinated biphenyls (W001), and state-only waste (WC02, WP01, WP02, WT01, and WT02).

V. FACILITY DRAWING			
All existing facilities must include in the space provide	d on page 5 a scale drawing of the f	acility (see instructions for more deta-	ill).
VI. PHOTOGRAPHS			
All existing facilities must include photographs (acrial sites of future storage, treatment or disposal areas (se	or ground-level) that clearly delineate se instructions for more detail).	all existing structures; existing stora	ge, treatment and disposal areas; and
VII. FACILITY GEOGRAPHIC LOCATION	This information is prov	vided on the attached dr	awings and photos.
LATITUDE (degrees, minutes, &			s, minutes, & seconds)
VIII. FACILITY OWNER			
A. If the facility owner is also the facility operator below. 8. If the facility owner is not the facility operator at			the box to the left and skip to Section IX
1. NAN	NE OF FACILITY'S LEGAL OWNER		2. PHONE NO, Jarea code & no.)
3. STREET OR P.O. BOX	4	CITY OR TOWN	5. ST. B. ZIP CODE
		<u> </u>	
IX. OWNER CERTIFICATION			<u> </u>
I certify under penalty of law that I have personally exe inquiry of those individuals immediately responsible for there are significant penalties for submitting false infor			had documents, and that based on my , accurate, and complete. I am aware that
NAME (print or type)	SIGNATURE (DATE SIGNED
John D. Wagoner, Manager U.S. Department of Energy		·	lular.
Richland Operations Office	TOUL W.W.	40m	1119199
X. OPERATOR CERTIFICATION			
I certify under penalty of law that I have personally exa inquiry of those individuals immediately responsible for there are significant penalties for submitting false infor			hed documents, and that based on my accurate, and complete. I am aware that
NAME (print or type)	SIGNATURE		DATE SIGNED
SEE ATTACHMENT			

222-S Laboratory Complex Rev. 3, 11/04/94, Page 8 of 15

when the war had

X. OPERATOR CERTIFICATION

I certify under penalty of law that I have personally examined and am familiar with the information submitted in this and all attached documents, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the submitted information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.


Own@r/Operator

John D. Wagoner, Manager U.S. Department of Energy Richland Operations Office 11/4/94 Date

Co-operator

A. LaMar Trego, President Westinghouse Hanford Company 9/2/94 Date


222-S Laboratory Complex 219-S Waste Handling Facility Tanks 101, 102, and 103 Site Plan



James Land Comment Com J

WA7890008967

222-S LABORATORY COMPLEX




39109097.7


219-S WASTE HANDLING FACILITY TANKS 101, 102, AND 103

222-S Laboratory Comple: Rev. 3, 11/04/94, Page 11 of 1

222-S Laboratory Complex 222-S Dangerous and Mixed Waste Storage Area Site Plan




222-S Laboratory Complex



222-S Dangerous and Mixed Waste Storage Area

39106048.15

222-S LABORATORY COMPLEX




219-S Waste Handling Facility

46°32'02" 119°37'12"

91092605-2CN (PHOTO TAKEN 1991)

222-S Laboratory Complex Rev. 3, 11/04,94, Page 14 of 15

222-S LABORATORY COMPLEX DANGEROUS AND MIXED WASTE STORAGE AREA



Metal Storage Structures on Storage Pad

46°32'02" 119°37'12" 91022217-24CN (PHOTO TAKEN 1991)

222-S LABORATORY COMPLEX DANGEROUS AND MIXED WASTE STORAGE AREA



Metal Storage Structure Internal View

46°32'02" 119°37'12"

91022217-27CN (PHOTO TAKEN 1991)

Hanford Central Waste Complex Rev. 2, 11/04/94, Page 1 of 44

Please print or type in the unshaded areas only

(rui-	in ai	788	# #/a	spaced for ente	type, 1.e., 12	character/inch).																	
	овм 3	1		DAI	NGERO	OUS WA	ST	ΈF	ER	RIVI	ΙΤ	ΑF	P	LÌ	C.	ATION	1. EPA	/STATE I.I 7 8 9		о о	1 1	9 6	7
FO.	R OF	FI	CIAL	USE ONLY																			
AF A	PLIC PPR	ŠĀ.	TION /ED	DATE RECEIVE											CC	MMENTS							
				REVISED APPLICA																			
app	licat	іол	ı. If	the appropriate this is your first a Section I above.	oox in A or B pplication an	i below (mark on id you already kr	ow bo	x only your f) to ir acility	ndica /'s El	PA/S	hethe TATE	I.D	is in . Nu	s th	ne first application you are s ber, or if this is a revised ap	ubmitting plication,	for your 1 enter you	facili Ir fac	ty or	EP/	vised A/ST,	ATE
A.	FIR	ST	APP	LICATION (place a	en "X" belov	v and provide the	app	ropria	te da	tej													
		L] 1.	EXISTING FACILI	TY (See inst Complete	ructions for defi tem below.)	nitio	n of "d	existin	ng" f	acili	ty.				2. NEW FAC	ILITY (Co	ompiete ite	m b	elow.	,		
			ио.) 8	DAY YR. 8 8	FOR EXIS OPERATIO (use the L	TING FACILITIES ON BEGAN OR T DOXES TO THE LEFT	, PR	OVIDE OATE (E THE CONS	DAT TRU	TE //	<i>no., a</i> ON CO	М́м	å y ENG	r.) CEC	MO. DAY		FOR NEW PROVIDE (mo., day, TION BEG.	THE & y AN	DATI V OI OR IS	E. PÉRA	\ -	
В.	REV	1 /IS	ED A	PPLICATION (place	ca an "X" be	low and complet	e Se	ction	l abo	ve)							<u> </u>	EXPECTED	, 10	DEU	31.4		
		X] 1.	FACILITY HAS A	N INTERIM S	TATUS PERMIT										2. FACILITY	HAS A F	INAL PER	МІТ				
-				S - CODES AND																			
	A. PROCESS CODE - Enter the code from the list of process codes below that best codes. If more lines are needed, enter the code(s) in the space provided. If a process fincluding its design capacity) in the space provided on the (Section III)														n pe use	rocess to be used at the fac od that is not included in the	ility. Ter list of co	n lines are odes belov	prov v, th	rided en de	for e	nteri oo th	ng B
B. PROCESS DESIGN CAPACITY - For each code entered in column A enter the capacity of the process.																							
HOCESS DESIGN CAPACITY - For each code entered in column A enter the capacity of the prof AMOUNT - Enter the amount.																							
AMOUNT - Enter the amount. UNIT OF MEASURE - For each amount entered in column B(1), enter the code from the list of unit measure codes below that describes the Only the units of measure that are listed below should be used.															bes the un	it of	mea	\$U/B	usod	•			
			ı	PROCESS	PRO- CESS CODE	APPROPRIAT MEASURE FO DESIGN O)R P	ROCES								PROCESS	PRO- CESS CODE	APPR MEAS DE	URE	IATE FOR CA	. PRO	CES:	F S
	Stor	ag	o:											Tre	oat	ment:	.,,,,						_
t	TAN	IK		R (barrel, drum, et	c) SO1 SO2	GALLONS OR I	LITE							TA	۱NX	(T01	GALLON LITERS				R	
i			E PIL		S03	CUBIC YARDS CUBIC METERS										ACE IMPOUNDMENT	TO2	GALLON	VS P Per	ER D. DAY	AY C	R	
ŀ	SUR Disp			MPOUNDMENT	504	GALLONS OR	-IIE	15						11/1	CIN	IERATOR	T03	TONS P	TO	UC DE	:D H/	OUR;	,
ı	•			WELL	D80	GALLONS OR	LITE	AS										GALLOI LITERS	PER	HOU	R	OH	
	LAN	DF	ILL		D81	ACRE-FEET (th	0 80	lume t re to l	that =					the	8 F 33	R (Use for physical, chemic ral or biological treatment		GALLON LITERS	VS P PER	ER D DAY	AY C	R	
		.	A DOM	ICATION	D82	OR HECTARE-	иΕΤΙ							šu	rfa	esses not occurring in tanks, ce impoundments or inciner-							
	OCE	٨١	DIS	ICATION POSAL	D83	ACRES OR HEG GALLONS PER LITERS PER DA	DAY							the	0 S	. Describe the processes in pace provided; Section III-C.)						
	SUR	FΑ	CE II	MPOUNDMENT	D84	GALLONS OR	.iTE	RS								_							
	. 16.11			EASURE	UNIT OF			UNIT (0C 14	C 4 C1	100			1	MĘ.	NIT OF ASURE					ME	IIT O ASUI	₹E
1				ASUNE	CODE	<u></u>											T OF ME	ASURE				ODE	-
l	LITE CUB	RS IC	YAR	ĎŠ		Ľ Y		TONS METRI	PER I	HOU! NS F	R., ERI	HOUR				D HEG	. I AKE-M	E1FR					F R
	CUB GAL	ro IC	MET NS F	ERS ER DAY		C U		UMLLI	UIYO F	TCF3 F	300	п				E HEC	CTARES					• • •	ă
				EXAMPLE FOR hold 200 gallon	COMPLETING	G SECTION III (si her can hold 400	owi gal	n in lin Ions.	o nun The t	nber: acilit	s X-	1 and to has	X-2	bei	low ina	rator that can burn up to 20	e tenks, galions i	one tank o	en				
,	IIA.	F	RO-			IGN CAPACITY						N	Α.	PR	0-	B. PROCESS D							
LU	/l (CE	SS De	,	1. AMOUNT		OF	UNIT MEA-	OF	FOR FICIA USE	AL	ΙM	č	ESS OD&	Ē	1. AMOUI		-	2. OF	UNI	<u>.</u>	FO OFFIC	IAL
N E	///		i list ve)		(specify)		1 14	URE Inter	9	ONLY	•	N B E R		m li		(specify)			5	URE		ONL	.Y
_	+-	<u> </u>					f	ode)	 		_			_	_				┝	ode)	+	_	<u> </u>
X-1	╁	╁	+-		600			G	\vdash	+	-	5		4							-		+
X-2	╄	╀		20.7	20		H	E	\dashv	- -	+	6	\sqcup	-	_		<u> </u>	 -		- -	\bot	\sqcup	\dashv
1	S	0	┰		10,000		H	<u> </u>	-	+	-	7	-	\dashv	-				igdash	-	-	$\mid \perp \mid$	+
2	┼	C	4	· · · · · · · · · · · · · · · · · · ·	45,420		$\vdash \mid$	<u> </u>	- -	- -	1	8		4			·				1		4
3	1	1	_				Ш		$\sqcup \!\!\! \perp$	_		9											
4												10		-				- <u></u>		T		П	

Continued from the front.

III. PROCESSES (continued)

C. SPACE FOR ADDITIONAL PROCESS CODES OR FOR DESCRIBING OTHER PROCESS (code "TO4"). FOR EACH PROCESS ENTERED HERE INCLUDE DESIGN CAPACITY.

S01, T04

The Hanford Central Waste Complex consists of a Waste Receiving and Processing (WRAP) unit and storage units for mixed waste. The WRAP unit will provide central and mobile treatment units capable of treating up to 16,578,300 liters (4.379,500 gallons) per year of mixed waste in accordance with applicable codes and regulations. Treatment will include the absorption and solidification of free liquids, and the neutralization of corrosive materials. Mixed waste that is managed includes low-level waste (LLW) and transuranic waste (TRU). There is mixed waste stored temporarily on the Mixed Waste Storage Pad awaiting transfer when storage capacity becomes available in the mixed waste storage units. The mixed waste accepted for storage is managed in mixed waste storage units comprised of compliant storage structures. Waste that has less than 100°F flash point (ignitable) will be stored in the Low Flash Point Storage units. The storage design capacity for all the mixed waste storage units is 22,710,000 liters (5,999,300 gallons). The treatment design capacity for the storage units is included in the total identified for the WRAP unit. The treatment design capacity for WRAP is estimated to be 45.420 liters (12.000 gallons) per day of mixed waste.

IV. DESCRIPTION OF DANGEROUS WASTES

- A. DANGEROUS WASTE NUMBER Enter the four digit number from Chapter 173-303 WAC for each listed dangerous waste you will handle. If you handle dangerous wastes which are not listed in Chapter 173-303 WAC, enter the four digit number(s) that describes the characteristics and/or the toxic contaminants of those dangerous wastes.
- B. ESTIMATED ANNUAL QUANTITY For each listed waste entered in column A estimate the quantity of that waste that will be handled on an annual basis.

 For each characteristic or toxic contaminant entered in column A estimate the total annual quantity of all the non-listed waste(s) that will be handled which possess that characteristic or contaminant.
- C. UNIT OF MEASURE For each quantity entered in column B enter the unit of measure code. Units of measure which must be used and the appropriate codes are:

ENGLISH UNIT OF MEASURE	CODE	METRIC UNIT OF MEASURE CO	ODE
POUNDS		KILOGRAMS	

If facility records use any other unit of measure for quantity, the units of measure must be converted into one of the required units of measure taking into account the appropriate density or specific gravity of the waste.

D. PROCESSES

1. PROCESS CODES:

For listed dangerous waste: For each listed dangerous waste entered in column A select the code(s) from the list of process codes contained in Section III to indicate how the waste will be stored, treated, and/or disposed of at the facility.

For non-listed dangerous wastes: For each characteristic or toxic contaminant entered in Column A, select the code(s) from the list of process codes contained in Section III to indicate all the processes that will be used to store, treat, and/or dispose of all the non-listed dangerous wastes that possess that characteristic or toxic contaminant.

Note: Four spaces are provided for entering process codes. If more are needed: (1) Enter the first three as described above; (2) Enter "000" in the extreme right box of Item IV-D(1); and (3) Enter in the space provided on page 4, the line number and the additional code(s).

2. PROCESS DESCRIPTION: If a code is not listed for a process that will be used, describe the process in the space provided on the form.

NOTE: DANGEROUS WASTES DESCRIBED BY MORE THAN ONE DANGEROUS WASTE NUMBER - Dangerous wastes that can be described by more than one Waste Number shall be described on the form as follows:

- Select one of the Dangerous Waste Numbers and enter it in column A. On the same line complete columns B, C, and D by estimating the total annual quantity of the waste and describing all the processes to be used to treat, store, and/or dispose of the waste.
- 2. In column A of the next line enter the other Dangerous Waste Number that can be used to describe the waste. In column D(2) on that line enter "included with above" and make no other entries on that line.
- 3. Repeat step 2 for each other Dangerous Waste Number that can be used to describe the dangerous waste.

EXAMPLE FOR COMPLETING SECTION IV (shown in line numbers X-1, X-2, X-3, and X-4 below) - A facility will treat and dispose of an estimated 900 pounds per year of chrome shavings from leather tanning and finishing operation. In addition, the facility will treat and dispose of three non-listed wastes. Two wastes are corrosive only and there will be an estimated 200 pounds per year of each waste. The other waste is corrosive and ignitable and there will be an estimated 100 pounds per year of that waste. Treatment will be in an incinerator and disposal will be in a landfill.

	ł							١.	4	. L											D. PROCESSES
1-2E		AN VAS	STI	ĖΝ	٥.	B. EST QUAN	IMATED ANNUAL TITY OF WASTE	Si	UNIT MEA JRE nter ode)				1.		CES (ent		COD	ES			2. PROCESS DESCRIPTION (if a code is not entered in D(1))
X-	1	۲ (0	5	4		900		P	7	٥ ا	3	D	8	0	1	7		ı	1	
х-	2 4	7	0	0	2		400		P	7	10	3	D	8	0	T	T	1	T	\top	
x.	3 6	7	0	0	1		100	П	P	7	0	3	D	8	0	1	1		1	1	
X-	ş _C	2 (0	0	2					r	0	3	D	8	0	7	I		1	1	included with above

January

Continued from page 2.

NOTE: Photocopy this page before completing if you have more than 26 wastes to list.

I.D. NUMBER (entered from page 1)

The following "Descrip

_!					red from page 1)	The -	fo	110	Win	ıg	"De	es c	ri	oti	on	0	f	Dar	ngerous Wastes" section (Pages 3 C mixed waste storage units.
					0 0 0 8 9 6 7			h 1	8 0	f	44)	j	s	for	t	he	H(CW(C mixed waste storage units.
IV.	DE	SCF	RIPT	ION	OF DANGEROUS WAST	ES (continue	d)		Т		_	-							D. PROCESSES
T-XE	DA W		A. ERC TE N	ı	B. ESTIMATED A QUANTITY OF W	NNUAL VASTE	Of	UNI ME/ SURE enter code/	4-		1.	PR	OCE:	ss c	ODI	s			2. PROCESS DESCRIPTION (if a code is not entered in D(1))
1	D	0	0	1	4,	600		K		SQ:		T To		Τ	T		T	T	Storage/Treatment
2	Т	Т	0	П		300						1	I		I.		Ī	1	
3	D	0	0	3								T	Ţ	1	T]	1	
4	D	0	0	4						П		T	1		_T_	7	7]	
5	D	0	0	5						П		1	1		T		T	Τ_	
6	D	0	0	6								1		T	1		1		
7	D	0	0	7	Y						<u> </u>	1			Т		1		
8	D	0	0	8	45,	400						ı		I	1			Ĭ	
9	D	0	0	9		300						I			T		[
10	D	0	1	0							! [1			1		1	ŀ	¥
11	D	0	1	1				Y		1		1	1]	I		1	1	Included With Above
12	D	0	1	2		300		K		1 S 0		1		T]		1		Storage .
13	D	0	1	6								1		1			1	I	
14	D	0	1	8							I	I			ı		l	Ī	
16	D	0	1	9										1	1			1	
16	D	0	2	0								-	<u> </u>		 		1	-	
17	D	0	2	1								1	[
16	C	0	2	2						1		i							
15		0	2	3		ļ			_	<u> </u>	<u> </u>]		_	1		; 	ı	
20		0	2	4					-	!		-			Ì	.	 	'	
21	D	0	2	5				Ш				 			!		 		
22	D	0	2	6						!					i 		 		
23	D	0	2	7								1			 		T		
24	D	0	2	8						I					 		T 		
25	0	0	2	9								-			[, T		
20	C	0	3	0		<u> </u>		1		*		1	Y		- T		T 	1	•
E	CL3	0 - 3	271	-	ECY 030-31 Form 3	lenter							3					hata	CONTINUE ON REVERSE

1 . 6.67/ 5.737

Hanford Central Waste Complex Rev. 2, 11/04/94, Page 4 of 44

Continued from page 2. NOTE: Photocopy this page before completing if you have more than 26 wastes to list. I.D. NUMBER (entered from page 1) W A 7 8 9 0 0 0 8 9 6 7 IV. DESCRIPTION OF DANGEROUS WASTES (continued) D. PROCESSES A. N DANGEROUS WASTE NO. C. UNIT OF MEA-SURE B. ESTIMATED ANNUAL QUANTITY OF WASTE 1. PROCESS CODES (enter) 2. PROCESS DESCRIPTION (if a code is not entered in D(1)) (enter (enter code) D 0 3 1 K 300 Storage |D|0|3|2 D 0 3 3 TT D 0 3 4 ם 0 3 5 6 D 0 3 6 ם 0 3 7 T = TD 0 3 8 $\mathsf{T}\mathsf{T}$ D 0 3 9 D 0 4 $\mathsf{T}\mathsf{T}$ 11 D 0 4 1 0 4 2 D D 0 4 3 Included With Above Ţ ol T04 363,200 S01 Storage/Treatment \Box T 0 2 36,400 W P 0 1 W 3,700 W P 0 2 18 W |P|0|3 C 0 2 7,400 20 00 10,000 1 21 0 0 1 F 3,700 F 0 0 0 0 3 F 0 0 4 25 F 0 0 5 0 300

Continued from page 2. NOTE: Photocopy this page before completing if you have more than 26 wastes to list.

I washing I was I was

I.D. NUMBER (entered from page 1) W A 7 8 9 0 0 0 8 9 6 7 IV. DESCRIPTION OF DANGEROUS WASTES (continued) D. PROCESSES C. UNIT OF MEA-SURE N DANGEROUS O WASTE NO. B. ESTIMATED ANNUAL QUANTITY OF WASTE 1. PROCESS CODES (enter) 2. PROCESS DESCRIPTION (if a code is not entered in D(1)) (enter code) (enter code) 1 F 0 2 **S**01 <u>†04</u> 300 Storage/Treatment 0 2 F 3 2 3 0 F 0 2 l 6 0 2 7 F 0 2 8 7 F 0 3 9 8 lolol 1 IJ 0 0 2 1 1 3 0 0 0 4 0 \top 12 lu lo lo l 5 13 U 0 0 6 14 lu lo lo l7 15 U 0008 16 0 9 U 0 17 U 0 1 0 T18 1 0 1 19 1 2 0 \Box 20 0 0 1 4 21 U O 1 5 22 U 0 1 6 \top 23 7 U 1 0 24 8 lU 0 1 25 U 0 1 9 26

in what out it

Hanford Central Waste Complex Rev. 2, 11/04/94, Page 6 of 44

Continued from page 2. NOTE: Photocopy this page before completing if you have more than 26 wastes to list. I.D. NUMBER (entered from page 1) W A 7 B 9 O O O B 9 6 7 IV. DESCRIPTION OF DANGEROUS WASTES (continued) D. PROCESSES C. UNIT OF MEA-SURE (enter A. N DANGEROUS O WASTE NO. B. ESTIMATED ANNUAL QUANTITY OF WASTE 1. PROCESS CODES (enter) 2. PROCESS DESCRIPTION (if a code is not entered in D(1)) (enter code) code) Ķ Storage/Treatment U 0 2 300 0 <u>S01</u> U O 2 3 lu lo 2 2 U 0 2 3 $\mathsf{T}\mathsf{T}$ lulo 2 lu lo 2 5 7 UO 2 6 \mathbf{T} 0 2 U 7 lu 0 2 8 U 0 2 9 lu lo |3|o $\mathsf{T}\mathsf{T}$ 0 0 3 1 lu lo l 3 l $\mathsf{T}\mathsf{T}$ 14 |U|0|3| 3 16 0 3 4 $\mathsf{T}\mathsf{T}$ 16 0 3 5 3 6 0 18 3 0 19 3 8 0 0 3 9 21 0 4 2 0 4 0 4 3 Т T 1 24 4 U 0 4 25 4 U 0 5 26 4

Hanford Central Waste Complex

Rev. 2, 11/04/94, Page 7 of 44

I hard made

Continued from page 2. NOTE: Photocopy this page before completing if you have more than 26 wastes to list. I.D. NUMBER (entered from page 1) W A 7 8 9 0 0 0 8 9 8 7 IV. DESCRIPTION OF DANGEROUS WASTES (continued) D. PROCESSES C. UNIT OF MEA-SURE N DANGEROUS N O WASTE NO. B. ESTIMATED ANNUAL QUANTITY OF WASTE 2. PROCESS DESCRIPTION (if a code is not entered in D(1)) 1. PROCESS CODES (enter) (enter (enter code) K **†**04 4 7 300 Storage/Treatment 0 0 4 8 UO 9 4 lu lo 5 0 lulo 5 1 U 6 5 2 0 7 5 U 3 ٥ U 0 5 U 0 5 6 ТТ 10 U 0 5 7 U 0 5 8 12 5 lu lo 9 T13 U 0 6 0 0 lU 6 \top 16 U 0 6 2 $\mathsf{T}\mathsf{T}$ 16 lυ 0 6 3 17 6 0 4 U 18 U 0 6 6 19 0 0 6 7 20 U 0 6 8 T21 U 0 6 9 22 lu | 0 | 7 0 0 7 1 T 7 0 25 0 7 3 26 0

A. Sandil Balley

Continued from page 2.

NOTE: Photocopy this page before completing if you have more than 26 wastes to list. I.D. NUMBER (entered from page 1) W A 7 8 9 0 0 0 8 9 6 7 IV. DESCRIPTION OF DANGEROUS WASTES (continued) D. PROCESSES N DANGEROUS WASTE NO. C. UNIT OF MEA-SURE (enter B. ESTIMATED ANNUAL QUANTITY OF WASTE 1. PROCESS CODES 2. PROCESS DESCRIPTION (if a code is not entered in D(1)) (onter) (enter code) code) U 0 7 300 T04 Storage/Treatment 0 6 0 7 lu 0 7 8 lu lol 7l 9 0 8 0 0 lu lo 8 1 lu | o | 8 | 2 UO 8 3 T10 lu 0 8 lu lo 8 \sqcap 12 lu 10 | 8 | 6 ขอเ 7 14 U 0 8 8 15 U 0 8 9 16 U 0 9 0 17 0 9 1 U 18 U 0 9 19 u | 0 | 9 | 3 20 U 0 9 4 U 0 9 5 22 U 0 9 6 | 23 U 0 9 7 0 9 8 U 25 Ü 1 0 26

of the best of the many the

Continued from page 2. NOTE: Photocopy this page before completing if you have more than 26 wastes to list. I.D. NUMBER (entered from page 1)

_					ed from page 1)													
W	Α	7	в	9 0	0 0 8 9 6 7													
IV.	DES	CR	IPT	ON C	OF DANGEROUS WAST	ES (continue	d)		г—								0 000050050	
F V	DA W/	A NGE AST	RO E N	US O.	B. ESTIMATED AI QUANTITY OF W	NNUAL 'ASTE	OF S	UNIT MEA- URE onter odel			1. P	ROCE	SS (CODE	s		D. PROCESSES 2. PROCESS (if a code is not	DESCRIPTION entered in D(1))
1	U	1	0	7		300		Ķ	ŞI	01	1	04	7	Ţ	1	S	Storage/Treatment	
2	U	1	0	8	-								<u> </u>	' -	<u> </u>			
3	U	1	1	2					, I		'		,	,				
4	U	1	1	3							<u> </u>	<u> </u>	¹	[
5	U	1	1	6	 				 			Ľ	ļ !					
6	U	1	1	7		<u> </u>			'	 			<u>'</u>					
7	U	1	1	8									'	· · ·				
8	U	1	1	9				1	<u> </u>		<u> </u>	1	<u>'</u>					
9	U	1	2	0				<u> </u>	' 	 - 	<u> </u>	 - 	<u>'</u>				-	
10	U	1	2	3			-	<u> </u>	' 			 -	<u> </u>	- 1	'			
11	U	1	2	4			_	<u> </u>	 	' -		<u> </u> 	'	<u>'</u>				
12	υ	1	3	4		<u> </u>	-		' 			<u>'</u>	 	· 	<u>'</u>			
13	U	1	3	6			-	+			<u> </u>	' 		· —				
\vdash	U	1	3	7				-			·	-						
	+		3	9		<u> </u>		-			-	-		· -				
-	U	1	4	0			-	\prod		<u> </u>				· ——		_		
\vdash	╅	1	4	5			-							· ——		_ _		
	1	1	4	6				-		· -				· 	· ·			
	1	\Box		8				-				1		· -				· · · · · · · · · · · · · · · · · · ·
-	U	\dashv	4	+				-	1	1		T	 	_		_		
21	\vdash	1		\top			$\left \cdot \right $	-	1	T	1	T	 	.	1-1			
22	╁┤	\dashv	ᅱ	1			$\left \cdot \right $	+	Т	-		T		_		_		
23	\vdash	\exists	=	2			$\left \cdot \right $		1	T		Ţ			 	+		
	H		-1	3					7	7		_	1	1	<u> </u>	-	·	
26	U		5	4	\	<u> </u>		 	T	γĪ	I,	7	ı		- 	+		
<u></u>	U L30			5	CY 030-31 Form 3	<u> </u>	1	! _	<u> </u>	P	AGE	2	<u> </u>	OF 5				CONTINUE ON SEVERCE

I Shall wast

Continued from page 2. NOTE: Photocopy this page before completing if you have more than 26 wastes to list.

I.D.	NUI	ABE	R /e	entered from page 11 9 0 0 0 8 9 6 7							•						
				ON OF DANGEROUS WAST	ES (continue:	1)											- ·
	$\overline{}$						HAUT									D. PROCESSES	
F-26	DAI W/ (en	NGE STI	ROI E Ni	US B. ESTIMATED A O. QUANTITY OF W	NNUAL /ASTE	SU	UNIT MEA- JRE nter del			1. PI	ROCE (en	SS C	ODE	s 		2. PROCESS DESCRIPTION (if a code is not entered in the code)	DN D(1))
1	U	1	5	6	300		ĸ	ŞÇ			04		T	- 1	T	Storage/Treatment	
2	U	1	5	7						Ľ					1		
3	U	1	5	8									. 1		1	-	
4	U	1	5	9				'	 		[
5	U	1	6	0				,				<u>'</u>	[! 		
6	U	1	6	1				1		1	i	'			[
7	U	1	6	2									· · ·				
8	U	1	6	3		- 1		<u> </u>		j			۱. 				
9	U	1	6	4.							1		i 				
10	Ü	1	6	5					1	,	1	1	-		. 1		
11	U	1	6	6						J	J		1				
12	U	1	6	7						T	[-		
13	U	1	6	8					T	<u> </u>	1	1	ĭ		 		
14	U	1	6	9				! 		l l	I]				
15	U	1	7	0							 						
16	U	1	7	1							1						
17	U	1	7	2				1]		· [-
18	U	1	7	3				T			,		l"				
19	U	1	7	4							T	ļ] ,	T			
20	U	1	7	5													
21	U	1	7	6								_	 				
22	U	1	7	7							1						
23	IJ	1	7	8							T	İ					
24	U	1	7	9					_		T			I			
25	IJ	1	8	0							T	İ	T				
26	υ	1	8	1	Y		Y	17			1		1		1	\	
				ECY 030-31 Form 3	/					AGE			OF 5		_	CONT	

Continued from page 2. NOTE: Photocopy this page before completing if you have more than 26 wastes to list. I.D. NUMBER (entered from page 1) A 7 8 9 0 0 0 8 9 6 7 IV. DESCRIPTION OF DANGEROUS WASTES (continued) D. PROCESSES C. UNIT OF MEA-SURE Jenter A. N DANGEROUS O WASTE NO. B. ESTIMATED ANNUAL QUANTITY OF WASTE 1. PROCESS CODES 2. PROCESS DESCRIPTION (if a code is not entered in D(1)) (enter) (anter code) codel Ķ 8 2 300 <u>\$01</u> **TQ4** Storage/Treatment U 1 8 3 3 U 1 8 4 4 U 8 5 U 1 8 6 U 1 8 7 U 1 8 8 U 1 8 9 U 1 9 0 10 10 11 9 1 11 9 1 12 1 9 3 U 1 9 4 1 9 6 7 15 U 1 9 16 2 0 0 17 2 0 18 2 0 2 2 0 3 20 U 2 0 4 21 2 0 5 U 2 0 6 23 2 0 7 lu 2 0 8 25 2 U 0 9 26

Note that it is a second of

Continued from page 2. NOTE: Photocopy this page before completing if you have more than 26 wastes to list. I.D. NUMBER (entered from page 1) W A 7 8 9 0 0 0 8 9 6 7 IV. DESCRIPTION OF DANGEROUS WASTES (continued) D. PROCESSES C. UNIT OF MEA-SURE (enter code) N DANGEROUS O WASTE NO. T-XE B. ESTIMATED ANNUAL QUANTITY OF WASTE 2. PROCESS DESCRIPTION (if a code is not entered in D(1)) 1. PROCESS CODES (enter) (enter code) T04 K SO I Storage/Treatment $\mathbf{I}\mathbf{I}\mathbf{I}$ \mathbf{I} U U .21 U U U

I should wall

Continued from page 2.

NOTE: Photocopy this page before completing if you have more than 26 wastes to list. I.D. NUMBER (entered from page 1) W A 7 8 9 0 0 0 8 9 8 7 DESCRIPTION OF DANGEROUS WASTES (continued) D. PROCESSES C. UNIT OF MEA-SURE N DANGEROUS O WASTE NO. B. ESTIMATED ANNUAL QUANTITY OF WASTE 1. PROCESS CODES (enter) 2. PROCESS DESCRIPTION (if a code is not entered in D(1)) (enter (anter code) U 2 4 0 K <u>†04</u> 300 \$0. Storage/Treatment 2 2 4 3 U 2 4 U 4 17 U 2 4 5 U 2 4 6 \Box U 2 4 7 U 2 4 8 500 U 2 4 9 U 3 2 8 \top 3 5 3 10 IJ $\mathsf{T}\mathsf{T}$ U 3 5 9 Included With Above 12 13 15 16 17 18 19 20 11 21 П 22 23 TI 24 25 \top 26

and the second of the

Continued from page 2. NOTE: Photocopy this page before completing if you have more than 26 wastes to list. I.D. NUMBER (entered from page 1) W A 7 8 9 0 0 0 8 9 6 7 IV. DESCRIPTION OF DANGEROUS WASTES (continued) D. PROCESSES C. UNIT OF MEA-SURE (enter A. N DANGEROUS O WASTE NO. B. ESTIMATED ANNUAL QUANTITY OF WASTE 2. PROCESS DESCRIPTION (if a code is not entered in D(1)) 1. PROCESS CODES (enter) (enter code) codel POO K <u>s</u>oi †04 Storage/Treatment 300 0 0 2 0 0 3 P 0004 PIOIOI 5 lр 0 0 6 P 0 0 7 P 0 0 8 Р 0 0 9 10 p 0 1 0 11 ļρ. 0 1 2 IP. lo 1 13 Þ 0 1 3 p 0 1 4 15 5 P 0 1 18 P 0 1 6 17 1 7 Р 0 18 P 0 1 8 19 P 0 2 0 20 Р 0 2 1 P 0 2 2 П 22 2 3 p 0 $\mathsf{T}\mathsf{T}$ P 2 0 4 TР 0 2 5 25 P 0 2 6 26 P 0

Rev. 2, 11/04/94, Page 15 of 44

J. Wallen J. J.

Continued from page 2. NOTE: Photocopy this page before completing if you have more than 26 wastes to list. I.D. NUMBER (entered from page 1) W A 7 B 9 0 0 0 8 9 6 7 IV. DESCRIPTION OF DANGEROUS WASTES (continued) D. PROCESSES C. UNIT OF MEA-SURE (enter A. N DANGEROUS O WASTE NO. LIZE B. ESTIMATED ANNUAL QUANTITY OF WASTE 2. PROCESS DESCRIPTION (if a code is not entered in D(1)) 1. PROCESS CODES (ontar) (anter code) codel P 0 2 8 \$01 **†04** 300 Storage/Treatment p 0 2 9 |0|3|0 P p 03 Б Plo 3 3 Р 0 3 4 7 P 0 3 6 P ٥ 3 7 P 0 3 8 P 0 3 9 11 IP O | 4 | 0 12 P 0 4 1 13 Р 0 4 2 14 Р 3 0 4 P 0 4 4 16 P 0 4 5 17 PO 4 6 18 P 0 | 4| 7 19 P 0 4 8 Р 0 9 4 P | 5 | 0 101 22 Р 0 5 1 P 0 5 4 24 P 5 0 6 25 Р 0 5 7 26 5 Р 0 8

No. Sec. of all the sec. 1

Continued from page 2. NOTE: Photocopy this page before completing if you have more than 26 wastes to list. I.D. NUMBER (entered from page 1) W A 7 8 9 0 0 0 8 9 6 7 IV. DESCRIPTION OF DANGEROUS WASTES (continued) D. PROCESSES C. UNIT OF MEA-SURE lenter A. N DANGEROUS O WASTE NO. B. ESTIMATED ANNUAL QUANTITY OF WASTE 1. PROCESS CODES 2. PROCESS DESCRIPTION (if a code is not entered in D(1)) (enter) (enter code) code/ **T04** P 0 5 9 \$01 Storage/Treatment 300 р 0 6 0 0 2 6 P 0 6 3 lρ 0 6 4 p lo 5 6 7 ļρ 0 6 6 В P 0 6 7 p 0 6 8 10 Р 0 6 9 11 PO | 7 0 12 P 0 7 P 0 7 2 1 1 14 P 0 7 3 15 Ρ 0 7 4 16 P 5 0 7 17 P 0 7 5 18 lρ 0 6 19 Р 0 20 Р 0 7 8 | P 0 8 22 P 0 8 2 23 P 0 8 4 24 |P|0|8|5 25 Р 0 8 7 26 Р 0 8 8

Hanford Central Waste Complex Rev. 2, 11/04/94, Page 17 of 44 Continued from page 2. NOTE: Photocopy this page before completing if you have more than 26 wastes to list. I.D. NUMBER (entered from page 1) A 7 8 9 0 0 0 8 9 6 7 IV. DESCRIPTION OF DANGEROUS WASTES (continued) D. PROCESSES C. UNIT OF MEA-SURE (anter L N DANGEROUS N O WASTE NO. B. ESTIMATED ANNUAL QUANTITY OF WASTE 1. PROCESS CODES 2. PROCESS DESCRIPTION (if a code is not entered in D(1)) (enter) (enter code) _code! <u>\$01</u> T || P 0 8 9 K T04 Storage/Treatment p Р ļр P lρ lρ ļр ŀΡ Р ιP p P Р P Р Р р P 1 1 P 1 Р р Р

ECL30 - 271 - ECY 030-31 Form 3

24 P 1 1 5

25 P 1 1 6

26 p

PAGE 3 OF 5

 \mathbf{I}

CONTINUE ON REVERSE

a harman

					this page before completed from page 1)	ing if you ha	ve n	nora ti	han 2	6 was	stes (to list.	<u> </u>				
W	A	7 8	3 5	9 0	0 0 8 9 6 7												
IV. DESCRIPTION OF DANGEROUS WASTES (continued)																	
7-2E 7-00.	A. N DANGEROUS O WASTE NO. (antar coda)		- 1	B. ESTIMATED ANNUAL QUANTITY OF WASTE			UNIT MEA- URE enter oda)		1	ı. PF	ROCES	ss cod	ES			D. PROCESSES 2. PROCESS DESCRIPTION (if a code is not entered in D(1))	
1	Р	1	1	9	3	00		Ķ		1	Ţţ)4			1 1]]	Storage/Treatment
2	Р	1	2	0				_	1				!)		
3	Р	1	2	1			_				-		· i	_ _	· ·	_	
4	Р	1	2	2					1			 	 	_	1 1	, 	*
5	Р	1	2	3		r	ı,	Y	<u>'</u>	′		/ <u> </u>		1			Included With Above
6				_					· ·	<u>'</u>	, —	+=	۱ ۱ ۱ ۲ - ۲ -		· !	·	
7								_		\ 	· 			_	ı 1	' 	
-8				_					1.		۱. 		1.1	1	1		
9											1	<u>'</u>	! [· · ·		
10											· ·	'	 		[! -	
11									<u> </u>	<u>'</u>		'	<u> </u>			l 	
12			_]		- 	\	_ [1		
13								_			, 		1 1		-	! 	
14									 			1	<u> </u>			i 	
15					,				,		\ 					[
16									. , .	-	[1	 		-	 	
17		\downarrow									1		<u> </u>				
18		_						_	1								
19		\perp		_									<u> </u>				
20		\downarrow	_	_				-	 		i ———		 -				
21			_	_					 		- 1 		<u> </u>		- (·		
22				4					 			1	 		 		
23				_			_				_		——————————————————————————————————————				
24		\perp	_	_													
26			_	\downarrow				_	!				—! — ——				
26										<u>'</u>	 	<u> </u>	1 1		 	<u> </u>	·
	1 20				ECY 030-31 Form 3						AGE		OF				CONTRACTOR

John Carl May 1 m

Continued from page 2. NOTE: Photocopy this page before completing if you have more than 26 wastes to list.

i .—.	The following "Description of Dangerous Wastes" section (Pages 19 through 35 of 44) is for the HCWC WRAP unit.																		
IV. DESCRIPTION OF DANGEROUS WASTES (continued)																			
L NO .	A. I N DANGEROUS N O WASTE NO. E ' (enter code)			B. ESTIMATED ANNUAL QUANTITY OF WASTE	C. UNIT OF MEA- SURE (anter code)					1. P	ROCE	SS (OD	ES			D. PROCESSES 2. PROCESS DESCRIPTION (if a code is not entered in D(1))		
1	D	0	0	1	20,000		K		10		T			T	1	丁 一		Treatment	
2	D	0	0	2	15,000				_'			I 		· 		' 	l 		
3	D	0	0	3	500				1	!	1	! 	<u>'</u>	-		 			
4	D	0	0	4	50					1		1	'	!		 			
5	D	0	0	5	400				1		1	l		ł		l 	Į .		
6	D	٥	0	6	117				1		<u>'</u>			 			_		
7	D	٥	0	7	400				1	1]	1	י	1		[<u> </u>		
8	D	0	0	8					<u>'</u>	1	'			i		i 	[
9	D	0	0	9	800							i 		. T		" [i		
10	D	0	1	0	10				1			1		I		1	!		
11	D	0	1	1	20				7					T		7''-	1		
12	D	0	1	2	300						T	1	1	τ		T	1		
13	D	0	1	6						1	1	T	T T			_	J		
14	D	0	1	8						1				1		_1	1		
15	D	0	1	9								T	"	1			1		
16	D	0	2	0]			1				_1			
1	D								I	i		T		1		1	!		
18	D	0	2	2						1		1					1		
19	D	0	2	3										i		- 			
20	D	0	2	4										_T					
21	D	0	2	5					1		1			1					
22	D	0	2	6				_]				 		_ [_l	1		
23	D	0	2	7										1		1			
24	D	0	2	8								T		_T		- I	_		
26	D	0	2	9					!							Ţ	1		
26	D	0	3	0	*		Y		1			1		<u> </u>			_	•	

Continued from page 2. NOTE: Photocopy this page before completing if you have more than 26 wastes to list. I.D. NUMBER (entered from page 1) WA7890008967 IV. DESCRIPTION OF DANGEROUS WASTES (continued) D. PROCESSES C. UNIT OF MEA-SURE A. N DANGEROUS O WASTE NO. B. ESTIMATED ANNUAL QUANTITY OF WASTE 1. PROCESS CODES (anter) 2. PROCESS DESCRIPTION (if a code is not entered in D(1)) (anter (enter code) Κ D 0 3 1 300 Ť04 Treatment D 0 3 2 0 0 3 3 D 0 3 4 D 3 0 5 DIO 3 6 7 D 0 3 7 D lol318 3 9 DO D 0 4 0 D 0 4 1 12 D 0 4 13 D 0 4 3 TO 16,000 W 1 15 Tlo 2 W 22,000 16 W Р 0 12,000 1 PO 3,000 18 P 0 3 W 2,000 W C 0 2 7,000 0001 4,000 7 7 21 0 0 2 4,500 T22 3 0 0 6,500 0 0 4 570 24 0 0 5 6,000 25 2 0 0 300 26

I want was at the

Hanford Central Waste Complex Rev. 2, 11/04/94, Page 21 of 44

Continued from page 2. NOTE: Photocopy this page before completing if you have more than 26 wastes to list. I.D. NUMBER (entered from page 1) W A 7 B 9 0 0 0 B 9 6 7 IV. DESCRIPTION OF DANGEROUS WASTES (continued) D. PROCESSES C. UNIT OF MEA-SURE A. N DANGEROUS O WASTE NO. B. ESTIMATED ANNUAL QUANTITY OF WASTE 1. PROCESS CODES (enter) 2. PROCESS DESCRIPTION (if a code is not entered in D(1)) (enter (anter code) 0 2 T04 Treatment FIO 2 7 0 2 8 0 0 1 0 0 2 1,000 U 0|5 0 6 0 8 U U 1 6 $\mathsf{T}^{-1}\mathsf{T}$ U U 1 '-T

I what bout in Hanford Central Waste Complex Rev. 2, 11/04/94, Page 22 of 44 Continued from page 2.

NOTE: Photocopy this page before completing if you have more than 26 wastes to list. 1.D. NUMBER (entered from page 1)

W	W A 7 B 9 O O O B 9 6 7															
۱۷.	DESC	RIP	TIC	ON OF DANGEROUS WAS	TES (continued)		1								D. PROCESSES
F NO	A. DANGEROUS DWASTE NO. B. ESTIMATED ANNUAL QUANTITY OF WASTE				NNUAL VASTE	SU	UNIT MEA JRE otar da)			1.	PRC	CES	S CC	DDES	-	2. PROCESS DESCRIPTION (iif a code is not entered in D(1))
1	U C	<u>.</u>	2	2	500		K		04		Τ		T	Τ	1	Treatment
2	υç	Ī		3		-							. I		! 	
3	U C)	2	4		Ì] '				1	1	!		
4	U C)	2	5				<u> </u>]'		ì		1		1 1	
5	U) i	2	6				'								
6	UC	2	2	7			<u> </u>	'	<u> </u>		1		-	!		
7	U	o :	2	8							, 		: 	·	1 1	
8	U C) c	2	9					\perp) 		1	ا)	
9	U C	0 :	3	0				<u> </u>			1	,	i 	1		
10	u c	0 :	3	1	·			<u> </u> '		_	1		 	 	 	
11	U	0	3	2 1,	000			<u> </u>			ا 		' 	i 		
12	υσ	0	3	3	500						! 	· ·	 			
13	U	0	3	4										·	1	
14	U	0	3	5							 				 	
15	υl	0	3	6		\perp			<u> </u>		1			1		
16	U	0	3	7	-			İ	1		 	'	 	 -	 	·
17	U	0	3	8					 -		ا 		<u>'</u>		, ,	
18	U	0	3	9			-			_	1			 	 	
19	U	0	4	1			<u> </u>				T		- I 			
20	U	0	4	2		_	-		<u>'</u> -	_	' T		<u>'</u>		' ' 	
21	U	0	4	3	'		_									
22	U (0	4	4 1,	000		_				[
23	U (0	4	5	500				1	_	T 		 			
24	U	0	4	6			<u> </u>		<u> </u>		 		 	-		
	U	— <u></u> -	4								T			_	1-1	
26	U (0	4	8	<u> </u>	\perp	¥T		¥,		<u> </u>	'	<u> </u>	 		

ECL30 - 271 - ECY 030-31 Form 3

the weed of the specific has

Rev. 2, 11/04/94, Page 23 of 44 Continued from page 2.

NOTE: Photocopy this page before completing if you have more than 26 wastes to list. I.D. NUMBER (entered from page 1) W A 7 B 9 0 0 0 B 9 6 7 IV. DESCRIPTION OF DANGEROUS WASTES (continued) D. PROCESSES C. UNIT OF MEA-SURE N DANGEROUS O WASTE NO. B. ESTIMATED ANNUAL QUANTITY OF WASTE 2. PROCESS DESCRIPTION (If a code is not entered in D(1)) 1. PROCESS CODES (antar (onter) (enter code) **†04 Treatment** ļυ 2,000 lulo U в lu ĺU \top Ulo U U U U Ulo |U|0|6|8 Ulo IJ lυ U \mathbf{T} U

Wash sall

Continued from page 2. NOTE: Photocopy this page before completing if you have more than 26 wastes to list.

I.D. NUMBER (entered from page 1) W A 7 8 9 0 0 0 8 9 6 7 IV. DESCRIPTION OF DANGEROUS WASTES (continued) D. PROCESSES C. UNIT OF MEA-SURE (enter code) N DANGEROUS O WASTE NO. B. ESTIMATED ANNUAL QUANTITY OF WASTE 2. PROCESS DESCRIPTION (if a code is not entered in D(1)) 1. PROCESS CODES (enter) (enter code) <u>|U|0|7</u> T04 <u>Treatment</u> 0 7 U 1 - 1 IJ U ulo U|0|8 |U|0|8 u U U U l٥ U lu lo l U 9 6 TT $\mathsf{T}\mathsf{T}$

ECL30 - 271 - ECY 030-31 Form 3

PAGE 3 OF 5

CONTINUE ON REVERSE

and the second of the second of the

Continued from page 2, NOTE: Photocopy this page before completing if you have more than 26 wastes to list. I.D. NUMBER (entered from page 1) W A 7 8 9 0 0 0 8 9 6 7 IV. DESCRIPTION OF DANGEROUS WASTES (continued) D. PROCESSES C. UNIT OF MEA-SURE A. N DANGEROUS O WASTE NO. B, ESTIMATED ANNUAL QUANTITY OF WASTE 1. PROCESS CODES (onter) 2. PROCESS DESCRIPTION (if a code is not entered in D(1)) (enter code) (antar code) \top 0 5 T04 Treatment U U 1 1 0 8 0|9 U В W U U 1 8 u Ìυ Ì Ū 1 2 5 Т TU

water of the medical

Continued from page 2.

NOTE: Photocopy this page before completing if you have more than 26 wastes to list.

I.D.	VOTE: Photocopy this page before completing if you have more than 26 wastes to list. D. NUMBER (entered from page 1)														
W A 7 8 9 0 0 0 8 9 6 7															
IV.	V. DESCRIPTION OF DANGEROUS WASTES (continued) D. PROCESSES														
L NO	ı	A. DANGEROUS WASTE NO. (enter code) B. ESTIMATED ANNUAL QUANTITY OF WASTE C. UNIT OF MEA- SURE (enter code)						1. P	ROCE (en	SS CC	DDES	<u> </u>		2. PROCESS DESCRIPTION (if a code is not entered in D(1))	
1	U 1	3	1	50	00	K	T	1 04_	1	1		ĭ	1	Г	Treatment
2	U 1	T	2				1		1	ı		1	11		
3	U 1	3	3	5,00	00				T	<u> </u>	!	T	 		
4	U 1	3	4	1,00	00		T		T	Γ		.1		Γ	
Б	U 1	3	5	50	00				T			T			
6	U 1	. 3	6				1		T	1	1	T			
7	U 1	3	7				T		T	T		1			
8	U 1	3	8							1	1	1	1 1		
9	U 1	3	9						1			1	1		
10	U I	4	0				-			1	- 1	1			
11	U 1	4	1					Τ	T		7	T	<u> </u>	I	
12	บ 1	4	2					1		Ī	7	1		I	
13	U 1	1 4	3						- T	1	1	Τ-	_	1	
14	U I	4	4	\				1	ľ	1		ı		_	
15	U]	1 4	5,	1,00	00				1			1		!	
16	U I	l 4	6	50	00									T	
17	U I	1 4	7							1					
18	U I	1 4	8				'	T							
19	U]	4	9				T			T					
20	U 1	1 5	C	Y			T		7	 					
21	U]	1 5]	5,00	00		T								
22	U I	1 5	2	50	00		_					T			
23	U :	1 5	3	Y			1			1					
24	U :	1 5	4		00			_]					
25	U :	1 5	5	50	00		1			1					
26	U	1 5	1 6	Y		Y	Ţ	V.				1	1	I	Y

1 11.27 ... 17:

Hanford Central Waste Complex Rev. 2, 11/04/94, Page 27 of 44

Continued from page 2, NOTE: Photocopy this page before completing if you have more than 26 wastes to list.

I.D. NUMBER (entered from page 1)

1	W A 7 B 9 0 0 0 8 9 6 7											
IV.	IV. DESCRIPTION OF DANGEROUS WASTES (continued)											
7-2E	DANG WAS		1	NNUAL C. UN OF ME VASTE (onto	-		1. PROCE	SS CODE	s	D. PROCESSES 2. PROCESS DESCRIPTION (if a code is not entered in D(1))		
1	U I	5	7	500 K		T04	ı	1	r	Treatment		
2	บ 1	5	8				1 1	} }				
3	U 1	5	9					1 1				
4	U	6	0			1 1	1 1					
5	U 1	6	1			111		- "				
6	U 1	6	2			1 [1 [[]				
7	U 1	6	3			1 1		[
8	U 1	6	4			! ! !	' '	. I !	1 1			
9	U 1	6	5					 				
10	U 1	6	6			1)1	' ') 	1 1			
11	U 1	6	7			! ! 	<u> </u>	 				
12	U 1	6	8			<u>'</u> '	1 !		 			
13	U 1	6	9			; 		<u>'</u>				
14	U 1	7	0				<u> </u>	<u> </u>	<u> </u>			
15	U 1	7	1			<u> </u>		' '	'			
16	U 1	7	2			<u>' '</u>	· ·	- 1	' ' 			
17	U 1	7	3			117	1 1	11	' ' 			
1	U 1	- 	- 			· -	' '	1 1	' ' 			
\vdash	U 1	11				· ·	1 1 1 1	· · ·	' ·			
	U 1	1	6			117	1 1	- T - T	1 1			
1	U 1	1-1				-111						
	U 1	╅╾┪						-1 1	' ' 			
	U 1	\top						- 1 -	· · ·			
	U 1	1				- T			· · ·			
-	U 1	╅┈┪			\prod	<u> </u>	1 1					
L	U 1	8	2		Ц				<u></u>	*		

Continued from page 2.

NOTE: Photocopy this page before completing if you have more than 26 wastes to list. I.D. NUMBER (entered from page 1) W A 7 8 9 0 0 0 8 9 6 7 DESCRIPTION OF DANGEROUS WASTES (continued) D. PROCESSES C. UNIT OF MEA-SURE (antar N DANGEROUS N O WASTE NO. B. ESTIMATED ANNUAL QUANTITY OF WASTE 1. PROCESS CODES 2. PROCESS DESCRIPTION (if a code is not entered in D(1)) (enter) (enter code) codel 500 8 T04 Treatment lυ 1 8 4 1 8 5 1 6 300 8 8 7 lu 1 500 300 1 8 8 7 U 1 8 9 500 9 0 U 1 9 1 ТТ 2 10 1 9 1 9 3 $\mathsf{T}^{-}\mathsf{T}$ 12 U 1 9 U I 9 6 14 U I 9 7 15 2 U 0 0 16 U 2 0 1 17 2 U 0 2 ΤI 18 U 2 0 3 19 U 2 0 4 20 U 2 0 5 |U|2|0|6 22 U 2 0 7 T 23 U 2 0 8 | 24 U 2 0 9 25 2 U 1 0 1,500 26 5,000

I what I want I we

Continued from page 2. NOTE: Photocopy this page before completing if you have more than 26 wastes to list. I.D. NUMBER (entered from page 1) WA78800008867 IV. DESCRIPTION OF DANGEROUS WASTES (continued) D. PROCESSES C. UNIT OF MEA-SURE N DANGEROUS O WASTE NO. B. ESTIMATED ANNUAL QUANTITY OF WASTE 2. PROCESS DESCRIPTION (If a code is not entered in D(1)) 1. PROCESS CODES fenter (enter code) codal **†04** Treatment IJ U U |U | 2 б đ lυ U 1,500 $\mathsf{T}\mathsf{T}$ U 2 U 2 1,500 U U 5,000 lU U 1,000 U 2 U 2 1,000 U | 2 3 6 T1,000 T 1,000

to be the second of

Continued from page 2. NOTE: Photocopy this page before completing if you have more than 26 wastes to list. I.D. NUMBER (entered from page 1) W A 7 8 9 0 0 0 8 9 6 7 IV. DESCRIPTION OF DANGEROUS WASTES (continued) D. PROCESSES C. UNIT OF MEA-SURE *lanter* A. N DANGEROUS O WASTE NO. B. ESTIMATED ANNUAL QUANTITY OF WASTE 2. PROCESS DESCRIPTION lif a code is not entered in D(1)) 1. PROCESS CODES (enter) (enter code) codel K 1,000 T04 4 Treatment 2 5 U 2 4 300 2 6 4 7 U 2 4 2 500 4 8 2 9 4 7 3 2 8 3 3 5 3 5 9 Included With Above 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26

 $(\zeta_{ij} \circ W_{ij})^{2} = \zeta_{ij} \circ (\zeta_{ij} \circ \zeta_{ij}) \circ (\zeta_{ij} \circ \zeta$

Rev. 2, 11/04/94, Page 31 of 44 Continued from page 2.

NOTE: Photocopy this page before completing if you have more than 26 wastes to list. I.D. NUMBER (entered from page 1) W A 7 8 9 0 0 0 8 9 6 7 IV. DESCRIPTION OF DANGEROUS WASTES (continued) D. PROCESSES C. UNIT OF MEA-SURE L N DANGEROUS N O WASTE NO. B. ESTIMATED ANNUAL QUANTITY OF WASTE 1. PROCESS CODES (enter) 2. PROCESS DESCRIPTION (if a code is not entered in D(1)) Ņ (enter (enter code) K T04 **S01** Treatment/Storage lolo 500 2 0 0 P P 0 0 3 4 lolo Р 4 Б P lol 0 5 6 P 0 0 6 0 0 Р 7 8 Р 0 0 8 P 0 0 9 \Box Р 0 1 0 1 p 0 1 1 12 Р 0 1 2 13 р 0 1 3 0 Р 1 15 1 5 P 0 ĺΡ 0 1 6 7 7 17 P 0 1 7 18 P 0 1 8 19 P 0 2 0 20 P 0 2 1 21 2 ۱p 2 0 22 ĺΡ 2 0 3 23 Р 0 2 4 24 0 2 5 TT 25 Р 2 0 6

26

0

Continued from page 2.

NO7	Continued from page 2. NOTE: Photocopy this page before completing if you have more than 26 wastes to list. I.D. NUMBER (entered from page 1)														
W	WA78900088987														
١٧.	DES	CRI	РТК	ON OF DANGEROUS WAST	ES (continued	d)		 r					D. PROCESSES		
Г Г И		A. NGEI STE			NNUAL /ASTE	S	UNIT MEA- URE onter ode)			1. PROCES	SS CODES	· · · · · · · · · · · · · · · · · · ·	2. PROCESS DESCRIPTION (if a code is not entered in D(1))		
1	p	o	2	8	500		K		04	SO1			Treatment/Storage		
2		П	7					1	 	ĪĪĪ	1 7-	1			
3	P	0	3	0					1 -	- - -	- [- [-	- 1 1			
4	Н	十	3	1			\parallel	1		1 1	I	1 1			
5	Р	0	3	3				 - -	Т	1 1	11.				
6	Р	0	3	4					1	1 1	I				
7	Р	0	3	6					1	11	T T"				
В	p	0	3	7				1	I] [
9	Р	0	3	8				1		[]	1 1	[]			
10	P	0	3	9					Ľ		1 1				
11	Р	0	4	0				1			1 1				
12	Р	0	4	1				I		1 1	 				
13	Р	0	4	2	-					1 1	1 ,1				
14	p	0	4	3					1	1 1	<u>{</u>	1 1			
15	Р	0	4	4				1		1 1	1 1				
16	P	0	4	5						1 1	[]	-			
17	P	Ô	4	6	-				[1 1		1 1			
18	Р	0	4	7						[]		- - - - - - - - -			
19	Р	0	4	8							1 1				
20	Р	0	4	9		Ц		<u> </u>		1 1		 			
21	Р	0	5	0	<u></u>				-	1 1	I 1				
22	Р	0	5	1						1 [
23	P	0	5	4	-			<u></u>		il		 			
24	Р	0	5	6						1 1					
25	Р	0	5	7				_		1 1					
26	р	0	5	8			Y		Y'	11					
Ь	Ь			FCY 030-31 Form 3						PAGE 3	OF 5		. 1 <u></u>		

Continued from page 2. NOTE: Photocopy this page before completing if you have more than 26 wastes to list. I.D. NUMBER (entered from page 1) W A 7 8 9 0 0 0 8 9 6 7 IV. DESCRIPTION OF DANGEROUS WASTES (continued) D. PROCESSES C. UNIT OF MEA-SURE L N DANGEROUS B. ESTIMATED ANNUAL QUANTITY OF WASTE 2. PROCESS DESCRIPTION (if a code is not entered in D(1)) 1. PROCESS CODES (enter code) (enter code) 1 **†04** P 0 5 9 500 S01 Treatment/Storage 2 P 0 6 0 3 P 0 6 2 P 0 6 3 5 Р 06 4 1 1 в P 0 6 5 7 Р 0 6 6 8 Р 0 6 7 9 P 0 6 8 10 Р 6 9 0 0 7 0 12 0 7 1 P ĮР 0 7 2 14 P 0 7 3 15 7 Р 0 4 T 16 ĺΡ 0 7 5 17 P 7 0 6 1 18 lρ 0 7 7 19 р 0 7 8 TT 20 þ. 0 8 1 21 8 2 P 0 22 P 0 8 4 23 P 0 8 5 P 0 8 7 7 7 25 Р 0 8 8 26 0 9 8

1 4447 4 11

Hanford Central Waste Complex Rev. 2, 11/04/94, Page 34 of 44

Continued from page 2. NOTE: Photocopy this page before completing if you have more than 26 wastes to list. I.D. NUMBER (entered from page 1) W A 7 8 9 0 0 0 B 9 6 7 IV. DESCRIPTION OF DANGEROUS WASTES (continued) D. PROCESSES C. UNIT OF MEA-SURE (enter A. N DANGEROUS O WASTE NO. B. ESTIMATED ANNUAL QUANTITY OF WASTE 2. PROCESS DESCRIPTION (if a code is not entered in D(1)) 1. PROCESS CODES (enter code) code) P[0|9]500 T04 **S**01 Treatment/Storage 2 9 3 0 Р 0 9 4 P 0 9 5 р 0 9 6 6 Þ 9 7 0 7 P 9 8 10 Р 0 9 9 Р 1 1 0 10 P 0 2 1 11 P 0 3 1 12 P 0 4 1 13 Р 5 0 1 14 Р 0 6 11 15 P 1 7 0 18 р 1 0 8 T 17 Р 0 1 9 1B p 1 1 0 19 $P \mid 1$ 1 1 20 |P|11 2 21 P 1 3 1 22 P 1 4 1 \Box 23 P 1 1 5 24 P | 11 6 25 p 1 1 8 26 P

Continued from page 2. NOTE: Photocopy this page before completing if you have more than 26 wastes to list. I.D. NUMBER (entered from page 1) 7 B 9 0 0 0 B 9 6 7 IV. DESCRIPTION OF DANGEROUS WASTES (continued) D. PROCESSES C. UNIT OF MEA-SURE N DANGEROUS N O WASTE NO. B. ESTIMATED ANNUAL QUANTITY OF WASTE 1. PROCESS CODES (enter) 2. PROCESS DESCRIPTION (if a code is not entered in D(1)) (enter (enter code) $\mathbf{p} | \mathbf{1}$ 2 K T04 ŚOÌ -500 <u>Treatment/Storage</u> 2 P|12 1 3 $P \mid 1$ 2 2 2 Р 1 3 Included with above 5 6 7 8 9 10 11 T 12 13 15 \top 16 17 T 18 19 T 20 21 22 \top 23 24 25 26

1 - Walls at 21

Hanford Central Waste Complex Rev. 2, 11/04/94, Page 36 of 44

Continued from the front.

IV. DESCRIPTION OF DANGEROUS WASTES (continued)		
E. USE THIS SPACE TO LIST ADDITIONAL PROCESS CO.	ES FROM SECTION D(1) ON PAGE 3.	
waste generated from va Facility. Waste consis characteristic waste, a dangerous waste). Mult	at the Hanford Central Waste rious operations both on and o ts of listed waste, waste from nd state-only waste (extremely i-source leachate (F039) is in c source wastes F001 through I	off the Hanford m nonspecific sources, y hazardous and ncluded as a waste
V. FACILITY DRAWING		
All existing facilities must include in the space provided on VI. PHOTOGRAPHS	page 5 a scale drawing of the faculty (see instruction	ns for more detail).
All existing facilities must include photographs lacrial or grasites of future storage, treatment or disposal areas (see ins	ound-level) that clearly delineate all existing structure structure.	s; existing storage, treatment and disposal areas; and
	is information is provided on the a	ttached drawings and photos.
LATITUDE (degrees, minutes, & secon	nds) LONG	SITUDE (degrees, minutes, & seconds)
VIII. FACILITY OWNER		
X A. If the facility owner is also the facility operator as is	sted in Section VII on Form 1. "General information"	place an "Y" in the boy to the left and akin to Capital IV
Delow.		
B. If the facility owner is not the facility operator as list	ted in Section VII on Form 1, complete the following i	tems:
1, NAME OF	FACILITY'S LEGAL OWNER	2. PHONE NO. (area code & no.)
		
3, STREET OR P.O. BOX	4. CITY OR TOWN	5, ST. 6, ZIP CODE
IX. OWNER CERTIFICATION		
i certify under penalty of law that I have personally examine inquiry of those individuals immediately responsible for obta	ining the information. I believe that the submitted info	his and all attached documents, and that based on my primation is true, accurate, and complete. I am aware that
there are significant penalties for submitting false information NAME (print or type)	on, including the possibility of fine and imprisonment.	DATE SIGNED .
John D. Wagoner, Manager U.S. Department of Energy	1. 11/1/2 and	ululau
Richland Operations Office X. OPERATOR CERTIFICATION	Try V. Wagon	
I certify under penalty of law that I have personally examine inquiry of those individuals immediately tesponsible for obtain	gland am familiar with the information submitted in the	his and all attached documents, and that based on my
there are significant penalties for submitting false information NAME (print or type)	n, including the possibility of fine and imprisonment. SIGNATURE	
The second of types	SIGNATURE	DATE SIGNED
SEE ATTACHMENT		
FCL30 - 271 - FCY 030-31 Form 3	PAGE 4 OF E	

Hanford Central Waste Complex Rev. 2, 11/04/94, Page 37 of 44


X. OPERATOR CERTIFICATION

I certify under penalty of law that I have personally examined and am familiar with the information submitted in this and all attached documents, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the submitted information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

Wagonn Owner/Operator
John D. Wagoner, Manager
U.S. Department of Energy
Richland Operations Office


A. LaMar Trego, President Westinghouse Hanford Company 9/20/94 Date

TSD Unit Boundary



Hanford Central Waste Complex Rev. 2, 11/04/94, Page 39 of 44

HANFORD CENTRAL WASTE COMPLEX **AERIAL VIEW**




[Photograph does not reflect recent construction; HCWC Site Plan (Page 38 of 44) shows current site development.]

46°33'17" 119°38'27"

90041251-5CN (PHOTO TAKEN 1990)


1. 1. 1/2.77

HANFORD CENTRAL WASTE COMPLEX AERIAL VIEW - WASTE UNLOADING AND STAGING AREA PAD AND MIXED WASTE STORAGE PAD



[Photograph does not reflect recent construction; HCWC Site Plan (Page 38 of 44) shows current site development.]

HANFORD CENTRAL WASTE COMPLEX AERIAL VIEW - LOW FLASH POINT STORAGE BUILDINGS




[Photograph does not reflect recent construction; HCWC Site Plan (Page 38 of 44) shows current site development.]

46°33'17" 119°38'27"

7 16 7 6 7 6


HANFORD CENTRAL WASTE COMPLEX MIXED WASTE STORAGE BUILDING - TYPICAL



46°33'17" 119°38'27"

90061110-26CN (PHOTO TAKEN 1990)


HANFORD CENTRAL WASTE COMPLEX Pu/PCB STORAGE BUILDINGS



46°33'17" 119°38'27"

90061110-44CN (PHOTO TAKEN 1990)

HANFORD CENTRAL WASTE COMPLEX WASTE RECEIVING AND PROCESSING FACILITY (WRAP) - PROPOSED VIEW



[Photograph does not reflect recent construction; HCWC Site Plan (Page 38 of 44) shows current site development.]

46°33'17" 119°38'27"

90061110-53CN (PHOTO TAKEN 1990)

T Plant Complex Rev. 3, 11/04/94, Page 1 of 39

3-12/1/20110

Please print or type in the unshaded areas only

(fill-in areas ar	fill-in areas are spaced for elite type, i.e., 12 character/inch).																			
FORM 3	3 DANGEROUS WASTE PERMIT APPLICATION													WA7890008967						
FOR OFFICIAL																				
APPLICATION APPROVED	(mo.,day,&yr.)									CO	MMENTS									
ΙЦ								-												
II. FIRST OR	REVISED APPLICATION													***						
I.D. Number in	Section I above.						hethe TATE	r thi I.D.	s is Nu	s the	e first application you are a er, or if this is a revised ap	ubmitting 1 plication, e	or your ta inter your	faci	or a	EPA	/STA	VTE		
	PLICATION (place an "X"																			
1.	EXISTING FACILITY (Se	ee instructions for de implete item below.)	finitian o	f "ex	isting	" facilii	Y.				2. NEW FAC		-							
MO. DAY YR. FOR EXISTING FACILITIES, PROVIDE THE DATE (mo., day, & yr.) O 1																				
	3. REVISED APPLICATION (place an "X" below and complete Section I above) \[\text{\tikl}\text{\titt{\text{\titt{\text{\ti}\text{\texi\texi{\text{\text{\text{\text{\text{\text{\texitex{\text{\text{\																			
	I. PROCESSES - CODES AND CAPACITIES																			
	. PROCESS CODE - Enter the code from the list of process codes below that best describes each process to be used at the facility. Ten lines are provided for entering																			
process (in	codes. If more lines are needed, enter the code(s) in the space provided. If a process will be used that is not included in the list of codes below, then describe the process (including its design capacity) in the space provided on the (Section III-C).																			
B. PROCESS	DESIGN CAPACITY - For	each code entered is	n column	A an	nter th	e capa	city o	fthe	рг	oce	EE.									
	T - Enter the amount.																			
2, UNIT OF Only the	 UNIT OF MEASURE - For each amount entered in column B(1), enter the code from the list of unit measure codes below that describes the unit of measure used. Only the units of measure that are listed below should be used. 																			
PRO- A PPROPRIATE UNITS OF CESS MEASURE FOR PROCESS PROCESS CODE DESIGN CAPACITY PROC												PRO- CESS CODE	APPRO MEASU DES	JRE .	ATE (FOR CAP	PRO:	CESS	: 3		
Storage: Treatment:																				
CONTAINER (barrel, drum, etc) SO1 GALLONS OR LITTERS TANK TO1 GALLONS PER DAY OR																				
TANK -WASTE-PI	LE	5 QB						SU	T02	GALLON:	s pe	r da	Y O	R						
SURFACE	IMPOUNDMENT	SO4 GALLONS OF							IN	Т03	TONS PE	R H TON	OUR S PE	A HC	UR;					
Disposal:													GALLON LITERS P	s pe Er i	R HO	OR }	OR			
INJECTION LANDFILL		D80 GALLONS OF	the volun						01	THE	R (Use for physical, chemical or biological treatment	al, TO4	GALLON LITERS P	S PE	R DA	V 0	R			
		would cover depth of one OR HECTARI	foot)						pro	oce	sses not occurring in tanks a impoundments or inciner		LITERIOT	LIT	<i>-</i>					
LAND APP		D82 ACRES OR N D83 GALLONS PE	ECTARES R DAY O	R					ate	OFE.	Describe the processes in pace provided; Section III-C									
		D84 GALLONS OF																		
		INIT OF EASURE								UN ME	IIT OF ASURE						IT O			
UNIT OF N		CODE	UN	IT O	F ME	ASURE				C	ODE UN	IT OF MEA				С	ODE			
GALLONS LITERS	RDS	LIT	ERS NS F	PER I	DAY	 مارمان	:::	• • •	• •	V AG	RE-FEET. CTARE-ME	TER		:::	:::	• • •	A F			
CUBIC YA	TERS	:::: č	ME GA	LLOI	NS PE	R HOU	R	• • •			E HE	CTARES .			: : :		• • •	ď		
GALLONG	CUBIC METERS C GALLONS PER HOUR E HECTARES Q GALLONS PER DAY U LITERS PER HOUR H EXAMPLE FOR COMPLETING SECTION III (shown in line numbers X-1 and X-2 below): A facility has two storage tanks, one tank can hold 200 gallons and the other can hold 400 gallons. The facility also has an incinerator that can burn up to 20 gallons per hour.																			
	·1	the other can hold 4 SS DESIGN CAPACIT		s. I	he fac	cuity at	П				B. PROCESS D					Τ-				
N A. PRO L U CESS I M CODE			2. UI	TIV		OR ICIAL	11 11	A. C	PR ESS ODI	10- 5				2.	וואט	٦ ,	FO			
N B (from lis	1. AN	OF MI SUF (ent	E	O	SE VLY	MBER	Ific	m i	list	1. AMOU (specify			Ş	MEA URE nter	· `	US	38			
E E above)			code				Ř	ļ		_	, , , , , , , , , , , , , , , , , , ,				de)	↓				
X-1 S 0 2	60	G				5	T	0	4	1,000)			U						
X-2 T 0 3	2	20	E				ε	S	0	5	46,000)			Υ·					
1 S 0 2	· · · · · · · · · · · · · · · · · · ·		G		_		7													
2 T 0 1	14,0		U				8		_	Ц	· · · · · · · · · · · · · · · · · · ·				\perp	_		\bot		
3 T 0 4		2	D	Ш	_		9													
4 S 0 1	200,0	G				10	$\lfloor floor$	_												

Continued from the front.

110	PROCESS	ES Icon	rtinuad)

C. SPACE FOR ADDITIONAL PROCESS CODES OR FOR DESCRIBING OTHER PROCESS (code "TO4"). FOR EACH PROCESS ENTERED HERE INCLUDE DESIGN CAPACITY.

to send of second of it

REFER TO ATTACHED

IV. DESCRIPTION OF DANGEROUS WASTES

- A. DANGEROUS WASTE NUMBER Enter the four digit number from Chapter 173-303 WAC for each listed dangerous waste you will handle. If you handle dangerous wastes which are not listed in Chapter 173-303 WAC, enter the four digit number(s) that describes the characteristics and/or the toxic contaminants of those dangerous wastes.
- B. ESTIMATED ANNUAL QUANTITY For each listed waste entered in column A estimate the quantity of that waste that will be handled on an annual basis. For each characteristic or toxic contaminant entered in column A estimate the total annual quantity of all the non-listed waste(s) that will be handled which possess that characteristic or contaminant.
- C. UNIT OF MEASURE For each quantity entered in column 8 enter the unit of measure code. Units of measure which must be used and the appropriate codes

ENGLISH UNIT OF MEASURE	CODE	METRIC UNIT OF MEASURE	CODE
POUNDS		KILOGRAMSMETRIC TONS	

If facility records use any other unit of measure for quantity, the units of measure must be converted into one of the required units of measure taking into account the appropriate density or specific gravity of the waste.

D. PROCESSES

1. PROCESS CODES:

For listed dangerous waste: For each listed dangerous waste entered in column A select the code(s) from the list of process codes contained in Section III to indicate how the waste will be stored, treated, and/or disposed of at the facility.

For non-listed dangerous wastes: For each characteristic or toxic contaminant entered in Column A, select the code(s) from the list of process codes contained in Section III to indicate all the processes that will be used to store, treat, and/or dispose of all the non-listed dangerous wastes that possess that characteristic or toxic contaminant.

Note: Four spaces are provided for entering process codes. If more are needed: (1) Enter the first three as described above; (2) Enter "000" in the extreme right box of item IV-D(1); and (3) Enter in the space provided on page 4, the line number and the additional code(s).

2. PROCESS DESCRIPTION: If a code is not listed for a process that will be used, describe the process in the space provided on the form.

NOTE: DANGEROUS WASTES DESCRIBED BY MORE THAN ONE DANGEROUS WASTE NUMBER - Dangerous wastes that can be described by more than one Waste Number shall be described on the form as follows:

- Select one of the Dangerous Waste Numbers and enter it in column A. On the same line complete columns 8, C, and D by estimating the total annual quantity of the waste and describing all the processes to be used to treat, store, and/or dispose of the waste.
- 2. In column A of the next line enter the other Dangerous Waste Number that can be used to describe the waste. In column D(2) on that line enter "included with above" and make no other entries on that line.
- Repeat step 2 for each other Dangerous Waste Number that can be used to describe the dangerous waste.

EXAMPLE FOR COMPLETING SECTION IV (shown in line numbers X-1, X-2, X-3, and X-4 below) - A facility will treat and dispose of an estimated 900 pounds per year of chrome shavings from leather tanning and finishing operation. In addition, the facility will treat and dispose of three non-listed wastes. Two wastes are corrosive only and there will be an estimated 200 pounds per year of each waste. The other waste is corrosive and ignitable and there will be an estimated 100 pounds per year of that waste. Treatment will be in an incinerator and disposal will be in a landfill.

	Τ									D. PROCESSES											
Č	N DANGEROUS O WASTE NO.				B. ESTIMATED ANNUAL QUANTITY OF WASTE	C. UN OF ME SURI (ente code	RE !er	֡֓֓֓֓֓֓֓֓֓֓֟֟֓֓֓֓֓֓֓֓֓֟֟֓֓֓֓֓֓֓֓֓֟֝֟֓֓֓֟֓֓֓֡֡֡֡֡֓֓֡֡֡֡֡֡֓֡֡֡֓				1.	PRO		SS (ES			2. PROCESS DESCRIPTION (if a code is not entered in D(1))	
(-1	*	7	7	5	4	 900	1	7	1	τ^{I}	0	3	D	8	0				Т		
(-2	L	,	7	0	2	 400	F	7		7	0	3	۵	8	0	П			1		
ر-ع د-3	E	0	7	0	1	 100	F	7	7	7	0	3	٥	8	0	1			T	1	
- -4	E	1	,	0	2			Ī	1	7	o	3	D	8	0	I			ī	Т	included with above

III. C., PROCESSES

The T Plant Complex (T Plant) is located in the 200 West Area of the Hanford Facility and consists of two structures, the 221-T Building (221-T) and the 2706-T Building (2706-T), and various support structures and/or storage pads within T Plant. The 221-T and 2706-T buildings are used for the storage (tank, container, and miscellaneous equipment) and treatment (tank, container, and decontamination activities) of mixed waste before transfer to the Double-Shell Tank (DST) System and/or the Central Waste Complex (CWC). The various support structures and/or storage pads are used for storage and treatment of mixed and/or dangerous waste until processed and transferred to the CWC and/or the 616 Nonradioactive Dangerous Waste Storage Facility (616 NRDWSF). The storage buildings located outside the 2706-T Building also are used to store containerized mixed and/or dangerous waste until transferred to the CWC and/or 616 NRDWSF. The following are the storage and treatment processes for T Plant.

I who I would !

S02

Liquid mixed waste from decontamination activities within the 221-T is transferred to a tank system consisting of five stainless steel storage tanks: tank 5-6 [4,600 gallons (17,400 liters) design capacity], tank 5-7 [10,000 gallons (38,000 liters) design capacity], tank 5-9 [4,800 gallons (18,200 liters) design capacity], tank 11-R [14,000 gallons (53,000 liters) design capacity], and tank 15-1 [14,000 gallons (53,000 liters) design capacity] located in reinforced concrete cells within 221-T. Tanks 5-6, 5-7, 5-9, and 11-R are used for secondary storage of liquid mixed waste and tank 15-1 is used for primary storage of liquid mixed waste. The maximum storage process design capacity of the five storage tanks is 47,400 gallons (179,600 liters).

Liquid mixed waste from decontamination activities at the 2706-T currently is transferred by underground pipeline to the 221-T tank system for storage until transferred to the DST System. In a future process, the liquid mixed waste from the decontamination activities at 2706-T will be stored in two proposed double-walled stainless steel tanks that will be located on the northside of 2706-T. The underground pipeline to the 221-T tank system will be used as a backup for these proposed storage tanks. Each 2706-T tank will have a process design capacity of 15,000 gallons (57,000 liters) for a maximum storage process design capacity of 30,000 gallons (114,000 liters).

The maximum storage process design capacity for the liquid mixed waste storage tanks at the 221-T and 2706-T is 77,400 gallons (293,600 liters).

<u>T01</u>

The liquid mixed waste stored in the 221-T (tank 15-1) normally is transferred by railroad car to the DST System. If the liquid mixed waste is transferred by underground pipelines, tank 15-1 is used to treat the liquid mixed waste to a pH greater than 12.0 before transfer to the DST System. This treatment process makes the liquid mixed waste more amenable for storage in the DST System. The maximum treatment process design capacity for tank 15-1 is 14,000 gallons (53,000 liters) per day.

III. C., PROCESSES (Continued)

T04

The decontamination activities (treatment) are performed within the following __structures_within_T Plant.

I whole a fitt

The decontamination activities occur in 221-T in equipment referred to as thimbles and troughs, which are located in the canyon on the cell blocks over cells 11-R and 15-R. There are three stainless steel thimbles: thimble 1 is a 2,000 gallon (7,600 liter) open top tank with a tube section recessed through the cover block over cell 11-R; thimble 2 is a 300 gallon (1,200 liter) square open top tank with a tube section recessed in the cover block over cell 15-R; and thimble 3 is a 332 gallon (1,300 liter) open top tank with a tube section recessed in the cover block over cell 15-R. There are three stainless steel rectangular troughs: trough 1 is 18 feet (5.5 meters) long by 2 feet (0.6 meter) wide by 3 feet (0.9 meter) high: trough 2 is 8 feet (2.4 meters) long by 4 feet (1.2 meters) wide by 4 feet (1.2 meters) high; and trough 3 is 12 feet (3.7 meters) long by 8 feet (2.4 meters) wide by 4 feet (1.2 meters) high. The decontamination activities consist of decontaminating process equipment (i.e., pipelines, jumpers), various pieces of equipment (i.e., pumps, motors, damaged tools, etc.), and other discarded materials for recycle or disposal on the Hanford Facility. The decontamination process consists of placing equipment in the thimbles, troughs, or designated areas on the canyon deck and using air, steam, water, chemicals, and/or other methods to remove the contamination. The liquid mixed waste generated by this process is transferred to the 221-T tank system and then to the DST System. Solid mixed waste generated by this decontamination process (i.e., air blasting) is placed in U.S. Department of Transportationapproved containers for storage until transferred to the CWC.

The decontamination activities in the 2706-T occur over railroad and automotive pits located within the building. The railroad pit is 55 feet (16.9 meters) long by 17 feet (5.2 meters) wide by 6 feet (1.8 meters) deep. The automotive pit is 30 feet (9.1 meters) long by 4 feet (1.2 meters) wide by 6 feet (1.8 meters) deep. The 2706-T is used to decontaminate railroad equipment, buses, trucks, automobiles, cranes, earth moving equipment, and large pieces of plant process equipment by using air, steam, water, chemicals, and/or other methods to remove the contamination. The liquid mixed waste generated by this process is collected in the railroad pit, transferred to the 221-T tank system, and then to the DST System. Solid mixed waste generated by this decontamination process (i.e., air blasting) is placed in U.S. Department of Transportation-approved containers for storage until transfer to the CWC.

The maximum treatment process design capacity for 221-T and 2706-T is 2 tons (1.8 metric tons) per hour.

III. C., PROCESSES (Continued)

S01, T04

The storage and treatment of the dry and liquid mixed and/or dangerous waste in various sized containers will occur in the railroad tunnel, on the canyon deck and in various cells within the 221-T, and in support structures and/or storage pads located within the boundaries of T Plant. Container storage capability at T Plant is required because of the need to complete laboratory analysis and characterization of mixed and/or dangerous waste samples before transferring the waste containers to the CWC and/or 616 NRDWSF. The treatment capability is needed in the event that it is necessary to add adsorbent or neutralize the contents of a container before transfer.

The maximum storage process design capacity is 200,000 gallons (758,000 liters) and the maximum treatment process design capacity is 1.000 gallons (3,800 liters) per day.

S05

The designation SO5 (storage miscellaneous) is used to indicate that solid mixed waste stored on the canyon deck and in various cells is considered to be stored in a containment building subject to the requirements of 40 CFR 265, Subpart DD, rather than a waste pile subject to the requirements of 40 CFR 265, Subpart L. The solid mixed waste consists of low-level process equipment, jumpers, and various other materials that has the potential to go through the decontamination process.

The maximum storage process design capacity on the canyon deck and in the cells is 46,000 cubic yards (35,200 cubic meters).

i

I wall and ?

T Plant Complex Rev. 3, 11/04/94, Page 6 of 39 Continued from page 2. NOTE: Photocopy this page before completing if you have more than 26 wastes to list. I.D. NUMBER (entered from page 1) W A 7 8 9 0 0 0 8 9 6 7 IV. DESCRIPTION OF DANGEROUS WASTES (continued) D: PROCESSES C. UNIT OF MEA-SURE (enter code) L N DANGEROUS N O WASTE NO. B. ESTIMATED ANNUAL QUANTITY OF WASTE 2. PROCESS DESCRIPTION 1. PROCESS CODES (if a code is not entered in D(1)) (enter code) <u>ol</u>olol P **\$02 TO1 †**04 Storage-Tank/Treatment-Tank-Other 279,000,000 2 (Decontamination Activities) loloi 2 D 3 D 0 0 3 D ٥ 0 4 D 0 l٥ 5 D 0 0 6 7 blolo 7 blolo 8 סוסום 9 10 D 0 1 0 11 סום 1 1 12 D 0 1 8 13 ه ا ما 1 9 14 2 2 lo lo 15 D I O I 2 8 T 16 002 9 17 DOO 0 D 3 0 3 19 D 0 3 4 20 D 0 3 5 21 D 0 3 6 22 3 D 0 8 23 D 0 3 9 24 D 0 4 0

25 D 0 4 1

Dlo

and the second second and and

Continued from page 2. NOTE: Photocopy this page before completing if you have more than 26 wastes to list. I.D. NUMBER (entered from page 1) WA7890008967 IV. DESCRIPTION OF DANGEROUS WASTES (continued) D. PROCESSES C. UNIT OF MEA-SURE lenter codel A. N DANGÉROUS O WASTE NO. L-ZE B. ESTIMATED ANNUAL QUANTITY OF WASTE 1. PROCESS CODES (enter) 2. PROCESS DESCRIPTION (if a code is not entered in D(1)) (enter code) Р Storage-Tank/Treatment-Tank-Other ŤΦ T04 Т 01 (Decontamination Activities)(Cont.) W 0 2 T 3 C 0 2 W 4 0 Р W 1 5 Р 0 2 W 0 ٥ 1 0 0 2 0 0 3 0 lol 4 0 0 5 Ψ 3 9 Included With Above 0 P 12 0 0 1 2,000,000 S01 T04 Storage-Container/Treatment-Other D 13 D 0 0 2 14 3 מו 0 0 D 0 4 0 16 0 5 n 0 17 0 0 6 18 Ū Ô Ô 7 8 10 10 0 9 D 0 21 0 1 0 D 0 D 1 23 D 0 1 6 0 מו 1 \Box 25 D 0 8 1 26 9

No hours of the same of the

T Plant Complex Rev. 3, 11/04/94, Page 8 of 39

Continued from page 2. NOTE: Photocopy this page before completing if you have more than 26 wastes to list. I.D. NUMBER (entered from page 1) WA7890008967 IV. DESCRIPTION OF DANGEROUS WASTES (continued) D. PROCESSES C. UNIT OF MEA-SURE lenter N DANGEROUS O WASTE NO. B. ESTIMATED ANNUAL QUANTITY OF WASTE 2. PROCESS DESCRIPTION (if a code is not entered in D(1)) 1. PROCESS CODES (enter) code) (enter code) p Storage-Container/Treatment-Other 0 2 Š01 **†04** D (Continued) 2 2 0 1 D 2 2 D 0 2 3 0 D 2 4 0 D 0 2 5 D D 0 2 6 8 0 2 7 D 0 2 8 D 2 10 9 D 0 11 3 D 0 0 12 D 0 3 1 1 2 0 3 D 3 3 D 0 03 ח 4 11 16 0 3 5 D D 3 6 0 T ПП 18 D 0 3 7 19 3 8 0 D \Box 20 0 3 9 D 4 0 D 0 4 D 0 23 2 D 0 4 $\mathsf{T}\mathsf{T}$ D 0 4 3 W T 0 1 26 W 0

the Paper of the same of the

Rev. 3, 11/04/94, Page 9 of 39 Continued from page 2. NOTE: Photocopy this page before completing if you have more than 26 wastes to list. 1.D. NUMBER (entered from page 1) W A 7 8 9 0 0 0 8 9 6 7 DESCRIPTION OF DANGEROUS WASTES (continued) D. PROCESSES C. UNIT OF MEA-SURE fenter A. N DANGEROUS O WASTE NO. B. ESTIMATED ANNUAL QUANTITY OF WASTE 2. PROCESS DESCRIPTION (if a code is not entered in D(1)) 1. PROCESS CODES (enter) code) (enter code) Р Storage-Container/Treatment-Other †04 SOI WC 0 2 (Continued) W Р 0 1 W P ٥l Р W W FIO .0I F F Ю 0. T F T^{T} U

T-"I

T Plant Complex Rev. 3, 11/04/94, Page 10 of 39 Continued from page 2.

NOTE: Photocopy this page before completing if you have more than 26 wastes to list. I.D. NUMBER (entered from page 1) W A 7 8 9 0 0 0 8 9 6 7 IV. DESCRIPTION OF DANGEROUS WASTES (continued) D. PROCESSES C. UNIT OF MEA-SURE (enter code) A. N DANGEROUS O WASTE NO. B. ESTIMATED ANNUAL QUANTITY OF WASTE 1. PROCESS CODES (enter) 2. PROCESS DESCRIPTION (if a code is not entered in D(1)) (enter code) T04 P Storage-Container/Treatment-Other \$01 <u>ulolo</u> $\mathsf{T}\mathsf{\Pi}$ (Continued) 2 0 1 0 3 0 1 0 2 1 5 0 1 U 0 1 5 U O 1 6 U 0 1 7 0 1 8 U O 9 1 11 U 0 2 0 U 0 2 1 13 u 2 2 0 \Box UO 2 3 15 UO 2 16 lulo 2 5 2 Ulo 6 18 Ulo 2 7 1,, 19 2 ulo 8 20 U 0 2 9 21 0 3 0 1 1 22 0 3 1 2 0 3

a, we have the second of the second

	<u> </u>		
ECL	.30 - 271 -	ECY 030	-31 Form 3

U 0 3 3

25 U 0 3 4

T Plant Complex

Rev. 3, 11/04/94, Page 11 of 39 Continued from page 2. NOTE: Photocopy this page before completing if you have more than 26 wastes to list.

1 1611 4 150

I.D. NUMBER (entered from page 1) WA7890008967 IV. DESCRIPTION OF DANGEROUS WASTES (continued) D. PROCESSES C. UNIT OF MEA-SURE lenter N DANGEROUS O WASTE NO. B. ESTIMATED ANNUAL QUANTITY OF WASTE 2. PROCESS DESCRIPTION (if a code is not entered in D(1)) 1. PROCESS CODES (enter) (enter code) T04 0 3 P Storage-Container/Treatment-Other (Continued) U U U 0 4 0 4 lo| lU-1 1 lo l 0 5 U 0 5 0 5 U U \sqcap TT U O П |U|0| ulo U \Box u lo l

Continued from page 2. NOTE: Photocopy this page before completing if you have more than 26 wastes to list.

I.D. NUMBER (entered from page 1) WA7890008967 IV. DESCRIPTION OF DANGEROUS WASTES (continued) D. PROCESSES C. UNIT OF MEA-SURE (enter code) N DANGEROUS O WASTE NO. B. ESTIMATED ANNUAL QUANTITY OF WASTE 1. PROCESS CODES (enter) 2. PROCESS DESCRIPTION (if a code is not entered in D(1)) (enter code) U 0 6 Р ŚOÌ **T04** Storage-Container/Treatment-Other (Continued) 2 0 6 6 บไอได U 0 6 8 U lo l 6 9 6 0 ۱7 0 U 7 U 0 7 8 2 0 7 บ 9 0 7 3 U TT10 U 0 7 4 11 0 7 5 U I I 12 บ 0 7 6 13 0 7 7 7 7 0 7 8 15 U 0 7 9 16 0 8 0 17 0 8 U 1 18 U 0 8 2 19 0 8 3 **י**טו 11 20 U 0 8 4 0 8 22 U 0 8 6 เบ 0 8 7 24 U 0 8 8 T 25 ١0 8 9 26 9

Rev. 3, 11/04/94, Page 13 of 39

Continued from page 2. NOTE: Photocopy this page before completing if you have more than 26 wastes to list. I.D. NUMBER lentered from page 1) W A 7 B 9 0 0 0 8 9 6 7 IV. DESCRIPTION OF DANGEROUS WASTES (continued) D. PROCESSES C. UNIT OF MEA-SURE (enter code) A.
N DANGEROUS
N O WASTE NO. B. ESTIMATED ANNUAL QUANTITY OF WASTE 2. PROCESS DESCRIPTION (if a code is not entered in D(1)) 1. PROCESS CODES (enter) (enter code) P \$0i †04 Storage-Container/Treatment-Other ulol9l (Continued) ا۱ 9 5 9 6 1 1

Rev. 3, 11/04/94, Page 14 of 39 Continued from page 2. NOTE: Photocopy this page before completing if you have more than 26 wastes to list. I.D. NUMBER (entered from page 1) WA7890008967 IV. DESCRIPTION OF DANGEROUS WASTES (continued) D. PROCESSES C. UNIT OF MEA-SURE L N DANGEROUS N O WASTE NO. B. ESTIMATED ANNUAL QUANTITY OF WASTE 2. PROCESS DESCRIPTION (if a code is not entered in D(1)) 1. PROCESS CODES (enter) (enter (enter code) Р \$01 **†04** Storage-Container/Treatment-Other 4 6 (Continued) \top U П TT \top \Box TTU U | 1 | \top

1 7

I Was I see I I a T Plant Complex

Rev. 3, 11/04/94, Page 15 of 39

Continued from page 2. NOTE: Photocopy this page before completing if you have more than 26 wastes to list. I.D. NUMBER (entered from page 1) WA7890008967 IV. DESCRIPTION OF DANGEROUS WASTES (continued) D. PROCESSES C. UNIT OF MEA-SURE (enter N DANGEROUS O WASTE NO. mZ+L B. ESTIMATED ANNUAL QUANTITY OF WASTE 1. PROCESS CODES 2. PROCESS DESCRIPTION (if a code is not entered in D(1)) (enter) (enter code) Storage-Container/Treatment-Other 7 3 P \$01 **†04** |7| (Continued) U U U Ü 1 1 υ |8|2 |U|1|8|3 $\Pi\Pi$ 1 8 4 U TI U 1--1 1 8 U 1 1 9 0 lu U 1-1

Continued from page 2.

NOTE: Photocopy this page before completing if you have more than 26 wastes to list.

I.D. NUMBER (entered from page 1)

No.	<u> </u>	WA7890008967																		
No. Processes	īv.	DE:	SCF	RIPT	ION	OF DANGEROUS WAST	ES (continued	5)												
Note				١	-			 c.	JNIT								D. PROCESSES	-		
	7-ZE	DA W.	NG AST	ERC FE N	OUS 10. del	B. ESTIMATED AN QUANTITY OF W	(enter				1. Pi			DES	;	2. PROCESS DESCRIPTION (if a code is not entered in D(1))				
2	1	U 2 0 3			3				P P	Ş(01			T			Storage-Cont	ainer/Trea	tment-Other	^
3	2	U	2	0	4								<u> </u>	' '	1		(Continued)			
	3	U	2	0	5]				 	,					
	4	U	2	0	6					····	, ,					1 h				
	5	U	2	0	7															
	6	U	2	0	8						1			'		1 1			· · · · · · · · · · · · · · · · · · ·	
8	7	U	2	0	9						1			' ——		1 1	,			
9	8	U	2	1	0					-	'				_					
10	9	U	2	1	1						'									
11	10	U	2	1	2					1	ı									
12	11	U	2	1	3						ŀ	, ,								
13	12	U	2	1	4						<u> </u>	'			,					
14	13	U	2	1	5					·—	· 1			' —						
16	14	U	2	1	6					Ì	1			l 						
16	15	U	2	1	7						1			, ,						
18 U 2 1 9 18 U 2 2 0 19 U 2 2 1 20 U 2 2 3 21 U 2 2 3 22 U 2 2 5 23 U 2 2 6 24 U 2 2 7 25 U 2 2 8 26 U 1 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0	16	U	2	1	8															
18 U 2 2 0	17	U	2	1	9															
19 U 2 2 1	18	υ	2	2	0															
20 U 2 Z Z Z											:					· · ·				
21 U 2 2 3 2 5 2 5 2 7 2 7 2 8 2 8 2 8 2 8 2 8 2 8 2 8 2 8		-	-							,						, ,				
22 U 2 2 5 23 U 2 2 6 24 U 2 2 7 25 U 2 2 8 26 U 1 U 2 2 8	21	U	2	2	3															
23 U 2 2 6 24 U 2 2 7 25 U 2 2 8 26 26 27 26 27 27 28 28 29 26 2 8 29 26 2 8 29 26 2 8 29 26 2 8 29 26 2 8 29 26 2 8 29 26 2 8 29 26 2 8 29 26 2 8 29 26 2 8 29 26 2 8 29 26 2 8 20 2 2 8 20 2 2 2 8 20 2 2 2 8 20 2 2 2 8 20 2 2 2 8 20 2 2 2 2	22	υ	2	2	5	. <u></u>					_									
24 U 2 2 7 25 U 2 2 8 26 U 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0 0		$\overline{}$																		
26 0 2 8	24	U	_	_											-					
	25	U	2	2	8	-										1		1		
	26																			

1 - Wall - 116

T Plant Complex Rev. 3, 11/04/94, Page 17 of 39

Continued from page 2. NOTE: Photocopy this page before completing if you have more than 26 wastes to list.

All the world for more than the first

Continued from page 2.

NOTE: Photocopy this page before completing if you have more than 26 wastes to list.

I.D. NUMBER (entered from page 1)

l	I.D. NUMBER (entered from page 1)																
w	WA7890008967																
IV.	IV. DESCRIPTION OF DANGEROUS WASTES (continued) D. PROCESSES																
7-2E						(e)	UNIT MEA- JRE oter del			1, P	ROCE (er	SS C	ODE	5	2. PROCESS DESCRIPTION (if a code is not entered in D(1))		
1	P 0 0 8 P								S(Ţ	04	1	T	1 1	Storage-Container/Treatment-Other	
2	Р	0	0	9				1	'		'		'	i		(Continued)	
3	Р	0	1	0					_	Ī	1		7				
4	Р	0	1	1					ļ	1	'						
5	Р	0	1	2						1		1					
6	Р	0	1	3								I I		1			
7	Р	0	1	4									-			1	
8	Р	0	1	5						<u> </u>		<u> </u>		1			
9	Р	0	1	6					1			<u> </u>					
10	P	0	1	7			_				<u> </u>		'	 			
11	Р	0	1	8		-			-		'		·	 			
12	Р	0	2	0		<u>-</u>			i	<u> </u>		'	1				
13	Р	0	2	1			1		,	 -	<u> </u> '	 	 	·	1 1		
14	Р	0	2	2			1		1			 	<u> </u>	1	1 1		
15	Р	0	2	3			_						'	1			
16	Р	0	2	4	-				·		<u>'</u>	<u> </u>	<u>'</u>				
17	Р	0	2	6					<u>.</u>	1.	!	<u> </u>	!	1	! 		
18	Р	0	2	7	· · · · ·		_	Ш		1	<u> </u>	<u> </u>					
19	Р	0	2	8						 				1	} - -		
20	Р	0 :	2	9	· · · · · · · · · · · · · · · · · · ·				- 1-	1			<u> </u>	¦ 			
21	Р	0 :	3	0			_			<u>'</u>			<u>'</u>	<u>'</u>			
22	Р	0	3	1			_		'		' 		ļ. <u>.</u>	·			
23	Р	0 :	3	3			1		-		<u>'</u>			·	 		
24	Р	0	3	4						1			 	 	[]		
25	\vdash	-	3	6			<u> </u>		ı	, I		. I	,	1	1 1 	·	
26	Р	0 :	3	7			\		1	/ ¹				1	I !	<u> </u>	
ECL30 - 271 - ECY 030-31 Form 3 PAGE 3 OF 5 CONTINUE ON REVERS																	

Continued from page 2. NOTE: Photocopy this page before completing if you have more than 26 wastes to list. I.D. NUMBER (entered from page 1) WA7890008967 IV. DESCRIPTION OF DANGEROUS WASTES (continued) D. PROCESSES C. UNIT OF MEA-SURE (enter N DANGEROUS O WASTE NO. B. ESTIMATED ANNUAL QUANTITY OF WASTE 1. PROCESS CODES (enter) 2. PROCESS DESCRIPTION (if a code is not entered in D(1)) (enter code) codel Р Storage-Container/Treatment-Other Ρ \$01 T04 - [(Continued) P р Ρ \Box P р Р Р P Ō p $P \mid 0$ PO Р $\mathsf{T}\mathsf{T}$ P Р P P Р 8 | PIO PO 6 0 Р P P Þ Р

What is wall of a

Continued from page 2. NOTE: Photocopy this page before completing if you have more than 26 wastes to list. I.D. NUMBER (entered from page 1) 7 8 9 0 0 0 8 9 6 7 IV. DESCRIPTION OF DANGEROUS WASTES (continued) D. PROCESSES C. UNIT OF MEA-SURE (enter code) N DANGEROUS O WASTE NO. B. ESTIMATED ANNUAL QUANTITY OF WASTE 1. PROCESS CODES (enter) 2. PROCESS DESCRIPTION (if a code is not entered in D(1)) (enter code) P 0 6 8 P Storage-Container/Treatment-Other <u>\$01</u> T04 P (Continued) P Р P ΙĒ P P P P P ĺΡ P İ₽ ŀΡ T 8 9 P Įp. g P р Р

Continued from page 2. NOTE: Photocopy this page before completing if you have more than 26 wastes to list. I.D. NUMBER (entered from page 1) W A 7 B 9 O O O B 9 6 7 IV. DESCRIPTION OF DANGEROUS WASTES (continued) D. PROCESSES C. UNIT OF MEA-SURE N DANGEROUS O WASTE NO. B. ESTIMATED ANNUAL QUANTITY OF WASTE 1. PROCESS CODES (enter) 2. PROCESS DESCRIPTION (if a code is not entered in D(1)) (enter (enter code) P 1 0 P S01 **Ť0**4 Storage-Container/Treatment-Other 0 Р 1 2 (Continued) 3 Р 0 1 3 Р 0 1 4 .5 P 0 5 1 6 P 0 1 6 7 Р 0 7 1 8 P 0 8 1 Р 9 1 0 10 Р 1 0 11 Р 1 1 12 Р 2 1 1 13 Р 3 1 1 P 4 1 1 Р 1 5 1 16 Р 1 1 6 17 P Ī 1 8 18 Р 1 1 9 19 Р 1 2 0 П 20 P 2 1 21 2 Р 1 2 22 P 1 2 3 Included With Above 23 DIOIO 10,000 P **S05** Storage-Miscellaneous \Box 0 0 0 2 (Containment Building) 25 D l0 0 3 26 D | O | O | 4

ECL30 - 271 -

wholl and I

T Plant Complex Rev. 3, 11/04/94, Page 22 of 39

Continued from page 2. NOTE: Photocopy this page before completing if you have more than 26 wastes to list. I.D. NUMBER (entered from page 1) WA7890008967 IV. DESCRIPTION OF DANGEROUS WASTES (continued) D. PROCESSES C. UNIT OF MEA-SURE (enter A. N DANGEROUS O WASTE NO. B. ESTIMATED ANNUAL QUANTITY OF WASTE 2. PROCESS DESCRIPTION (if a code is not entered in D(1)) 1. PROCESS CODES (enter) (enter code) P **S**05 Storage-Miscellaneous 0005 (Containment Building) (Continued) D 00 6 00 D D 00 8 5 0 D 0 9 6 D 0 1 0 7 0 D 11 1 8 D 0 1 8 D 0 1 9 10 lo lo 2 2 D 0 2 8 12 D 0 2 9 lo lo la 0 0 3 מו 3 15 Ò 3 D 4 16 0 3 D 5 17 3 lol 6 D 0 D 3 8 19 D 03 9 20 D 0 4 0 21 D 0 4 22 lo lo 4 3 23 W T 0 1 24 WLT 0 2 25 WC 0 2 26

January and

KO I D	Continued from page 2. NOTE: Photocopy this page before completing if you have more than 26 wastes to list. I.D. NUMBER (entered from page 1)																	
i	W A 7 8 9 0 0 0 8 9 6 7																	
IV.	IV. DESCRIPTION OF DANGEROUS WASTES (continued) D. PROCESSES																	
7-ZE . 02	1	A. DANGEROUS WASTE NO. (enter code)			B. ESTIMATED ANNUAL QUANTITY OF WASTE		S	UNIT MEA- URE Inter ode)	1. PROCESS CODES (enter)						3		2. PROCESS DESCRIPTION (if a code is not entered in D(1))	
1	W P 0 2			-		P _	S() 5		T	T	Τ	1 [Storage-Miscellaneous			
2	F	Ô	Ô	Ì		-								<u> </u>		-	(Containment Building)(Continued)	
3	F	0	0	2	-	 	Ш					1	l	ļ			-	
4	F	0	0	3					Ľ						1 1			
5	F	0	0	4					'		<u>'</u>	<u>'</u>	ı —	۱ 	1			
_ 6	F	0	0	5		-					'	<u>'</u>	, 	'	1 1		Y	
7	F	0	3	9	.,,,.			Y	'n	<u>Ľ</u>		<u> </u>	<u>'</u>	_	1 1		Included With Above	
8									<u>'</u>	ا 		<u>'</u>		!	1 1			
9					2-12-m	<u> </u>			1	 -	<u> </u>	<u>'</u>	ı	i				
10						-			Ľ	'	,		1	1				
11									Ľ	, —	<u>'</u>	<u> </u>	1		1			
12									1		<u>'</u>		1					
13									<u>'</u>		'	<u>'</u>		1				
14									1		'	<u> </u>	!		 			
15	֓֞֝֟֝֟֝֟֝֓֓֓֓֓֓֓֓֟֟֝֓֓֓֓֓֓֓֓֓֓֓֓֓֡֟֝֓֓֓֓֡֡֝֡֡֡֡֓֓֡֡֡֡֡֡֡֡							_	1		ļ <u>'</u>	<u>'</u>	 					
16									i_									
17								\perp	, 				<u>'</u>] [
18															-			
19								Ш	_		<u> </u>		. !]]			
20	Ц								 						1 1			
21	Ц			1					l				1		1 1		III I	
22			_						 				ı				,	
23				\downarrow					. []		1 1			
24									<u></u>		1				1 1			
25					to a contract of the state of t								[
26			l	_	· · · · · · · · · · · · · · · · · · ·							<u>' </u>		,	1 1			
ECI	20	0.7		_	ECY 030-31 Form 3						AGF 3			- 6			CONTINUE ON DEVEDO	

IV. DESCRIPTION OF DANGEROUS WASTES (continued)

E. USE THIS SPACE TO LIST ADDITIONAL PROCESS CODES FROM SECTION D(1) ON PAGE 3.

The T Plant Complex is used for the storage and treatment of mixed waste and/or dangerous waste. The mixed waste is transferred to the Double-Shell Tank System and/or Central Waste Complex. The dangerous waste is transferred to the 616 Nonradioactive Dangerous Waste Storage Facility.

The dangerous waste numbers identified in Section IV.A. are associated with mixed and/or dangerous waste that could be stored and/or treated at T Plant. The mixed and/or dangerous waste consists of listed waste, characteristic waste, waste from nonspecific sources, toxicity characteristic waste, and state-only waste (extremely hazardous and dangerous waste). Multi-source leachate (FO39) is included as a waste derived from nonspecific source wastes F001 through F005.

The estimated annual quantities of mixed waste listed for SO1, SO2, SO5, TO1, and TO4 and dangerous waste for SOI and TO4 represent the maximum quantities of-dry and liquid waste that could be stored and treated at T Plant. Future operations might necessitate an increase in excess of these estimates and a revision could be pursued as required by the dangerous waste regulations.

. •				•
V. FACILITY DRAWING			•	
All existing facilities must include in the space provided or	i page 5 a scale drawing of	the facility (see instructions	for more detail).	
VI. PHOTOGRAPHS				
All existing facilities must include photographs (serial or greates of future storage, treatment or disposal areas (see in	round-level) that clearly deli structions for more detail).	neate all existing structures;	existing storage, treatment an	d disposal areas; and
VII. FACILITY GEOGRAPHIC LOCATION	nis information is	provided on the att	ached drawings and	photos.
LATITUDE (degrees, minutes, & seco	ndsl	LONGII	UDE (degrees, minutes, & sec	onds)
VIII. FACILITY OWNER				
A. If the facility owner is also the facility operator as is below. B. If the facility owner is not the facility operator as its	-			ft and skip to Section IX
1, NAME O	F FACILITY'S LEGAL OWNE	R 	2. PHO	NE NO. (area code & no.)
3, STREET OR P.O. BOX-	1,	4, CITY OR TOWN	6, ST.	ę, ζIP COD€
IX. OWNER CERTIFICATION				
I certify under penelty of law that I have personally examin- inquiry of those individuals immediately responsible for obta there are significant penalties for submitting false informati	ining the information, I beli	eve that the submitted inform	end all attached documents, nation is true, eccurate, and c	end that based on my omplete. I am aware that
NAME (print or type) John D. Wagoner, Hanager U.S. Department of Energy Richland Operations Office X. OPERATOR CERTIFICATION	John W.	Wagour	DATE SIGNED	194
	//			
I certify under penalty of law that I have personally examine inquiry of those individuals immediately responsible for obtail there are significant penalties for submitting false information	Ming the information, I beli	eve that the submitted inform	and all attached documents, nation is true, accurate, and c	end that based on my omplete. I am aware that
NAME (print or type)	SIGNATURE		DATE SIGNED	
SEE ATTACHMENT				
ECU30 - 271 - ECY 030-31 Form 3	PAGE	OF 5		CONTENUE ON BLCE C


X. OPERATOR CERTIFICATION


I certify under penalty of law that I have personally examined and am familiar with the information submitted in this and all attached documents, and that based on my inquiry of those individuals immediately responsible for obtaining the information, I believe that the submitted information is true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment.

John D. Wagoner, Manager U.S. Department of Energy Richland Operations Office 11/4/94


A. LaMar Trego, President Westinghouse Hanford Company

T PLANT COMPLEX SITE PLAN







T PLANT COMPLEX - 221-T SITE PLAN



T PLANT COMPLEX - 221-T CUTAWAY



T PLANT COMPLEX - 2706-T SITE PLAN




T PLANT COMPLEX AERIAL VIEW



221-T BUILDING

46°30'38" 119°30'40"

93030994-122CN (PHOTO TAKEN 1993)



TYPICAL THIMBLE


46°30'38"



TYPICAL THIMBLE INTERNAL VIEW

46°30'38" 119°30'40"

93051473-9CN (PHOTO TAKEN 1993)



TYPICAL TROUGH

46°30'38" 119°30'40"


93060740-10CN (PHOTO TAKEN 1993)



CANYON DECK

46°30'38" 119°30'40"


93051132-8CN (PHOTO TAKEN 1993)



AERIAL VIEW

46°30'38" 119°30'40"

93030994-257CN (PHOTO TAKEN 1993)



RAILROAD PIT


46°30'38" 119°30'40" 93040127-3CN (PHOTO TAKEN 1993)



AUTOMOTIVE PIT

46°30'38" 119°30'40"

93040127-2CN (PHOTO TAKEN 1993)



TYPICAL STORAGE BUILDING

46°30'38" 119°30'40" 93040127-13CN (PHOTO TAKEN 1993)